

Class Crustacea

	<p>Order Decapoda Crayfish (10-150 mm)</p> <p>Body mostly dorsally flattened; two-pairs of antennae one longer than the other; five-pairs of legs, first three-pairs with hinged claws and the first pair of claws are greatly enlarged; abdomen terminates in a flipper-like structure. Occur in lakes and wetlands but probably more common in rivers and streams.</p> <p>Tolerance: Moderate Behavior: Crawler (burrower) Feeding: Collector</p>		<p>Order Decapoda Crayfish (10-150 mm)</p> <p>Body mostly dorsally flattened; two-pairs of antennae one longer than the other; five-pairs of legs, first three-pairs with hinged claws and the first pair of claws are greatly enlarged; abdomen terminates in a flipper-like structure. Occur in lakes and wetlands but probably more common in rivers and streams.</p> <p>Tolerance: Moderate Behavior: Crawler (burrower) Feeding: Collector</p>
	<p>Order Decapoda Crayfish (10-150 mm)</p> <p>Body mostly dorsally flattened; two-pairs of antennae one longer than the other; five-pairs of legs, first three-pairs with hinged claws and the first pair of claws are greatly enlarged; abdomen terminates in a flipper-like structure. Occur in lakes and wetlands but probably more common in rivers and streams.</p> <p>Tolerance: Moderate Behavior: Crawler (burrower) Feeding: Collector</p>		<p>Order Decapoda Crayfish (10-150 mm)</p> <p>Body mostly dorsally flattened; two-pairs of antennae one longer than the other; five-pairs of legs, first three-pairs with hinged claws and the first pair of claws are greatly enlarged; abdomen terminates in a flipper-like structure. Occur in lakes and wetlands but probably more common in rivers and streams.</p> <p>Tolerance: Moderate Behavior: Crawler (burrower) Feeding: Collector</p>

Class Crustacea

 	<p>Order Isopoda Aquatic sowbug (5-20 mm)</p> <p>Body dorsally flattened; two-pairs of antennae one longer than the other; seven-pairs of legs, the first is claw-like and slightly enlarged, and the others have a simple pointed claw. Looks similar in appearance to its terrestrial cousin, the pill bug (potato bug). Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: High Behavior: Crawler Feeding: Collector</p>	 	<p>Order Isopoda Aquatic sowbug (5-20 mm)</p> <p>Body dorsally flattened; two-pairs of antennae one longer than the other; seven-pairs of legs, the first is claw-like and slightly enlarged, and the others have a simple pointed claw. Looks similar in appearance to its terrestrial cousin, the pill bug (potato bug). Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: High Behavior: Crawler Feeding: Collector</p>
---	--	---	--

 	<p>Order Isopoda Aquatic sowbug (5-20 mm)</p> <p>Body dorsally flattened; two-pairs of antennae one longer than the other; seven-pairs of legs, the first is claw-like and slightly enlarged, and the others have a simple pointed claw. Looks similar in appearance to its terrestrial cousin, the pill bug (potato bug). Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: High Behavior: Crawler Feeding: Collector</p>	 	<p>Order Isopoda Aquatic sowbug (5-20 mm)</p> <p>Body dorsally flattened; two-pairs of antennae one longer than the other; seven-pairs of legs, the first is claw-like and slightly enlarged, and the others have a simple pointed claw. Looks similar in appearance to its terrestrial cousin, the pill bug (potato bug). Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: High Behavior: Crawler Feeding: Collector</p>
---	--	---	--

Class Crustacea

	<p>Order Amphipoda Scud/sideswimmer (5-20 mm)</p> <p>Has a shrimp-like appearance; body flattened from side to side; one pairs of antennae of equal length; seven-pairs of walking legs, first two claw-like the remaining legs are simple. Has a habit of swimming sideways. Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: Moderate Behavior: Swimmer (crawler) Feeding: Collector</p>		<p>Order Amphipoda Scud/sideswimmer (5-20 mm)</p> <p>Has a shrimp-like appearance; body flattened from side to side; one pairs of antennae of equal length; seven-pairs of walking legs, first two claw-like the remaining legs are simple. Has a habit of swimming sideways. Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: Moderate Behavior: Swimmer (crawler) Feeding: Collector</p>
---	---	---	---

	<p>Order Amphipoda Scud/sideswimmer (5-20 mm)</p> <p>Has a shrimp-like appearance; body flattened from side to side; one pairs of antennae of equal length; seven-pairs of walking legs, first two claw-like the remaining legs are simple. Has a habit of swimming sideways. Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: Moderate Behavior: Swimmer (crawler) Feeding: Collector</p>		<p>Order Amphipoda Scud/sideswimmer (5-20 mm)</p> <p>Has a shrimp-like appearance; body flattened from side to side; one pairs of antennae of equal length; seven-pairs of walking legs, first two claw-like the remaining legs are simple. Has a habit of swimming sideways. Occur in lakes and wetlands, rivers and streams.</p> <p>Tolerance: Moderate Behavior: Swimmer (crawler) Feeding: Collector</p>
--	---	--	---