

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On February 20, 2015, O-Tex Pumping, LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to construct a bulk cement blending facility located at 691 Good Hope Pike, Clarksburg, Harrison County, WV at latitude 39 2610 and longitude -80.3793. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-3236.

The following potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.64 tons per year (TPY), Particulate Matter, 3.43 TPY, Sulfur Dioxide, 1.58 TPY, Oxides of Nitrogen, 5.15 TPY, Carbon Monoxide, 6.36 TPY, Volatile Organic Compounds, 1.94 TPY, Hazardous Air Pollutants, 0.02 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Thursday, August 13, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed construction will meet all State and Federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Steven R. Pursley, PE
WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
Telephone: 304/926-0499, ext 1218
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:

www.dep.wv.gov/daq/Pages/SRPermitsforReview.aspx

633-00255

FILE:	
COMPANY	O-Tex Pumping
FACILITY	Clarksburg Facility
REGION	6
REG.	13-3236

PUBLISHER'S CERTIFICATE

I, Loretta Greathouse, Advertising Manager of THE EXPONENT TELEGRAM, a newspaper of general circulation published in the city of Clarksburg, County and state aforesaid, do hereby certify that the annexed:

AIR QUALITY PERMIT NOTICE

was published in THE EXPONENT-TELEGRAM 1 time(s) commencing on 07/14/2015 and ending on 07/14/2015 at the request of

DEPT OF ENVIRONMENTAL PROTECT.

Given under my hand this 07/14/15.

The publisher's fee for said publication is: \$66.64.

[Signature]
Advertising Manager of The Exponent-Telegram

Subscribed to and sworn to before me this 07/14/15

[Signature]
Notary Public in and for Harrison County, WV

My commission expires on
The 29th day of August 2017



NON-CONFIDENTIAL

Pursley, Steven R

From: Adkins, Sandra K
Sent: Thursday, July 09, 2015 3:53 PM
To: wentworth.paul@epa.gov; bradley.megan@epa.gov; dougr@otexpumping.com
Cc: Durham, William F; Fedczak, James P; McCumbers, Carrie; McKeone, Beverly D; Hammonds, Stephanie E; Rice, Jennifer L; Taylor, Danielle R; Pursley, Steven R; barry.amick@otexpumping.com; Betonte, Donna M
Subject: WV Draft Permit R13-3236 for O-Tex Pumping, LLC, Clarksburg facility
Attachments: 3236.pdf; Eval3236.pdf; notice.pdf

Please find attached the Draft Permit R13-3236, Engineering Evaluation, and Public Notice for O-Tex Pumping, LLC, Clarksburg facility located in Harrison County.

The notice will be published in *The Exponent Telegram* on Tuesday, July 14, 2015, and the thirty day public comment period will end on Thursday, August 13, 2015.

Should you have any questions or comments, please contact the permit writer, Steve Pursley, at 304 926-0499 x1218.

033 00255

	FILE:
COMPANY	O-Tex Pumping
FACILITY	Clarksburg
REGION	6 REG. 13-3236

NON-CONFIDENTIAL

Pursley, Steven R

From: Adkins, Sandra K
Sent: Thursday, July 09, 2015 12:02 PM
To: Wheeler, Cathy L
Cc: Pursley, Steven R
Subject: DAQ Public Notice

033-00255

FILE
0149 Pumping
Clarksburg
6 REG. 13-3236

Please see below the Public Notice for Draft Permit R13-3236 O-Tex Pumping, LLC, Clarksburg facility located in Harrison County.

The notice will be published in *The Exponent Telegram* on Tuesday, July 14, 2015, and the thirty day public comment period will end on Thursday, August 13, 2015.

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On February 20, 2015, O-Tex Pumping, LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to construct a bulk cement blending facility located at 691 Good Hope Pike, Clarksburg, Harrison County, WV at latitude 39.2610 and longitude -80.3793. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-3236.

The following potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.64 tons per year (TPY); Particulate Matter, 3.43 TPY; Sulfur Dioxide, 1.58 TPY; Oxides of Nitrogen, 5.15 TPY; Carbon Monoxide, 6.36 TPY; Volatile Organic Compounds, 1.94 TPY; Hazardous Air Pollutants, 0.02 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Thursday, August 13, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed construction will meet all State and Federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Steven R. Pursley, PE
WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
Telephone: 304/926-0499, ext. 1218
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:

www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

Pursley, Steven R

From: Adkins, Sandra K
Sent: Thursday, July 09, 2015 10:10 AM
To: legals@theet.com
Cc: Pursley, Steven R
Subject: Publication of Class I Legal Ad for the WV Division of Air Quality

Please publish the information below as a Class I legal advertisement (one time only) in the Tuesday, July 14, 2015, issues of *The Exponent Telegram*. Account 27207

Send the invoice for payment and affidavit of publication to:

Sandra Adkins

**WV Department of Environmental Protection
DIVISION OF AIR QUALITY
601- 57th Street
Charleston, WV 25304**

033-0025J

FILE:	
COMPANY	O-Tex Pumping
FACILITY	Clarksburg
REGION	6 REG. 13-3236

Thank you for your assistance. Should you have any questions, please contact me at 304-926-0499 x1250.

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On February 20, 2015, O-Tex Pumping, LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to construct a bulk cement blending facility located at 691 Good Hope Pike, Clarksburg, Harrison County, WV at latitude 39.2610 and longitude -80.3793. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-3236.

The following potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.64 tons per year (TPY); Particulate Matter, 3.43 TPY; Sulfur Dioxide, 1.58 TPY; Oxides of Nitrogen, 5.15 TPY; Carbon Monoxide, 6.36 TPY; Volatile Organic Compounds, 1.94 TPY; Hazardous Air Pollutants, 0.02 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Thursday, August 13, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed construction will meet all State and Federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Steven R. Pursley, PE
WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304

NON-CONFIDENTIAL

Telephone: 304/926-0499, ext. 1218
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:

www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On February 20, 2015, O-TEX Pumping, LLC applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to construct a bulk cement blending facility located at 691 Good Hope Pike, Clarksburg, Harrison County, WV at latitude 39.2610 and longitude -80.3793. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-3236.

The following potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 1.64 tons per year (TPY); Particulate Matter, 3.43 TPY; Sulfur Dioxide, 1.58 TPY; Oxides of Nitrogen, 5.15 TPY; Carbon Monoxide, 6.36 TPY; Volatile Organic Compounds, 1.94 TPY; Hazardous Air Pollutants, 0.02 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on **DRAFT**. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed construction will meet all State and Federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Steven R. Pursley, PE
WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
Telephone: 304/926-0499, ext. 1218
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:

www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx



west virginia department of environmental protection

Division of Air Quality
601 5th Street SE
Charleston, WV 25304
Phone (304) 926-0475 • FAX: (304) 926-0479

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

April 30, 2015

Doug Rather
O-Tex Pumping, LLC
7303 N. Highway 81
Duncan, OK 73533

RE: Application Status: Complete
O-Tex Pumping, LLC
Clarksburg Bulk Cement Plant
Permit Application R13-3236
Plant ID No. 033-00255

Dear Mr. Rather:

Your application for a construction permit for a cement and bulk material facility was received by this Division on February 10, 2015 and assigned to the writer for review. Upon initial review of said application, it was determined that the application was incomplete as submitted. However, with the submittal of additional information on April 14, 2015, the application is now deemed to be complete. Therefore, the statutory review period commenced on April 30, 2015.

This determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit determination.

Should you have any questions, please contact me at (304) 926-0499 ext. 1218.

Sincerely,

Steven R. Pursley, PE
Engineer

c: NCRO

NON-CONFIDENTIAL



PUBLISHER'S CERTIFICATE

I, Loretta Greathouse, Advertising Manager of THE EXPONENT TELEGRAM, a newspaper of general circulation published in the city of Clarksburg, County and state aforesaid, do hereby certify that the annexed:

AIR QUALITY PERMIT NOTICE

was published in THE EXPONENT-TELEGRAM 1 time(s) commencing on 03/25/2015 and ending on 03/25/2015 at the request of

CONESTOGA-ROBERS & ASSOCIATE.

Given under my hand this 04/03/15.

The publisher's fee for said publication is: \$50.19.

Advertising Manager of The Exponent-Telegram

Subscribed to and sworn to before me this 04/03/15

Notary Public in and for Harrison County, WV

My commission expires on

The 29th day of August 2017

Attachment P

**Air Quality Permit Notice
Notice of Application
Clarksburg Bulk
Cement Plant
O-TEX PUMPING LLC
Harrison County,
West Virginia**

Notice is given that O-Tex Pumping LLC has applied to the West Virginia Department of Environmental Protection, Division of Air Quality, for a Construction Permit (45CSR13) for a cement bulk facility, located at the intersection of Shadow Hills Dr and Milford St in Harrison County, West Virginia.

The latitude and longitude coordinates are: 39.261434 degrees N and -80.379749 W


The applicant estimates the potential to discharge the following Regulated Air Pollutants will be:

Pollutants	TOTAL (tpy):
VOC	1.9410
NOx	5.1456
CO2e	887.7000
CO	6.3554
SO2	1.5825
PM2.5	0.0000
PM10	1.6335
PM	3.4331
Total HAPs	0.0226

Startup in operation is planned to begin upon permit issuance. Written comments will be received by the West Virginia Department of Environmental Protection, Division of Air Quality, 601 57th Street, SE, Charleston, WV 25304, for at least 30 calendar days from the date of publication of this notice.

Any questions regarding this permit application should be directed to the DAQ at (304) 926-0499, extension 1227, during normal business hours. Dated this the 25 day of March, 2015.

By: O-Tex Pumping LLC
Doug Rather
Senior Partner
7303 N Highway 81
Duncan, OK 73533-8794



NON-CONFIDENTIAL

Pursley, Steven R

From: Tephabock, Brian S
Sent: Tuesday, March 24, 2015 10:53 AM
To: Pursley, Steven R
Subject: O-TEX Pumping Site Inspection

033-00255

FILE:	
COMPANY	O-TEX Pumping
FACILITY	Clarksburg
REGION	6
REG.	13-1236

Good morning Steve,

I conducted the site inspection this morning for O-TEX Pumping, 033-00255. There is only a metal building on the site which is also being used as their office. No process equipment is in place at this site.

Decimal Lat/Lon = 39.2610457°, -080.3793505°

Please let me know if you need anything else,
Brian Tephabock

NON-CONFIDENTIAL

Pursley, Steven R

From: Tephabock, Brian S
Sent: Thursday, March 26, 2015 8:19 AM
To: Pursley, Steven R
Subject: Re: O-Tex Pumping Site Inspection

No concerns at all. I've found out that a similar operation was previously located there and we never had any complaints.
Brian

Sent from my iPhone

On Mar 26, 2015, at 7:32 AM, Pursley, Steven R <Steven.R.Pursley@wv.gov> wrote:

Thanks Brian. So I take it there's nothing unusual about the site that would give you any concerns?

<image001.jpg>

From: Tephabock, Brian S
Sent: Tuesday, March 24, 2015 10:53 AM
To: Pursley, Steven R
Subject: O-Tex Pumping Site Inspection

Good morning Steve,

I conducted the site inspection this morning for O-Tex Pumping, 033-00255. There is only a metal building on the site which is also being used as their office. No process equipment is in place at this site.

Decimal Lat/Lon = 39.2610457°, -080.3793505°

Please let me know if you need anything else,
Brian Tephabock

<Steven R Pursley PE.vcf>

NON-CONFIDENTIAL



west virginia department of environmental protection

Division of Air Quality
601 57th Street SE
Charleston, WV 25304
Phone 304/926-0475

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

March 16, 2015

Doug Rather
O-Tex Pumping, LLC
7303 N. Highway 81
Duncan, OK 73533

RE: Application Status: Incomplete
O-Tex Pumping, LLC
Clarksburg Bulk Cement Plant
Permit Application No. R13-3236
Plant ID No. 033-00255

Dear Mr. Rather:

Your application for a construction permit for a cement and bulk material facility was received by this Division on February 10, 2015 and assigned to the writer for review. Upon initial review of said application, it has been determined that the application as submitted is incomplete based on the following items:

1. Per the February 20, 2015 email to you from Jennifer Rice of this office, the legal ad must be republished to indicate that the permit application is for a "construction permit", not a "New Source Review Permit".

Please address the above deficiencies in writing within fifteen (15) days of the receipt of this letter. Application review will not commence until the application has been deemed to be technically complete. Failure to respond to this request in a timely manner may result in the denial of the application. Should you have any questions, please contact me at (304) 926-0499 ext. 1218.

Sincerely,

Steven R. Pursley, PE
Engineer

c: NCRO

NON-CONFIDENTIAL




**CONESTOGA-ROVERS
& ASSOCIATES**

6320 Rothway, Suite 100, Houston, Texas 77040
Telephone: (832) 485-5221 Fax: (713) 734-3391
www.CRAworld.com

February 26, 2015

Reference No. 089634

Mr. Steven Pursley
Air Quality Engineer
Division of Air Quality
WV Department of Environmental Protection
601 57th Street, SE
Charleston, West Virginia 25304



Dear Mr. Steven Pursley:

Re: NSR Permit Application 45CSR13
Clarksburg Bulk Cement Plant
O-Tex Pumping LLC

033-60255

FILE:	
COMPANY	O-Tex Pumping
FACILITY	Clarksburg
REGION	6
REG. 13-3236	

Conestoga-Rovers & Associates (CRA) would like to submit the affidavit of publication for a NSR Permit 45CSR13 application that we submitted on behalf of O-Tex Pumping LLC for a bulk cement plant facility identified as Clarksburg Bulk Cement Plant on February 10, 2015.

The Air Quality Permit Notice of Application was published in The Exponent-Telegram, a newspaper of general circulation published in the city of Clarksburg, Harrison County, West Virginia on February 18, 2015.

Enclosed are the following documents:

- Original copy of public notice affidavit

Please let us know if you have any questions or require additional information.

Sincerely,

CONESTOGA-ROVERS & ASSOCIATES

Yi Chen

Encl.

cc: Doug Rather, O-Tex Pumping LLC

NON-CONFIDENTIAL

Equal
Employment Opportunity
Employer

Attachment P
Air Quality Permit Notice
Notice of Application
Clarksburg Bulk
Cement Plant
O-TEX PUMPING LLC
Harrison County,
West Virginia

Notice is given that O-Tex Pumping LLC has applied to the West Virginia Department of Environmental Protection, Division of Air Quality, for a New Source Review Permit 45CS043 for a cement bulk facility located at the intersection of Shadow Hills Dr and Milford St in Harrison County, West Virginia.

The latitude and longitude coordinates are: 39.261434 degrees N and -80.379749 W

The applicant estimates the potential to discharge the following Regulated Air Pollutants will be:

Pollutants	TOTAL (tpy):
VOC	1.9410
NOx	5.1456
CO2e	887.7000
CO	6.3554
SO2	1.5825
PM2.5	0.0000
PM10	1.6335
PM	3.4331
Total HAPs	0.0226

Startup in operation is planned to begin upon permit issuance. Written comments will be received by the West Virginia Department of Environmental Protection, Division of Air Quality, 601 57th Street, SE, Charleston, WV 25304, for at least 30 calendar days from the date of publication of this notice.

Any questions regarding this permit application should be directed to the DAQ at (304) 926-0499, extension 1227, during normal business hours.

Dated this the ___ day of ___, 2015.

By: O-Tex Pumping LLC
 Doug Rather
 Senior Partner
 7303 N Highway 81
 Duncannon, OK 73533-8794

PUBLISHER'S CERTIFICATE

I, Loretta Greenhouse,
 Advertising Manager of THE EXPONENT
 TELEGRAM, a newspaper of general circulation
 published in the city of Clarksburg, County and state
 aforesaid, do hereby certify that the annexed:

AIR QUALITY PERMIT

was published in THE EXPONENT-TELEGRAM 1
 time(s) commencing on 02/18/2015 and ending on
 02/18/2015 at the request of

CONESTOGA-ROBERS & ASSOCIATE.

Given under my hand this 02/18/15.

The publisher's fee for said publication is: \$50.19.

Loretta Greenhouse

Advertising Manager of The Exponent-Telegram


Subscribed to and sworn to before me this 02/18/15

Sarah E. Hurst

Notary Public in and for Harrison County, WV

My commission expires on

The 29th day of August 2017



NON-CONFIDENTIAL

Pursley, Steven R

From: Adkins, Sandra K
Sent: Monday, February 23, 2015 1:54 PM
To: Pursley, Steven R
Subject: O-Tex Pumping LLC/Permit Application Fee

Categories: Red Category

033-00255

FILE:	
COMPANY	O-Tex Pumping
FACILITY	Clarksburg
REGION	6
REG.	13-3236

This is the receipt for payment received from:

O-Tex Pumping, check number 172061, dated December 24, 2014, \$2,000.00
Clarksburg R13-3236 id no 033-00255

OASIS Deposit No CR 1500092835 February 23, 2015

NON-CONFIDENTIAL

Pursley, Steven R

From: Rice, Jennifer L
Sent: Friday, February 20, 2015 12:30 PM
To: dougr@otexpumping.com
Cc: Pursley, Steven R; McKeone, Beverly D
Subject: WV DAQ Permit Application Status for O-Tex Pumping LLC; Clarksburg

Categories: Red Category

**RE: Application Status
O-Tex Pumping, LLC
Clarksburg Bulk Cement Plant
Plant ID No. 033-00255
Application No. R13-3236**

033-00255

FILE:	
COMPANY	O-Tex Pumping
FACILITY	Clarksburg
REGION	6 REG. B-3236

Mr. Rather,

Your application for a construction permit for the Clarksburg Plant was received by this Division on February 10, 2015, and was assigned to Steve Pursley. The following item(s) were not included in the initial application submittal:

Original affidavit for Class I legal advertisement not submitted.

****Legal ad must be republished to indicate that the permit application is for a Construction Permit.***

This item is necessary for the assigned permit writer to continue the 30-day completeness review.

Within 30 days, you should receive a letter from Steve Pursley stating the status of the permit application and, if complete, given an estimated time frame for the agency's final action on the permit.

Any determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit decision.

Should you have any questions, please contact the assigned engineer, Steve Pursley, at 304-926-0499, extension 1218.

NOT-CONFIDENTIAL