

167-00163

FILE:	
COMPANY	PUB
FACILITY	19th St. WWT Treatment
REGION	2 REG. 13-3241

AIR QUALITY PERMIT NOTICE
Notice of Intent to Approve

On March 11, 2015, the Parkersburg Utility Board applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to modify a wastewater treatment facility located on 19th Street, Parkersburg, Wood County, WV at latitude 39.2813 and longitude -81.5568. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-3241.

The following increase in potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 0.77 tons per year (TPY); Particulate Matter, 0.77 TPY; Sulfur Dioxide, 0.36 TPY; Oxides of Nitrogen, 10.02 TPY; Carbon Monoxide, 5.58 TPY; Volatile Organic Compounds, 0.74 TPY; Hazardous Air Pollutants, 0.12 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Wednesday, July 29, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed modification will meet all State and Federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Steven R. Pursley, PE
 WV Department of Environmental Protection
 Division of Air Quality
 301 57th Street, SE
 Charleston, WV 25304
 Telephone: 304/928-0499, ext. 1218
 FAX: 304/928-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

Jun 29

.....MARY J BUCK.....

Being first duly sworn, says that the
“AIR QUALITY PERMIT NOTICE”.....

Hereto attached was printed in the

..XX...The Parkersburg News and Sentinel,

.....The Marietta AM,

A daily newspaper published in the City of Parkersburg,
Wood County, West Virginia, for ...ONE..... successive

Week(s), the first publication and posting thereon being on
the29TH.....day of ...JUNE... 2015., and

subsequent publication on the

day (s) 2015....

Printer's Fee \$..71.50...

Notarized Signature \$...2.00...

Additional Copy Fee \$.....

Total Due: \$... 73.50...


By: *Mary J Buck*

Subscribed and sworn to before me this

29th day of *June* 2015.

Melani Zyla
Notary Public for Wood County, West Virginia

My commission expires *3-23-24*



NON-CONFIDENTIAL

Pursley, Steven R

From: Adkins, Sandra K
Sent: Wednesday, June 24, 2015 10:56 AM
To: Wheeler, Cathy L
Cc: Pursley, Steven R
Subject: DAQ Public Notice

167-00163

FILE:	
COMPANY	PCB
FACILITY	19th St. W. Parkersburg
REGION	2 REG. 13-3241

Please see below the Public Notice for Draft Permit R13-3241 Parkersburg Utility Board's 19th Street Wastewater Treatment Plant located in Wood County.

The notice will be published in the *Parkersburg News* on Monday, June 29, 2015, and the thirty day public comment period will end on Wednesday, July 29, 2015.

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On March 11, 2015, the Parkersburg Utility Board applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to modify a wastewater treatment facility located on 19th Street, Parkersburg, Wood County, WV at latitude 39.2813 and longitude -81.5568. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-3241.

The following increase in potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 0.77 tons per year (TPY); Particulate Matter, 0.77 TPY; Sulfur Dioxide, 0.36 TPY; Oxides of Nitrogen, 10.02 TPY; Carbon Monoxide, 5.56 TPY; Volatile Organic Compounds, 0.74 TPY; Hazardous Air Pollutants, 0.12 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Wednesday, July 29, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed modification will meet all State and Federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Steven R. Pursley, PE
WV Department of Environmental Protection
Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
Telephone: 304/926-0499, ext. 1218
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:

NON-CONFIDENTIAL

NON-CONFIDENTIAL

Pursley, Steven R

167-00/03

COMPANY	FILE:
	pub
FACILITY	19th St Ww Treatment
REGION	2 REG. 13-3241

From: Adkins, Sandra K
Sent: Wednesday, June 24, 2015 10:55 AM
To: wentworth.paul@epa.gov; bradley.megan@epa.gov; eric.bennett@pubwv.com
Cc: Durham, William F; Fedczak, James P; McCumbers, Carrie; McKeone, Beverly D; Hammonds, Stephanie E; Taylor, Danielle R; Rice, Jennifer L; Pursley, Steven R
Subject: WV Draft Permit R13-3241 for Parkersburg Utility Board, Wastewater Treatment Plant
Attachments: 3241.pdf; Eval 3241.pdf; notice.pdf

Please find attached the Draft Permit R13-3241, Engineering Evaluation, and Public Notice for Parkersburg Utility Board's 19th Street Wastewater Treatment Plant located in Wood County.

The notice will be published in the *Parkersburg News* on Monday, June 29, 2015, and the thirty day public comment period will end on Wednesday, July 29, 2015.

Should you have any questions or comments, please contact the permit writer, Steve Pursley, at 304 926-0499 x1218.

NON-CONFIDENTIAL

Pursley, Steven R

From: Adkins, Sandra K
Sent: Wednesday, June 24, 2015 10:47 AM
To: legalads@newsandsentinel.com
Cc: Pursley, Steven R
Subject: Publication of Class I Legal Ad for the WV Division of Air Quality

Please publish the information below as a Class I legal advertisement (one time only) in the Monday, June 29, 2015, issue of the *Parkersburg News*.

Send the invoice for payment and affidavit of publication to:

Sandra Adkins
WV Department of Environmental Protection
DIVISION OF AIR QUALITY
601- 57th Street
Charleston, WV 25304

107-00113

FILE:	
COMPANY	pub
FACILITY	19 th St. WW Treatment
REGION	2
REG.	13-3241

Thank you for your assistance. Should you have any questions, please contact me at 304-926-0499 x1250.

AIR QUALITY PERMIT NOTICE

Notice of Intent to Approve

On March 11, 2015, the Parkersburg Utility Board applied to the WV Department of Environmental Protection, Division of Air Quality (DAQ) for a permit to modify a wastewater treatment facility located on 19th Street, Parkersburg, Wood County, WV at latitude 39.2813 and longitude -81.5568. A preliminary evaluation has determined that all State and Federal air quality requirements will be met by the proposed facility. The DAQ is providing notice to the public of its preliminary determination to issue the permit as R13-3241.

The following increase in potential emissions will be authorized by this permit action: Particulate Matter less than 10 microns, 0.77 tons per year (TPY); Particulate Matter, 0.77 TPY; Sulfur Dioxide, 0.36 TPY; Oxides of Nitrogen, 10.02 TPY; Carbon Monoxide, 5.56 TPY; Volatile Organic Compounds, 0.74 TPY; Hazardous Air Pollutants, 0.12 TPY.

Written comments or requests for a public meeting must be received by the DAQ before 5:00 p.m. on Wednesday, July 29, 2015. A public meeting may be held if the Director of the DAQ determines that significant public interest has been expressed, in writing, or when the Director deems it appropriate.

The purpose of the DAQ's permitting process is to make a preliminary determination if the proposed modification will meet all State and Federal air quality requirements. The purpose of the public review process is to accept public comments on air quality issues relevant to this determination. Only written comments received at the address noted below within the specified time frame, or comments presented orally at a scheduled public meeting, will be considered prior to final action on the permit. All such comments will become part of the public record.

Steven R. Pursley, PE
WV Department of Environmental Protection

NON-CONFIDENTIAL

Division of Air Quality
601 57th Street, SE
Charleston, WV 25304
Telephone: 304/926-0499, ext. 1218
FAX: 304/926-0478

Additional information, including copies of the draft permit, application and all other supporting materials relevant to the permit decision may be obtained by contacting the engineer listed above. The draft permit and engineering evaluation can be downloaded at:


www.dep.wv.gov/daq/Pages/NSRPermitsforReview.aspx

NON-CONFIDENTIAL

Pursley, Steven R

From: Pursley, Steven R
Sent: Wednesday, June 10, 2015 4:43 PM
To: 'Bennett, Eric D.'
Cc: 'Earnest, Kevin R. (Kevin.Earnest@strand.com)'
Subject: RE: air permit application
Attachments: Steven R Pursley PE2.vcf

It's one source (for major source/minor source classification) but that doesn't necessarily mean it has to be under one permit. Most facilities we permit have several permits. A power plant might have one permit for its boilers, another for its coal unloading operations and another for its lime delivery system. It's completely up to you. If you're happy with your existing permit for the emergency generator you might be better off leaving it under that permit.




From: Bennett, Eric D. [<mailto:Eric.Bennett@pubwv.com>]
Sent: Wednesday, June 10, 2015 4:31 PM
To: Pursley, Steven R
Cc: Earnest, Kevin R. (Kevin.Earnest@strand.com)
Subject: RE: air permit application

Mr. Pursley:

As we understand the federal policy, all of these items are in one facility and therefore would fall under a single permit. If this is incorrect we are certainly willing to discuss it.

Respectfully,
Eric




From: Pursley, Steven R [<mailto:Steven.R.Pursley@wv.gov>]
Sent: Tuesday, June 09, 2015 3:18 PM
To: Bennett, Eric D.
Subject: air permit application

Mr. Bennett

I've begun reviewing your permit application for the 19th St. Wastewater treatment plant.

You included your existing emergency generator in the application. That generator is currently covered under general permit G60-C051. Do you want that generator to continue operating under the general permit or do you want it to be included in this permit?

Steve





west virginia department of environmental protection

Division of Air Quality
601 57th Street SE
Charleston, WV 25304
Phone (304) 926-0475 • FAX: (304) 926-0479

Earl Ray Tomblin, Governor
Randy C. Huffinan, Cabinet Secretary
www.dep.wv.gov

April 16, 2015

Eric Bennett
Parkersburg Utility Board
125 19th St.
Parkersburg, WV 26101

RE: Application Status: Complete
Parkersburg Utility Board
19th St. Wastewater Treatment Plant
Permit Application R13-3241
Plant ID No. 107-00163

Dear Mr. Bennett:

Your application for a permit for your wastewater treatment plant was received by this Division on March 11, 2015 and assigned to the writer for review. Upon review of said application, it has been determined that the application is complete as submitted and, therefore, the statutory review period commenced on April 16, 2015.

This determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit determination.

Should you have any questions, please contact me at (304) 926-0499 ext. 1218.

Sincerely,

A handwritten signature in black ink, appearing to read 'S. Pursley'.

Steven R. Pursley, PE
Engineer

NON-CONFIDENTIAL



west virginia department of environmental protection

Division of Air Quality
601 57th Street SE
Charleston, WV 25304
Phone (304) 926-0475 • FAX: (304) 926-0479

Earl Ray Tomblin, Governor
Randy C. Huffinan, Cabinet Secretary
www.dep.wv.gov

April 16, 2015

Eric Bennett
Parkersburg Utility Board
125 19th St.
Parkersburg, WV 26101

RE: Application Status: Complete
Parkersburg Utility Board
19th St. Wastewater Treatment Plant
Permit Application R13-3241
Plant ID No. 107-00163

Dear Mr. Bennett:

Your application for a permit for your wastewater treatment plant was received by this Division on March 11, 2015 and assigned to the writer for review. Upon review of said application, it has been determined that the application is complete as submitted and, therefore, the statutory review period commenced on April 16, 2015.

This determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit determination.

Should you have any questions, please contact me at (304) 926-0499 ext. 1218.

Sincerely,

A handwritten signature in black ink, appearing to read 'S. Pursley'.

Steven R. Pursley, PE
Engineer

NON-CONFIDENTIAL



MAIN OFFICE
125 19th Street
Parkersburg, WV 26101
T. 304.424.8535 F. 304.485.3802

BILLING OFFICE
1 Government Square P.O. Box 1629
Parkersburg, WV 26102
T. 304.424.8550 F. 304.424.8555

March 31, 2015

West Virginia Department of Environmental Protection
Division of Air Quality
601 57th Street
Charleston, WV 25304-2345



Attn: Steve Pursley

Re: Parkersburg Utility Board
Wastewater Treatment Plant
Plant ID No. 107-00163
Application No. R13-3241

Dear Mr. Pursley:

Please find attached a copy of the affidavit for publication for the Air Quality Permit Notice. If you need any additional information please feel free to contact me at your convenience.

Respectfully,
Parkersburg Utility Board

Eric Bennett, General Manager

cc:
Parkersburg Utility Board
George Zivkovich, Counsel
Jennifer Rice, WVDEP, w/attachment

AIR QUALITY PERMIT NOTICE
Notice of Application

Notice is given that the Parkersburg Utility Board has applied to the West Virginia Department of Environmental Protection, Division of Air Quality, for an Construction Permit under 45 CSR 18 for a new boiler, flare, and emergency generator in addition to the existing boiler and emergency generator located at 125 Nineteenth Street, in the City of Parkersburg, Wood County, West Virginia. The latitude and longitude coordinates are 39.2790 N, 81.5548 W.

The applicant estimates the potential to discharge the following Regulated Air Pollutants will be:

Potential Emissions	tons/yr
NOx	20.16
CO	3.24
VOC	2.40
SO2	1.73
PM10	0.90
Total HAPs	0.13

Startup of operation is planned to begin on or about the thirtieth day of March, 2015. Written comments will be received by the West Virginia Department of Environmental Protection, Division of Air Quality, 601 57th Street, SE, Charleston, WV 25304, for at least 30 calendar days from the date of publication of this notice.

Any questions regarding this permit application should be directed to the DAQ at (304) 928-0499, extension 1297 during normal business hours.

Date of this the 16th day of March, 2015

By Parkersburg Utility Board
Eric Cannon
General Manager
125 Nineteenth Street
Parkersburg, WV 26101-2596

Mar 16

.....MARY J BUCK.....

Being first duly sworn, says that the

“AIR QUALITY PERMIT NOTICE”.....

Hereto attached was printed in the

..XX...The Parkersburg News and Sentinel,

.....The Marietta AM,

A daily newspaper published in the City of Parkersburg,

Wood County, West Virginia, for ...ONE..... successive

Week(s), the first publication and posting thereon being on

the16TH.....day ofMARCH..... 2015., and

subsequent publication on the

day (s) 2015....

Printer's Fee \$....55.90...

Notarized Signature \$.....2.00...

Additional Copy Fee \$.....

Total Due: \$.....57.90...


By: *Mary J Buck*

Subscribed and sworn to before me this

16th day of March 2015.

Melanie Zyla
Notary Public for Wood County, West Virginia

My commission expires 3-23-24



NON-CONFIDENTIAL

Pursley, Steven R

From: Adkins, Sandra K
Sent: Wednesday, March 18, 2015 9:25 AM
To: Pursley, Steven R
Subject: Parkersburg Utility Board-Wastewater Treatment Plant/Permit Application Fee

Categories: Red Category

107-00163

FILE:	
COMPANY	PUB
FACILITY	19 th St. WW Treatment
REGION	2 REG. 13-3241

This is the receipt for payment received from:

Parkersburg Utility Board, check number 66966, dated March 9, 2015, \$2,000.00
Wastewater Treatment Plant R13-3241 id no 107-00163

OASIS Deposit No CR 1500102760 March 18, 2015

NON-CONFIDENTIAL

Pursley, Steven R

From: Rice, Jennifer L
Sent: Tuesday, March 17, 2015 9:05 AM
To: eric.bennett@pubwv.com
Cc: Pursley, Steven R; McKeone, Beverly D
Subject: WV DAQ Permit Application Status for Parkersburg Utility Board; Wastewater Treatment Plant

Categories: Red Category

**RE: Application Status
Parkersburg Utility Board
Wastewater Treatment Plant
Plant ID No. 107-00163
Application No. R13-3241**

107-00163

FILE:	
COMPANY	Pub
FACILITY	19th St. WW Treatment
REGION	2 REG. 13-3241

Mr. Bennett,

Your application for a construction permit for the wastewater treatment plant was received by this Division on March 11, 2015, and was assigned to Steve Pursley. The following item was not included in the initial application submittal:

Original affidavit for Class I legal advertisement not submitted.

This item is necessary for the assigned permit writer to continue the 30-day completeness review.

Within 30 days, you should receive a letter from Steve Pursley stating the status of the permit application and, if complete, given an estimated time frame for the agency's final action on the permit.

Any determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit decision.

Should you have any questions, please contact the assigned engineer, Steve Pursley, at 304-926-0499, extension 1218.

*Jennifer Rice
WV Dept. of Environmental Protection*

NON-CONFIDENTIAL