

## **Martin, Thornton E**

---

**From:** Coccari, Gene M  
**Sent:** Monday, August 15, 2016 3:07 PM  
**To:** Martin, Thornton E  
**Subject:** Elk Valley Pet Crematorium

Hello-

I have been to the Elks Hills Memorial Park on Rt. 119, one half mile above Big Chimney. They have not started construction at this time. The location of the crematory sets just outside the cemetery on land owned by the applicant. The nearest residence is also owned by the applicant. The site appears suitable for a pet crematory. Thanks!

**Gene M. Coccari**  
**Environmental Resource Analyst**  
**WV Department of Environmental Protection**  
**Small Business Assistance Program**  
**601 57th Street, SE**  
**Charleston, WV 25304**  
**[gene.m.coccari@wv.gov](mailto:gene.m.coccari@wv.gov)**  
**ph: (304) 926-0499 ext. 1245**  
**fax: (304) 926-0479**

*Entire Document*  
NON-CONFIDENTIAL

**Martin, Thornton E**

---

**From:** Martin, Thornton E  
**Sent:** Wednesday, July 27, 2016 2:11 PM  
**To:** 'Elizabeth Smith'  
**Cc:** McKeone, Beverly D  
**Subject:** WV DAQ NSR Permit Application Complete for Elk Valley Pet Crematorium, LLC (Big Chimney)

**RE: Application Status: Complete  
Elk Valley Pet Crematorium, LLC (Big Chimney)  
Permit Application R13-3329  
Plant ID No. 039-00672**

Mr. McLaughlin:

Your application for a Construction permit for the Big Chimney facility was received by this Division on June 30, 2016 and assigned to the writer for review. Upon receipt of your Affidavit of Publication, July 18, 2016 and review of said application, it has been determined that the application is complete and, therefore, the statutory review period commenced on July 27, 2016.

**In the case of this application, the agency believes it will take approximately 90 days to make a final permit determination.**

This determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit determination.

Should you have any questions, please contact me at (304) 926-0499 ext.1212 or reply to this email.

*Thornton E. Martin Jr.*  
Permit Engineer  
Division of Air Quality  
601 57<sup>th</sup> Street, SE  
Charleston, WV 25304  
Phone: 304-926-0499 X1212  
Fax: 304-926-0479



*Entire Document*  
NON-CONFIDENTIAL

**Martin, Thornton E**

---

**From:** Elizabeth Smith <elizabeth@elkhillsmemorialpark.com>  
**Sent:** Monday, July 18, 2016 2:35 PM  
**To:** Martin, Thornton E  
**Cc:** jkempmclaughlin@yahoo.com  
**Subject:** RE: Elk Valley Pet Crematorium - legal ad  
**Attachments:** File0002.PDF

Lee,

See attached.

Let me know what else you need.

Thank you,  
Elizabeth Smith

---

**From:** Martin, Thornton E [mailto:Thornton.E.Martin@wv.gov]  
**Sent:** Monday, July 18, 2016 11:02 AM  
**To:** Elizabeth Smith  
**Subject:** RE: Elk Valley Pet Crematorium - legal ad

Hi Elizabeth,

You can mail the original into our office or scan and email the document to me.

Best Regards,  
Lee

**From:** Elizabeth Smith [mailto:elizabeth@elkhillsmemorialpark.com]  
**Sent:** Monday, July 18, 2016 10:56 AM  
**To:** Legal User <legals@cnpapers.com>  
**Cc:** Martin, Thornton E <Thornton.E.Martin@wv.gov>; jkempmclaughlin@yahoo.com  
**Subject:** RE: Elk Valley Pet Crematorium - legal ad

Nevermind, received this document in the mail today.

Thank you.

Lee,  
Please tell me the best way to get you this.

Thank you,  
Elizabeth Smith

---

**From:** Elizabeth Smith  
**Sent:** Monday, July 18, 2016 9:34 AM  
**To:** 'Legal User'

*Entire Document*  
NON-CONFIDENTIAL

**Cc:** Martin, Thornton E ([Thornton.E.Martin@wv.gov](mailto:Thornton.E.Martin@wv.gov)); 'jkempmclaughlin@yahoo.com'  
**Subject:** RE: Elk Valley Pet Crematorium - legal ad

Hi Vanessa,

In order to proceed further, the WVDEP is requesting an "Original Affidavit of Publication". Can you provide that for me or let me know who at the paper can do that? I would be happy to pick it up as soon as possible.

Please contact me with questions.

Thank you,

Elizabeth M. Smith  
*Office Manager*  
Elk Hills Memorial Park, Inc.  
T: (304) 965-5721

---

**From:** Legal User [<mailto:legals@cnpapers.com>]  
**Sent:** Wednesday, July 06, 2016 7:43 AM  
**To:** Elizabeth Smith  
**Subject:** Re: Elk Valley Pet Crematorium - legal ad

Good morning,

Please find attached the proof for Ad #634060 set to run 7/8. The cost is \$45.50.

Thank you,  
Vanessa Adams

On 7/5/2016 2:46 PM, Elizabeth Smith wrote:

Vanessa,

Per our conversation, please see the attached legal advertisement for placement in the newspaper legal section.

I will be paying for the ad, please send a bill to the address below.

My contact information is below.

The name of the company is Elk Valley Pet Crematorium, LLC. You may use the same P.O. Box number as below to set up the company, if necessary.

Let me know what other questions you may have, please let me know the fee amount.

Elizabeth M. Smith  
*Office Manager*  
P.O. Box 12086  
Charleston, WV 25302  
T: (304) 546-9277



# CHARLESTON NEWSPAPERS

P.O. Box 2993  
 Charleston, West Virginia 25330  
 Billing 348-4898  
 Classified 348-4848  
 1-800-WVA-NEWS  
 FEIN 55-0676079

INVOICE DATE	07/11/16
ACCOUNT NBR	049709100
SALES REP ID	0026
INVOICE NBR	000762001

Legal pricing is based upon 65 words per column inch.

Each successive insertion is discounted by 25% of the first insertion rate.

The Charleston Gazette Mail rate is \$.14 per word.

ISSUE DATE	AD TYPE	PUB	DESCRIPTION	AD NUMBER	AD SIZE	RATE	GROSS AMOUNT	NET AMOUNT
			REFERENCE NBR PURCHASE ORDER #		TOTAL REV			
07/08	LEG	GZ	Notice of Applicatio 000762001	0634060	1X0500 5.00	9.10	45.50	45.50
TOTAL INVOICE AMOUNT								45.50


**AIR QUALITY PERMIT NOTICE**  
 Notice of Application  
 Valley Pet Crematorium, LLC has applied to the West Virginia Department of Environmental Protection, Division of Air Quality, for a Construction Permit for a crematory located at 4705 Pennsylvania Avenue, near Charleston in Kanawha County, West Virginia. The latitude and longitude coordinates are: 39.45645, -81.53263. The applicant estimates potential to discharge the following Regulated Air Pollutants will be:  
 CO-0.01TPY  
 NOx-0.2TPY  
 PM10-0.11TPY  
 SO2-0.2TPY  
 VOCs-0.2TPY  
 PM-0.2TPY

## AFFIDAVIT OF PUBLICATION

of

Startup of operation is planned to begin on or about the 1st day of September, 2016. Written comments will be received by the West Virginia Department of Environmental Protection, Division of Air Quality, 601 57th Street, SE, Charleston, WV 25304, for at least 30 calendar days from the date of publication of this notice. Any questions regarding this permit application should be directed to the DAQ at (304) 926-0499, ext. 1212, during normal business hours. Dated this 6th day of July, 2016.

By: Eik Valley Pet Crematorium, LLC  
 Elizabeth Smith,  
 Member,  
 P.O. Box 12684  
 Charleston, WV, 25302  
 (630-000)



er(s) and during the dates listed below:  
 07/08/16-07/08/16

*Mary C. Smith*  
 Notary Public of Kanawha County, West Virginia

Subscribed and sworn to before me



# CHARLESTON NEWSPAPERS

P.O. Box 2993  
 Charleston, West Virginia 25330  
 Billing 348-4898  
 Classified 348-4848  
 1-800-WVA-NEWS  
 FEIN 55-0676079

INVOICE DATE	07/11/16
ACCOUNT NBR	049709100
SALES REP ID	0026
INVOICE NBR	000762001


Legal pricing is based upon 65 words per column inch.

Each successive insertion is discounted by 25% of the first insertion rate.

The Charleston Gazette Mail rate is \$.14 per word.

ISSUE DATE	AD TYPE	PUB	DESCRIPTION		AD NUMBER	AD SIZE	RATE	GROSS AMOUNT	NET AMOUNT
			REFERENCE NBR	PURCHASE ORDER #		TOTAL RUN			
07/08	LEG	GZ	000762001	Notice of Applicatio	0634060	1X0500 5.00	9.10	45.50	45.50
TOTAL INVOICE AMOUNT									45.50

of West Virginia, **AFFIDAVIT OF PUBLICATION**  
*Lisa Fitzgerald*  
 CHARLESTON GAZETTE MAIL,



I solemnly swear that the legal notice of:  
 Notice of Application -  
 is duly published in said newspaper(s) at the stated price for the respective newspaper(s) and during the dates listed below:  
 07/08/16-07/08/16  
 Subscribed and sworn to before me this 15th day of July, 2016  
*Mac Smil*  
 Notary Public of Kanawha County, West Virginia

s prioritized  
 Secretary  
 as high  
 going to  
 money  
 could run  
 as high  
 Secretary  
 s prioritized

**Martin, Thornton E**

---

**From:** Ward, Beth A  
**Sent:** Tuesday, July 05, 2016 3:34 PM  
**To:** Martin, Thornton E  
**Subject:** ELK VALLEY PET CREMATORIUM LLC PERMIT APPLICATION FEE

This is the receipt for payment received from:

ELK VALLEY PET CREMATORIUM LLC, BIG CHIMNEY, CHECK NUMBER 15559, CHECK DATE 06/29/2016, \$1,000.00  
R13-3329 ID# 039-00672

OASIS Deposit CR 1700000994

Thank You!

*Beth Ward*

WV DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BTO FISCAL  
601 57<sup>TH</sup> STREET SE  
CHARLESTON, WV 25304  
(304) 926-0499 EXT 1846  
[beth.a.ward@wv.gov](mailto:beth.a.ward@wv.gov)

*Entire Document*  
NON-CONFIDENTIAL

**Adkins, Sandra K**

---

**From:** Adkins, Sandra K  
**Sent:** Tuesday, July 05, 2016 1:50 PM  
**To:** 'elizabeth@elkhillsmemorialpark.com'  
**Cc:** McKeone, Beverly D; Martin, Thornton E  
**Subject:** WV DAQ Permit Application Status for Elk Valley Pet Crematorium, LLC; Big Chimney

**RE: Application Status  
Elk Valley Pet Crematorium, LLC  
Big Chimney  
Facility ID No. 039-00672  
Application No. R13-3329**

Mr. McLaughlin,

Your application for construction permit for the Big Chimney location was received by this Division on June 30, 2016, and was assigned to Lee Martin. The following item was not included in the initial application submittal:

**Original affidavit for Class I legal advertisement not submitted.**

*This item is necessary for the assigned permit writer to continue the 30-day completeness review.*

Within 30 days, you should receive a letter from Lee stating the status of the permit application and, if complete, given an estimated time frame for the agency's final action on the permit.

Any determination of completeness shall not relieve the permit applicant of the requirement to subsequently submit, in a timely manner, any additional or corrected information deemed necessary for a final permit decision.

Should you have any questions, please contact the assigned engineer, Lee Martin, at 304-926-0499, extension 1212.

*Entire Document*  
NON-CONFIDENTIAL