



west virginia department of environmental protection

Division of Air Quality
601 57th Street, S.E.
Charleston, WV 25304

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

December 3, 2015

Randy Spencer
EHS Manager
Cranberry Pipeline Corporation.
900 Lee Street
Charleston, WV 25301

Re: Permit Applicability Determination
Martin's Branch Station
Determination No. PD15-092
Plant ID No. 039-00045

Dear Mr. Spencer:

It has been determined that a permit will be required under 45CSR13 for your proposed installation of a 1.5 MMBtu/hr natural gas fired pipeline heater at the above referenced facility. This determination is based on information included with your permit determination form (PDF) received on October 26, 2015, which indicates that the increase in emissions will exceed two (2) lbs/hr or five (5) tons/year of total Hazardous Air Pollutants (HAPs); six (6) lbs/hour and ten (10) TPY of any regulated pollutant; or, trigger a substantive requirement of a state air quality regulation.

The appropriate application forms which need to be completed can be obtained from the WVDEP website at <http://www.dep.wv.gov>. Submit the completed forms, \$1,000.00 permit application fee, and any other applicable fees to the above address. If you should have questions concerning which forms are needed, or have trouble downloading, please call the Permitting Secretary at (304) 926-0475. Please address this matter as soon as possible to ensure expediency of the permit review process.

Should you have any questions, please contact the undersigned engineer at (304) 926-0499 ext. 1211.

Sincerely,

William T. Rothwell II, P.E.
Engineer