

*West Virginia Department of Environmental Protection*

*Earl Ray Tomblin  
Governor*

*Division of Air Quality*

*Randy C. Huffman  
Cabinet Secretary*

# Permit to Modify



**R13-2034E**

*This permit is issued in accordance with the West Virginia Air Pollution Control Act (West Virginia Code §§ 22-5-1 et seq.) and 45 C.S.R. 13 — Permits for Construction, Modification, Relocation and Operation of Stationary Sources of Air Pollutants, Notification Requirements, Temporary Permits, General Permits and Procedures for Evaluation. The permittee identified at the facility listed below is authorized to construct the stationary sources of air pollutants identified herein in accordance with all terms and conditions of this permit.*

Issued to:

**Virginia Electric & Power Company  
Mt. Storm Power Station  
023-00003**

A blue ink signature of William F. Durham, written in a cursive style, positioned above a horizontal line.

*William F. Durham  
Director*

*Issued: June 12, 2015*

This permit will supercede and replace Permit R13-2034D.

Facility Location: Bismark, Grant County, West Virginia

Mailing Address: 5000 Dominion Blvd.  
Glen Allen, VA 23060

Facility Description: Coal fired Power Plant

NAICS Codes: 221112

UTM Coordinates: 649.85 km Easting • 4,340.00 km Northing • Zone 17

Permit Type: Modification

Description of Change:

Construction of a new coal delivery and handling system.

*Any person whose interest may be affected, including, but not necessarily limited to, the applicant and any person who participated in the public comment process, by a permit issued, modified or denied by the Secretary may appeal such action of the Secretary to the Air Quality Board pursuant to article one [ §§ 22B-1-1 et seq. ], Chapter 22B of the Code of West Virginia. West Virginia Code §22-5-14.*

---

*The source is subject to 45CSR30. Changes authorized by this permit must also be incorporated into the facility's Title V operating permit. Commencement of the operations authorized by this permit shall be determined by the appropriate timing limitations associated with Title V permit revisions per 45CSR30.*

## Table of Contents

|   |           |
|---|-----------|
| <b>1.0. Emission Units .....</b>                          | <b>3</b>  |
| <b>2.0. General Conditions .....</b>                      | <b>5</b>  |
| 2.1. Definitions .....                                    | 5         |
| 2.2. Acronyms .....                                       | 5         |
| 2.3. Authority .....                                      | 6         |
| 2.4. Term and Renewal .....                               | 6         |
| 2.5. Duty to Comply .....                                 | 6         |
| 2.6. Duty to Provide Information .....                    | 6         |
| 2.7. Duty to Supplement and Correct Information .....     | 7         |
| 2.8. Administrative Permit Update .....                   | 7         |
| 2.9. Permit Modification .....                            | 7         |
| 2.10. Major Permit Modification .....                     | 7         |
| 2.11. Inspection and Entry .....                          | 7         |
| 2.12. Emergency .....                                     | 7         |
| 2.13. Need to Halt or Reduce Activity Not a Defense ..... | 8         |
| 2.14. Suspension of Activities .....                      | 8         |
| 2.15. Property Rights .....                               | 8         |
| 2.16. Severability .....                                  | 9         |
| 2.17. Transferability .....                               | 9         |
| 2.18. Notification Requirements .....                     | 9         |
| 2.19. Credible Evidence .....                             | 9         |
| <b>3.0. Facility-Wide Requirements .....</b>              | <b>10</b> |
| 3.1. Limitations and Standards .....                      | 10        |
| 3.2. Monitoring Requirements .....                        | 10        |
| 3.3. Testing Requirements .....                           | 10        |
| 3.4. Recordkeeping Requirements .....                     | 12        |
| 3.5. Reporting Requirements .....                         | 12        |
| <b>4.0. Source-Specific Requirements .....</b>            | <b>14</b> |
| 4.1. Limitations and Standards .....                      | 14        |
| 4.2. Testing Requirements .....                           | 18        |
| 4.3. Monitoring and Recordkeeping Requirements .....      | 20        |
| 4.4. Reporting Requirements .....                         | 21        |
| <b>CERTIFICATION OF DATA ACCURACY .....</b>               | <b>22</b> |

**1.0 Emission Units**

| <b>Emission Unit ID</b> | <b>Emission Point ID</b> | <b>Emission Unit Description</b>     | <b>Year Installed</b> | <b>Design Capacity</b> | <b>Control Device</b> |
|-------------------------|--------------------------|--------------------------------------|-----------------------|------------------------|-----------------------|
| CY-1                    | TP-1                     | Railcar to rail dump hopper          | 2015                  | 2000 tph               | DC                    |
| CY-2                    | TP-2                     | rail dump hopper to conveyor         | 2015                  | 2000 tph               | DC                    |
| CY-3                    | TP-3                     | Conveyor A-1 to B-1                  | 2015                  | 2000 tph               | FE/FE                 |
| CY-4                    | TP-4                     | Conveyor B-1 to B-2                  | 2016                  | 2000 tph               | FE/FE                 |
| CY-5                    | TP-5                     | Conveyor B-2 to B-3                  | 2016                  | 2000 tph               | FE/FE                 |
| CY-6                    | TP-6                     | Conveyor B-3 to B-4                  | 2016                  | 2000 tph               | FE/FE                 |
| CY-7                    | TP-7                     | Conveyor B-3 to C-5                  | 2016                  | 2000 tph               | FE/FE                 |
| CY-8                    | TP-8                     | Conveyor C-5 to Covered storage pile | 2016                  | 1200 tph               | PE                    |
| CY-9                    | TP-9                     | Conveyor B-4 to B-5                  | 2016                  | 2000 tph               | FE/FE                 |
| CY-10                   | TP-10                    | Conveyor B-4 to Coal Pile A          | 2015                  | 2000 tph               | ST                    |
| CY-11                   | TP-11                    | Conveyor B-5 to B-6                  | 2016                  | 2000 tph               | FE/FE                 |
| CY-12                   | TP-12                    | Conveyor B-5 to Coal Pile B          | 2015                  | 2000 tph               | ST                    |
| CY-13                   | TP-13                    | Conveyor B-6 to B-7                  | 2016                  | 2000 tph               | FE/FE                 |
| CY-14                   | TP-14                    | Conveyor B-6 to Coal Pile C          | 2017                  | 2000 tph               | ST                    |
| CY-15                   | TP-15                    | Conveyor B-7 to Coal Pile D          | 2017                  | 2000 tph               | ST                    |
| CY-16                   | TP-16                    | Coal Pile C to Conveyor R-3          | 2017                  | 1200 tph               | PE/FE                 |
| CY-17                   | TP-17                    | Coal Pile D to Conveyor R-3          | 2017                  | 1200 tph               | PE/FE                 |
| CY-18                   | TP-18                    | Conveyor R-3 to R-4                  | 2017                  | 1200 tph               | FE/FE                 |
| CY-19                   | TP-19                    | Conveyor R-4 to Q-1                  | 2017                  | 1200 tph               | FE                    |
| CY-20                   | TP-20                    | Conveyor R-4 to Q-2                  | 2017                  | 1200 tph               | FE                    |
| CY-21                   | TP-21                    | Coal Pile A to Conveyor R-1          | 2016                  | 1200 tph               | PE/FE                 |
| CY-22                   | TP-22                    | Coal Pile B to Conveyor R-1          | 2016                  | 1200 tph               | PE/FE                 |
| CY-23                   | TP-23                    | Conveyor R-1 to R-2                  | 2017                  | 1200 tph               | FE/FE                 |
| CY-24                   | TP-24                    | Conveyor R-2 to Q-1                  | 2017                  | 1200 tph               | FE                    |
| CY-25                   | TP-25                    | Conveyor R-2 to Q-2                  | 2017                  | 1200 tph               | FE                    |
| CY-26                   | TP-26                    | Dozer to Reclaim Feeder P-1          | 2017                  | 1200 tph               | PE                    |
| CY-27                   | TP-27                    | Reclaim Feeder P-1 to Q-1            | 2017                  | 1200 tph               | FE                    |
| CY-28                   | TP-30                    | Conveyor Q-2 to C-2                  | 2017                  | 1200 tph               | FE/FE                 |

**1.0 Emission Units**

|          |       |                                      |      |            |       |
|----------|-------|--------------------------------------|------|------------|-------|
| CY-29    | TP-31 | Conveyor Q-2 to H-2                  | 2017 | 1200 tph   | FE/FE |
| CY-30    | TP-39 | Conveyor G-2 to C-5                  | 2017 | 1200 tph   | FE/PE |
| CY-31    | TP-40 | Conveyor G-2 to G-3                  | 2017 | 1200 tph   | FE/FE |
| CY-32    | TP-41 | Conveyor G-3 to G-5                  | 2017 | 1200 tph   | FE/FE |
| CY-33    | TP-42 | Conveyor G-3 to Coal Pile A          | 2016 | 1200 tph   | ST    |
| CY-34    | TP-43 | Conveyor G-4 to Coal Pile B          | 2016 | 1200 tph   | ST    |
| CY-36    | TP-45 | Emergency Coal Pile Reclaim to R-4   | 2017 | 1200 tph   | FE/FE |
| CY-37    | SM-1  | Truck Sampling System                | 2017 | 1200 tph   | FE/FE |
| CY-38    | SM-2  | Main Sampling System                 | 2017 | 1200 tph   | FE/FE |
| CY-45    | TP-36 | Truck to Truck Dump Hopper           | 2006 | 1200 tph   | FE    |
| CY-46    | TP-37 | Truck Dump Hopper to G-1             | 2006 | 1200 tph   | FE    |
| CY-47    | TP-38 | Conveyor G-1 to G-2                  | 2006 | 1200 tph   | FE    |
| CY-2a    | TP-2a | Traveling Hammernill for Frozen Coal | 2015 | 2000 tph   | DC    |
| CY-2b    | TP-2b | Grizzly before A-1                   | 2015 | 2000 tph   | DC    |
| Silo SB1 | SB1   | S-Sorb Receiving Silo                | 2010 | 45,000 tpy | BH    |
| Silo SB2 | SB2   | S-Sorb Active Silo                   | 2010 | 45,000 tpy | BH    |
| CNV-SB3  | SB3   | S-Sorb Transfer Conveyor             | 2010 | 45,000 tpy | FE    |
| SHT-SB4  | SB4   | S-Sorb Transfer Chute                | 2010 | 45,000 tpy | FE    |

## 2.0. General Conditions

### 2.1. Definitions

- 2.1.1. All references to the "West Virginia Air Pollution Control Act" or the "Air Pollution Control Act" mean those provisions contained in W.Va. Code §§ 22-5-1 to 22-5-18.
- 2.1.2. The "Clean Air Act" means those provisions contained in 42 U.S.C. §§ 7401 to 7671q, and regulations promulgated thereunder.
- 2.1.3. "Secretary" means the Secretary of the Department of Environmental Protection or such other person to whom the Secretary has delegated authority or duties pursuant to W.Va. Code §§ 22-1-6 or 22-1-8 (45 CSR § 30-2.12.). The Director of the Division of Air Quality is the Secretary's designated representative for the purposes of this permit.

### 2.2. Acronyms

|                             |   |                         |  |
|-----------------------------|---|-------------------------|--|
| <b>CAAA</b>                 | Clean Air Act Amendments                                  | <b>NO<sub>x</sub></b>   | Nitrogen Oxides                                |
| <b>CBI</b>                  | Confidential Business Information                         | <b>NSPS</b>             | New Source Performance Standards               |
| <b>CEM</b>                  | Continuous Emission Monitor                               | <b>PM</b>               | Particulate Matter                             |
| <b>CES</b>                  | Certified Emission Statement                              | <b>PM<sub>2.5</sub></b> | Particulate Matter less than 2.5µm in diameter |
| <b>C.F.R. or CFR</b>        | Code of Federal Regulations                               | <b>PM<sub>10</sub></b>  | Particulate Matter less than 10µm in diameter  |
| <b>CO</b>                   | Carbon Monoxide   | <b>Ppb</b>              | Pounds per Batch                               |
| <b>C.S.R. or CSR</b>        | Codes of State Rules                                      | <b>pph</b>              | Pounds per Hour                                |
| <b>DAQ</b>                  | Division of Air Quality                                   | <b>ppm</b>              | Parts per Million                              |
| <b>DEP</b>                  | Department of Environmental Protection                    | <b>Ppmv or ppmv</b>     | Parts per million by volume                    |
| <b>dscm</b>                 | Dry Standard Cubic Meter                                  | <b>PSD</b>              | Prevention of Significant Deterioration        |
| <b>FOIA</b>                 | Freedom of Information Act                                | <b>psi</b>              | Pounds per Square Inch                         |
| <b>HAP</b>                  | Hazardous Air Pollutant                                   | <b>SIC</b>              | Standard Industrial Classification             |
| <b>HON</b>                  | Hazardous Organic NESHAP                                  | <b>SIP</b>              | State Implementation Plan                      |
| <b>HP</b>                   | Horsepower  | <b>SO<sub>2</sub></b>   | Sulfur Dioxide                                 |
| <b>lbs/hr</b>               | Pounds per Hour   | <b>TAP</b>              | Toxic Air Pollutant                            |
| <b>LDAR</b>                 | Leak Detection and Repair                                 | <b>TPY</b>              | Tons per Year                                  |
| <b>M</b>                    | Thousand  | <b>TRS</b>              | Total Reduced Sulfur                           |
| <b>MACT</b>                 | Maximum Achievable Control Technology                     | <b>TSP</b>              | Total Suspended Particulate                    |
| <b>MDHI</b>                 | Maximum Design Heat Input                                 | <b>USEPA</b>            | United States Environmental Protection Agency  |
| <b>MM</b>                   | Million   | <b>UTM</b>              | Universal Transverse Mercator                  |
| <b>MMBtu/hr or mmbtu/hr</b> | Million British Thermal Units per Hour                    | <b>VEE</b>              | Visual Emissions Evaluation                    |
| <b>MMCF/hr or mmcf/hr</b>   | Million Cubic Feet per Hour                               | <b>VOC</b>              | Volatile Organic Compounds                     |
| <b>NA</b>                   | Not Applicable  | <b>VOL</b>              | Volatile Organic Liquids                       |
| <b>NAAQS</b>                | National Ambient Air Quality Standards                    |                         |  |
| <b>NESHAPS</b>              | National Emissions Standards for Hazardous Air Pollutants |                         |  |

### **2.3. Authority**

This permit is issued in accordance with West Virginia Air Pollution Control Law W.Va. Code §§22-5-1 et seq. and the following Legislative Rules promulgated thereunder:

- 2.3.1. 45CSR13 – *Permits for Construction, Modification, Relocation and Operation of Stationary Sources of Air Pollutants, Notification Requirements, Temporary Permits, General Permits and Procedures for Evaluation;*

### **2.4. Term and Renewal**

- 2.4.1. This permit supercedes and replaces previously issued Permit R13-2034D. This permit shall remain valid, continuous and in effect unless it is revised, suspended, revoked or otherwise changed under an applicable provision of 45CSR13 or any applicable legislative rule.

### **2.5. Duty to Comply**

- 2.5.1. The permitted facility shall be constructed and operated in accordance with the plans and specifications filed in Permit Application R13-2034, R13-2034A, R13-2034B, R13-2034C, R13-2034D, R13-2034E and any modifications, administrative updates, or amendments thereto. The Secretary may suspend or revoke a permit if the plans and specifications upon which the approval was based are not adhered to;  
[45CSR§§13-5.11 and 13-10.3]
- 2.5.2. The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the West Virginia Code and the Clean Air Act and is grounds for enforcement action by the Secretary or USEPA;
- 2.5.3. Violations of any of the conditions contained in this permit, or incorporated herein by reference, may subject the permittee to civil and/or criminal penalties for each violation and further action or remedies as provided by West Virginia Code 22-5-6 and 22-5-7;
- 2.5.4. Approval of this permit does not relieve the permittee herein of the responsibility to apply for and obtain all other permits, licenses and/or approvals from other agencies; i.e., local, state and federal, which may have jurisdiction over the construction and/or operation of the source(s) and/or facility herein permitted.

### **2.6. Duty to Provide Information**

The permittee shall furnish to the Secretary within a reasonable time any information the Secretary may request in writing to determine whether cause exists for administratively updating, modifying, revoking or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Secretary copies of records to be kept by the permittee. For information claimed to be confidential, the permittee shall furnish such records to the Secretary along with a claim of confidentiality in accordance with 45CSR31. If confidential information is to be sent to USEPA, the permittee shall directly provide such information to USEPA along with a claim of confidentiality in accordance with 40 C.F.R. Part 2.

## **2.7. Duty to Supplement and Correct Information**

Upon becoming aware of a failure to submit any relevant facts or a submittal of incorrect information in any permit application, the permittee shall promptly submit to the Secretary such supplemental facts or corrected information.

## **2.8. Administrative Update**

The permittee may request an administrative update to this permit as defined in and according to the procedures specified in 45CSR13.  
[45CSR§13-4]

## **2.9. Permit Modification**

The permittee may request a minor modification to this permit as defined in and according to the procedures specified in 45CSR13.  
[45CSR§13-5.4.]

## **2.10. Major Permit Modification**

The permittee may request a major modification as defined in and according to the procedures specified in 45CSR14 or 45CSR19, as appropriate.  
[45CSR§13-5.1]

## **2.11. Inspection and Entry**

The permittee shall allow any authorized representative of the Secretary, upon the presentation of credentials and other documents as may be required by law, to perform the following:

- a. At all reasonable times (including all times in which the facility is in operation) enter upon the permittee's premises where a source is located or emissions related activity is conducted, or where records must be kept under the conditions of this permit;
- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
- c. Inspect at reasonable times (including all times in which the facility is in operation) any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under the permit;
- d. Sample or monitor at reasonable times substances or parameters to determine compliance with the permit or applicable requirements or ascertain the amounts and types of air pollutants discharged.

## **2.12. Emergency**

- 2.12.1. An "emergency" means any situation arising from sudden and reasonable unforeseeable events beyond the control of the source, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the source to exceed a technology-based emission

limitation under the permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error.

- 2.12.2. Effect of any emergency. An emergency constitutes an affirmative defense to an action brought for noncompliance with such technology-based emission limitations if the conditions of Section 2.12.3 are met.
- 2.12.3. The affirmative defense of emergency shall be demonstrated through properly signed, contemporaneous operating logs, or other relevant evidence that:
  - a. An emergency occurred and that the permittee can identify the cause(s) of the emergency;
  - b. The permitted facility was at the time being properly operated;
  - c. During the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and,
  - d. The permittee submitted notice of the emergency to the Secretary within one (1) working day of the time when emission limitations were exceeded due to the emergency and made a request for variance, and as applicable rules provide. This notice must contain a detailed description of the emergency, any steps taken to mitigate emission, and corrective actions taken.
- 2.12.4. In any enforcement proceeding, the permittee seeking to establish the occurrence of an emergency has the burden of proof.
- 2.12.5. The provisions of this section are in addition to any emergency or upset provision contained in any applicable requirement.

### **2.13. Need to Halt or Reduce Activity Not a Defense**

It shall not be a defense for a permittee in an enforcement action that it should have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. However, nothing in this paragraph shall be construed as precluding consideration of a need to halt or reduce activity as a mitigating factor in determining penalties for noncompliance if the health, safety, or environmental impacts of halting or reducing operations would be more serious than the impacts of continued operations.

### **2.14. Suspension of Activities**

In the event the permittee should deem it necessary to suspend, for a period in excess of sixty (60) consecutive calendar days, the operations authorized by this permit, the permittee shall notify the Secretary, in writing, within two (2) calendar weeks of the passing of the sixtieth (60) day of the suspension period.

### **2.15. Property Rights**

This permit does not convey any property rights of any sort or any exclusive privilege.

**2.16. Severability**

The provisions of this permit are severable and should any provision(s) be declared by a court of competent jurisdiction to be invalid or unenforceable, all other provisions shall remain in full force and effect.

**2.17. Transferability**

This permit is transferable in accordance with the requirements outlined in Section 10.1 of 45CSR13. [45CSR§13-10.1]

**2.18. Notification Requirements**

The permittee shall notify the Secretary, in writing, no later than thirty (30) calendar days after the actual startup of the operations authorized under this permit.

**2.19. Credible Evidence**

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defense otherwise available to the permittee including, but not limited to, any challenge to the credible evidence rule in the context of any future proceeding.

### 3.0. Facility-Wide Requirements

#### 3.1. Limitations and Standards

- 3.1.1. **Open burning.** The open burning of refuse by any person, firm, corporation, association or public agency is prohibited except as noted in 45CSR§6-3.1.  
[45CSR§6-3.1.]
- 3.1.2. **Open burning exemptions.** The exemptions listed in 45CSR§6-3.1 are subject to the following stipulation: Upon notification by the Secretary, no person shall cause, suffer, allow or permit any form of open burning during existing or predicted periods of atmospheric stagnation. Notification shall be made by such means as the Secretary may deem necessary and feasible.  
[45CSR§6-3.2.]
- 3.1.3. **Asbestos.** The permittee is responsible for thoroughly inspecting the facility, or part of the facility, prior to commencement of demolition or renovation for the presence of asbestos and complying with 40 C.F.R. § 61.145, 40 C.F.R. § 61.148, and 40 C.F.R. § 61.150. The permittee, owner, or operator must notify the Secretary at least ten (10) working days prior to the commencement of any asbestos removal on the forms prescribed by the Secretary if the permittee is subject to the notification requirements of 40 C.F.R. § 61.145(b)(3)(i). The USEPA, the Division of Waste Management and the Bureau for Public Health - Environmental Health require a copy of this notice to be sent to them.  
[40CFR§61.145(b) and 45CSR§34]
- 3.1.4. **Odor.** No person shall cause, suffer, allow or permit the discharge of air pollutants which cause or contribute to an objectionable odor at any location occupied by the public.  
[45CSR§4-3.1 State-Enforceable only.]
- 3.1.5. **Permanent shutdown.** A source which has not operated at least 500 hours in one 12-month period within the previous five (5) year time period may be considered permanently shutdown, unless such source can provide to the Secretary, with reasonable specificity, information to the contrary. All permits may be modified or revoked and/or reapplication or application for new permits may be required for any source determined to be permanently shutdown.  
[45CSR§13-10.5.]
- 3.1.6. **Standby plan for reducing emissions.** When requested by the Secretary, the permittee shall prepare standby plans for reducing the emissions of air pollutants in accordance with the objectives set forth in Tables I, II, and III of 45 C.S.R. 11.  
[45CSR§11-5.2.]

#### 3.2. Monitoring Requirements

[Reserved]

#### 3.3. Testing Requirements

- 3.3.1. **Stack testing.** As per provisions set forth in this permit or as otherwise required by the Secretary, in accordance with the West Virginia Code, underlying regulations, permits and orders, the permittee shall conduct test(s) to determine compliance with the emission limitations set forth in this permit and/or established or set forth in underlying documents. The Secretary, or his duly

authorized representative, may at his option witness or conduct such test(s). Should the Secretary exercise his option to conduct such test(s), the operator shall provide all necessary sampling connections and sampling ports to be located in such manner as the Secretary may require, power for test equipment and the required safety equipment, such as scaffolding, railings and ladders, to comply with generally accepted good safety practices. Such tests shall be conducted in accordance with the methods and procedures set forth in this permit or as otherwise approved or specified by the Secretary in accordance with the following:

- a. The Secretary may on a source-specific basis approve or specify additional testing or alternative testing to the test methods specified in the permit for demonstrating compliance with 40 C.F.R. Parts 60, 61, and 63 in accordance with the Secretary's delegated authority and any established equivalency determination methods which are applicable. If a testing method is specified or approved which effectively replaces a test method specified in the permit, the permit may be revised in accordance with 45CSR§13-4 or 45CSR§13-5.4 as applicable.
- b. The Secretary may on a source-specific basis approve or specify additional testing or alternative testing to the test methods specified in the permit for demonstrating compliance with applicable requirements which do not involve federal delegation. In specifying or approving such alternative testing to the test methods, the Secretary, to the extent possible, shall utilize the same equivalency criteria as would be used in approving such changes under Section 3.3.1.a. of this permit. If a testing method is specified or approved which effectively replaces a test method specified in the permit, the permit may be revised in accordance with 45CSR§13-4 or 45CSR§13-5.4 as applicable.
- c. All periodic tests to determine mass emission limits from or air pollutant concentrations in discharge stacks and such other tests as specified in this permit shall be conducted in accordance with an approved test protocol. Unless previously approved, such protocols shall be submitted to the Secretary in writing at least thirty (30) days prior to any testing and shall contain the information set forth by the Secretary. In addition, the permittee shall notify the Secretary at least fifteen (15) days prior to any testing so the Secretary may have the opportunity to observe such tests. This notification shall include the actual date and time during which the test will be conducted and, if appropriate, verification that the tests will fully conform to a referenced protocol previously approved by the Secretary.
- d. The permittee shall submit a report of the results of the stack test within sixty (60) days of completion of the test. The test report shall provide the information necessary to document the objectives of the test and to determine whether proper procedures were used to accomplish these objectives. The report shall include the following: the certification described in paragraph 3.5.1.; a statement of compliance status, also signed by a responsible official; and, a summary of conditions which form the basis for the compliance status evaluation. The summary of conditions shall include the following:
  1. The permit or rule evaluated, with the citation number and language;
  2. The result of the test for each permit or rule condition; and,
  3. A statement of compliance or noncompliance with each permit or rule condition.

[WV Code § 22-5-4(a)(14-15) and 45CSR13]

### 3.4. Recordkeeping Requirements

- 3.4.1. **Retention of records.** The permittee shall maintain records of all information (including monitoring data, support information, reports and notifications) required by this permit recorded in a form suitable and readily available for expeditious inspection and review. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation. The files shall be maintained for at least five (5) years following the date of each occurrence, measurement, maintenance, corrective action, report, or record. At a minimum, the most recent two (2) years of data shall be maintained on site. The remaining three (3) years of data may be maintained off site, but must remain accessible within a reasonable time. Where appropriate, the permittee may maintain records electronically (on a computer, on computer floppy disks, CDs, DVDs, or magnetic tape disks), on microfilm, or on microfiche.
- 3.4.2. **Odors.** For the purposes of 45CSR4, the permittee shall maintain a record of all odor complaints received, any investigation performed in response to such a complaint, and any responsive action(s) taken.  
[45CSR§4. *State-Enforceable only.*]

### 3.5. Reporting Requirements

- 3.5.1. **Responsible official.** Any application form, report, or compliance certification required by this permit to be submitted to the DAQ and/or USEPA shall contain a certification by the responsible official that states that, based on information and belief formed after reasonable inquiry, the statements and information in the document are true, accurate and complete.
- 3.5.2. **Confidential information.** A permittee may request confidential treatment for the submission of reporting required by this permit pursuant to the limitations and procedures of W.Va. Code § 22-5-10 and 45CSR31.
- 3.5.3. **Correspondence.** All notices, requests, demands, submissions and other communications required or permitted to be made to the Secretary of DEP and/or USEPA shall be made in writing and shall be deemed to have been duly given when delivered by hand, or mailed first class with postage prepaid to the address(es) set forth below or to such other person or address as the Secretary of the Department of Environmental Protection may designate:

**If to the DAQ:**

Director  
WVDEP  
Division of Air Quality  
601 57th Street, SE  
Charleston, WV 25304-2345

**If to the USEPA:**

Associate Director  
Office of Air Enforcement and Compliance Assistance  
(3AP20)  
U. S. Environmental Protection Agency  
Region III  
1650 Arch Street  
Philadelphia, PA 19103-2029

**3.5.4. Operating Fee.**

3.5.4.1. In accordance with 45CSR30 – Operating Permit Program, the permittee shall submit a Certified Emissions Statement (CES) and pay fees on an annual basis in accordance with the submittal requirements of the Division of Air Quality. A receipt for the appropriate fee shall be maintained on the premises for which the receipt has been issued, and shall be made immediately available for inspection by the Secretary or his/her duly authorized representative.

3.5.5. **Emission inventory.** At such time(s) as the Secretary may designate, the permittee herein shall prepare and submit an emission inventory for the previous year, addressing the emissions from the facility and/or process(es) authorized herein, in accordance with the emission inventory submittal requirements of the Division of Air Quality. After the initial submittal, the Secretary may, based upon the type and quantity of the pollutants emitted, establish a frequency other than on an annual basis.

#### 4.0. Source-Specific Requirements

##### 4.1. Limitations and Standards

- 4.1.1. The maximum throughput of the coal truck unloading facility originally constructed in 1996 shall not exceed 1,200 TPH nor 3,000,000 TPY based on a rolling 12 month total.
- 4.1.2 In accordance with the information filed in Permit Application R13-2034, the 0.600 mile haulroad connecting State Route 93 to the coal truck unloading facility, as defined in requirement 4.1.1 of this permit, shall be paved. Fugitive emissions from the haulroad to the coal truck unloading facility shall be controlled by utilization of a pressurized water truck as defined by condition 4.1.5 of this permit.
- 4.1.3 In accordance with the information filed in Permit Application R13-2034, the facility shall pave an additional 0.568 miles of the Ash Haulroad, resulting in a total of 1.168 miles of paved Ash Haulroad and 0.497 miles of unpaved Ash Haulroad. Fugitive emissions from the Ash Haulroad shall be controlled by utilization of a pressurized water truck as defined by condition 4.1.5 of this permit.
- 4.1.4 In accordance with the information filed in Permit Application R13-2034, the facility shall pave an additional 0.0644 miles of the FGD By-Product Disposal Route resulting in a total FGD By-Product Disposal Route of 0.9000 miles of paved and no unpaved road. Fugitive emissions from the FGD By-Product Disposal Route shall be controlled by utilization of a pressurized water truck as defined by condition 4.1.5 of this permit.
- 4.1.5 The permittee shall maintain a water truck on site and in good operating condition, and shall utilize same to apply water, or a mixture of water and an environmentally acceptable dust control additive, hereinafter referred to as solution, as often as is necessary in order to minimize the atmospheric entrainment of fugitive particulate emissions that may be generated from haulroads and other work areas where mobile equipment is used.
- The spraybar shall be equipped with commercially available spray nozzles, of sufficient size and number, so as to provide adequate coverage to the area being treated.
- The pump delivering the water, or solution, shall be of sufficient size and capacity so as to be capable of delivering to the spray nozzle(s) an adequate quantity of water, or solution, and at a sufficient pressure, so as to assure that the treatment process will minimize the atmospheric entrainment of fugitive particulate emissions generated from the haulroads and work areas where mobile equipment is used.
- 4.1.6 The maximum throughput of the coal rail unloading facility shall not exceed 2,000 TPH nor 7,000,000 TPY based on a rolling 12 month total.
- 4.1.7 The maximum throughput of coal to the covered storage area shall not exceed 3,200 TPH nor 3,000,000 TPY based on a rolling 12 month total.
- 4.1.8 S-Sorb throughput into Silo SB1 shall not exceed 50 tons per hour nor 45,000 tons per year.
- 4.1.9 Particulate Matter emissions from the two S-Sorb silos (SB1 and AB2) shall be controlled with fabric filters. Said fabric filters shall be designed, installed, operated and maintained so as to achieve a minimum overall control efficiency of at least 99.8%.

- 4.1.10. The S-Sorb transfer conveyor (CNV-SB3) shall be fully enclosed.
- 4.1.11. The transfer point between the S-Sorb transfer conveyor (CNV-SB3) and the existing coal conveyor shall be enclosed by a chute.
- 4.1.12. The maximum amount of coal delivered from the stacking tubes (as measured from conveyors R-1 and R-3 combined) shall not exceed 2,400 tons per hour nor 6,000,000 tons per year.
- 4.1.13. No person shall cause, suffer, allow or permit any source of fugitive particulate matter to operate that is not equipped with a fugitive particulate matter control system. This system shall be operated and maintained in such a manner as to minimize the emission of fugitive particulate matter.  
[45CSR§2-5.1.]
- 4.1.14. On and after the date on which the performance test is conducted or required to be completed under §60.8, whichever date comes first, an owner or operator of any coal processing and conveying equipment, coal storage system, or coal transfer and loading system processing coal constructed, reconstructed, or modified after April 28, 2008, must meet the requirements in paragraphs (b)(1) through (3) of this section, as applicable to the affected facility.  
[40CFR§60.254(b)]
- (1) Except as provided in paragraph (b)(3) of this section, the owner or operator must not cause to be discharged into the atmosphere from the affected facility any gases which exhibit 10 percent opacity or greater.  
[40CFR§60.254(b)(1)]
- (2) The owner or operator must not cause to be discharged into the atmosphere from any mechanical vent on an affected facility gases which contain particulate matter in excess of 0.023 g/dscm (0.010 gr/dscf).  
[40CFR§60.254(b)(2)]
- (3) Equipment used in the loading, unloading, and conveying operations of open storage piles are not subject to the opacity limitations of paragraph (b)(1) of this section.  
[40CFR§60.254(b)(3)]
- 4.1.15. **Fugitive Coal Dust Emissions Control Plan for Subpart Y - Fugitive Coal Dust Emissions Control Plan.** The owner or operator of an open storage pile, which includes the equipment used in the loading, unloading, and conveying operations of the affected facility, constructed, reconstructed, or modified after May 27, 2009, must prepare and operate in accordance with a submitted fugitive coal dust emissions control plan that is appropriate for the site conditions as specified in paragraphs (c)(1) through (6) of this section.  
[40CFR§60.254(e)]
- (1) The fugitive coal dust emissions control plan must identify and describe the control measures the owner or operator will use to minimize fugitive coal dust emissions from each open storage pile.  
[40CFR§60.254(e)(1)]
- (2) For open coal storage piles, the fugitive coal dust emissions control plan must require that one or more of the following control measures be used to minimize to the greatest extent practicable fugitive coal dust: Locating the source inside a partial enclosure, installing and operating a water

spray or fogging system, applying appropriate chemical dust suppression agents on the source (when the provisions of paragraph (c)(6) of this section are met), use of a wind barrier, compaction, or use of a vegetative cover. The owner or operator must select, for inclusion in the fugitive coal dust emissions control plan, the control measure or measures listed in this paragraph that are most appropriate for site conditions. The plan must also explain how the measures or measures selected are applicable and appropriate for site conditions. In addition, the plan must be revised as needed to reflect any changing conditions at the source.

**[40CFR§60.254(c)(2)]**

- (3) Any owner or operator of an affected facility that is required to have a fugitive coal dust emissions control plan may petition the Administrator to approve, for inclusion in the plan for the affected facility, alternative control measures other than those specified in paragraph (c)(2) of this section as specified in paragraphs (c)(3)(i) through (iv) of this section.

**[40CFR§60.254(c)(3)]**

- (i) The petition must include a description of the alternative control measures, a copy of the fugitive coal dust emissions control plan for the affected facility that includes the alternative control measures, and information sufficient for EPA to evaluate the demonstrations required by paragraph (c)(3)(ii) of this section.

**[40CFR§60.254(c)(3)(i)]**

- (ii) The owner or operator must either demonstrate that the fugitive coal dust emissions control plan that includes the alternative control measures will provide equivalent overall environmental protection or demonstrate that it is either economically or technically infeasible for the affected facility to use the control measures specifically identified in paragraph (c)(2).

**[40CFR§60.254(c)(3)(ii)]**

- (iii) While the petition is pending, the owner or operator must comply with the fugitive coal dust emissions control plan including the alternative control measures submitted with the petition. Operation in accordance with the plan submitted with the petition shall be deemed to constitute compliance with the requirement to operate in accordance with a fugitive coal dust emissions control plan that contains one of the control measures specifically identified in paragraph (c)(2) of this section while the petition is pending.

**[40CFR§60.254(c)(3)(iii)]**

- (iv) If the petition is approved by the Administrator, the alternative control measures will be approved for inclusion in the fugitive coal dust emissions control plan for the affected facility. In lieu of amending this subpart, a letter will be sent to the facility describing the specific control measures approved. The facility shall make any such letters and the applicable fugitive coal dust emissions control plan available to the public. If the Administrator determines it is appropriate, the conditions and requirements of the letter can be reviewed and changed at any point.

**[40CFR§60.254(c)(3)(iv)]**

- (4) The owner or operator must submit the fugitive coal dust emissions control plan to the Administrator or delegated authority prior to the startup of the new, reconstructed, or modified

affected facility, or 30 days after the effective date of this rule, whichever is later.  
[40CFR§60.254(c)(4)]

- (5) The Administrator or delegated authority may object to the fugitive coal dust emissions control plan as specified in paragraphs (c)(5)(i) of this section.

[40CFR§60.254(c)(5)]

- (i) The Administrator or delegated authority may object to any fugitive coal dust emissions control plan that it has determined does not meet the requirements of paragraphs (c)(1) and (c)(2) of this section.

[40CFR§60.254(c)(5)(i)]

- (ii) If an objection is raised, the owner or operator, within 30 days from receipt of the objection, must submit a revised fugitive coal dust emissions control plan to the Administrator or delegate authority. The owner or operator must operate in accordance with the revised fugitive coal dust emissions control plan. The Administrator or delegated authority retain the right, under paragraph (c)(5) of this section, to object to the revised control plan if it determines the plan does not meet the requirements of paragraphs (c)(1) and (c)(2) of this section.

[40CFR§60.254(c)(5)(ii)]

- (6) Where appropriate chemical dust suppressant agents are selected by the owner or operator as a control measure to minimize fugitive coal dust emissions, (1) only chemical dust suppressants with Occupational Safety and Health Administration (OSHA)-compliant material safety data sheets (MSDS) are to be allowed; (2) the MSDS must be included in the fugitive coal dust emissions control plan; and (3) the owner or operator must consider and document in the fugitive coal dust emissions control plan the site-specific impacts associated with the use of such chemical dust suppressants.

[40CFR§60.254(c)(6)]

- 4.1.16 The process rates contained in Table 1.0 of this permit shall not be exceeded. Additionally, the permittee shall install, maintain and operate all control devices listed in Table 1.0 of this permit.

- 4.1.17. **Operation and Maintenance of Air Pollution Control Equipment.** The permittee shall, to the extent practicable, install, maintain, and operate all pollution control equipment listed in Section 1.0 and associated monitoring equipment in a manner consistent with safety and good air pollution control practices for minimizing emissions, or comply with any more stringent limits set forth in this permit or as set forth by any State rule, Federal regulation, or alternative control plan approved by the Secretary.

[45CSR§13-5.11.]

## 4.2. Testing Requirements

- 4.2.1. The permittee shall comply with all applicable standards of 40 CFR 60 Subpart Y including but not limited to the following:

**Performance Tests and Other Compliance Requirements for Subpart Y - Performance Tests.** An owner or operator of each affected facility that commenced construction, reconstruction, or modification after April 28, 2008, must conduct performance tests according to the requirements of §60.8 and the methods identified in §60.257 to demonstrate compliance with the applicable emission standards in Subpart Y as specified in paragraphs (b)(1) and (b)(2) of this section.  
[40CFR§60.255(b)]

(2) For each affected facility subject to an opacity standard, an initial performance test must be performed. Thereafter, a new performance test must be conducted according to the requirements in paragraphs (b)(2)(i) through (iii) of this section, as applicable, except as provided for in paragraphs (e) and (f) of this section. Performance test and other compliance requirements for coal truck dump operations are specified in paragraph (h) of this section .  
[40CFR§60.255(b)(2)]

(i) If any 6-minute average opacity reading in the most recent performance test exceeds half the applicable opacity limit, a new performance test must be conducted within 90 operating days of the date that the previous performance test was required to be completed.  
[40CFR§60.255(b)(2)(i)]

(ii) If all 6-minute average opacity readings in the most recent performance are equal to or less than half the applicable opacity limit, a new performance test must be conducted within 12 calendar months of the date that the previous performance test was required to be completed.  
[40CFR§60.255(b)(2)(ii)]

- 4.2.2 **Performance Tests and Other Compliance Requirements for Subpart Y - Monitoring Visible Emissions or Digital Opacity Compliance System.** As an alternative to meeting the requirements in paragraph (b)(2) of this section, an owner or operator of an affected facility that commenced construction, reconstruction, or modification after April 28, 2008, may elect to comply with the requirements in paragraph (f)(1) or (f)(2) of this section.  
[40CFR§60.255(f)]

(1) Monitor visible emissions from each affected facility according to the requirements in paragraphs (f)(1)(i) through (iii) of this section.  
[40CFR§60.255(f)(1)]

(i) Conduct one daily 15-second observation each operating day for each affected facility (during normal operation) when the coal preparation and processing plant is in operation. Each observation must be recorded as either visible emissions observed or no visible emissions observed. Each observer determining the presence of visible emissions must meet the training requirements specified in §2.3 of Method 22 of appendix A-7 of this part. If visible emissions are observed during any 15-second observation, the owner or operator must adjust the operation of the affected facility and demonstrate within 24 hours that no visible emissions are observed from the affected facility. If visible emissions are observed, a Method 9, of appendix A-4 of this

part, performance test must be conducted within 45 operating days.

**[40CFR§60.255(f)(1)(i)]**

(ii) Conduct monthly visual observations of all processes and control equipment. If any deficiencies are observed, the necessary maintenance must be performed as expeditiously as possible.

**[40CFR§60.255(f)(1)(ii)]**

(iii) Conduct a performance test using Method 9 of Appendix A-4 of this part at least once every 5 calendar years for each affected facility.

**[40CFR§60.255(f)(1)(iii)]**

(2) Prepare a written site-specific monitoring plan for a digital opacity compliance system for approval by the Administration or delegated authority. The plan shall require observations of at least one digital image every 15 seconds for 10-minute periods (during normal operation) every operating day. An approvable monitoring plan must include a demonstration that the occurrences of visible emissions are not in excess of 5 percent of the observation period. For reference purposes in preparing the monitoring plan, *see* OAQPS "Determination of Visible Emission Opacity from Stationary Sources Using Computer-Based Photographic Analysis Systems." This document is available from the U.S. Environmental Protection Agency (U.S. EPA); Office of Air Quality and Planning Standards; Sector Policies and Programs Division; Measurement Group (D243-02), Research Triangle Park, NC 27711. This document is also available on the Technology Transfer Network (TTN) under Emission Measurement Center Preliminary Methods. The monitoring plan approved by the Administrator delegated authority shall be implemented by the owner or operator.

**[40CFR§60.255(f)(2)]**

### 4.3. Monitoring and Recordkeeping Requirements

4.3.1. **Record of Monitoring.** The permittee shall keep records of monitoring information that include the following:

- a. The date, place as defined in this permit and time of sampling or measurements;
- b. The date(s) analyses were performed;
- c. The company or entity that performed the analyses;
- d. The analytical techniques or methods used;
- e. The results of the analyses; and
- f. The operating conditions existing at the time of sampling or measurement.

4.3.2. **Record of Maintenance of Air Pollution Control Equipment.** For all pollution control equipment listed in Section 1.0, the permittee shall maintain accurate records of all required pollution control equipment inspection and/or preventative maintenance procedures.

4.3.3. **Record of Malfunctions of Air Pollution Control Equipment.** For all air pollution control equipment listed in Section 1.0, the permittee shall maintain records of the occurrence and duration of any malfunction or operational shutdown of the air pollution control equipment during which excess emissions occur. For each such case, the following information shall be recorded:

- a. The equipment involved.
- b. Steps taken to minimize emissions during the event.
- c. The duration of the event.
- d. The estimated increase in emissions during the event.

For each such case associated with an equipment malfunction, the additional information shall also be recorded:

- e. The cause of the malfunction.
- f. Steps taken to correct the malfunction.
- g. Any changes or modifications to equipment or procedures that would help prevent future recurrences of the malfunction.

4.3.4. For the purposes of determining compliance with condition 4.1.1 of this permit, the permittee shall monitor the total amount of coal transferred through both truck dumps at the Coal Truck Unloading Facility.

- 4.3.5 For the purposes of determining compliance with condition 4.1.6 of this permit, the permittee shall monitor the total amount of coal transferred through the rail car unloading system each month.
- 4.3.6 For the purposes of determining compliance with condition 4.1.7 of this permit, the permittee shall monitor the amount of coal delivered to the covered storage area each month.
- 4.3.7 For the purposes of determining compliance with condition 4.1.8 of this permit, the permittee shall monitor the total amount of sorbent transferred to silo SB1 on a monthly basis.
- 4.3.8 For the purposes of determining compliance with condition 4.1.12 of this permit, the permittee shall monitor the amount of coal from the stacking tubes (as measured by conveyors R-1 and R-3) each month.
- 4.3.9 In order to determine compliance with the requirements of sections 4.2.1 and 4.2.2 of this permit, records of the Method 22 and/or Method 9 testing shall be retained on site by the permittee for at least five (5) years. Upon request, the records shall be certified and made available to the Director or his/her duly authorized representative.

#### **4.4. Reporting Requirements**

- 4.4.1. Any violation(s) of the allowable visible emission requirement for any emission source discovered during observation using 40CFR Part 60, Appendix A, Method 9 must be reported in writing to the Director of the Division of Air Quality as soon as practicable, but within ten (10) calendar days, of the occurrence and shall include, at a minimum, the following information: the results of the visible determination of opacity of emissions, the cause or suspected cause of the violation(s), and any corrective measures taken or planned.

### CERTIFICATION OF DATA ACCURACY

I, the undersigned, hereby certify that, based on information and belief formed after reasonable inquiry, all information contained in the attached \_\_\_\_\_, representing the period beginning \_\_\_\_\_ and ending \_\_\_\_\_, and any supporting documents appended hereto, is true, accurate, and complete.

**Signature<sup>1</sup>**  
(please use blue ink) \_\_\_\_\_  
Responsible Official or Authorized Representative Date

**Name and Title**  
(please print or type) Name \_\_\_\_\_ Title \_\_\_\_\_

Telephone No. \_\_\_\_\_ Fax No. \_\_\_\_\_

- <sup>1</sup> This form shall be signed by a "Responsible Official." "Responsible Official" means one of the following:
- a. For a corporation: The president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation, or a duly authorized representative of such person if the representative is responsible for the overall operation of one or more manufacturing, production, or operating facilities applying for or subject to a permit and either:
    - (I) the facilities employ more than 250 persons or have a gross annual sales or expenditures exceeding \$25 million (in second quarter 1980 dollars), or
    - (ii) the delegation of authority to such representative is approved in advance by the Director;
  - b. For a partnership or sole proprietorship: a general partner or the proprietor, respectively;
  - c. For a municipality, State, Federal, or other public entity: either a principal executive officer or ranking elected official. For the purposes of this part, a principal executive officer of a Federal agency includes the chief executive officer having responsibility for the overall operations of a principal geographic unit of the agency (e.g., a Regional Administrator of USEPA); or
  - d. The designated representative delegated with such authority and approved in advance by the Director.