



west virginia department of environmental protection

Division of Air Quality
601 57th Street SE
Charleston, WV 25304
Phone 304/926-0475 • FAX: 304/926-0479

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

June 30, 2016

Brody Webster
Cranberry Pipeline Corporation
102 3rd Street
Glasgow, WV 25086

RE: Permit Applicability Determination
Cranberry Pipeline Corporation
Independence Compressor Station
Determination No. PD16-038
Plant ID No. 015-00019

Dear Mr. Webster,

It has been determined that a permit will not be required under 45CSR13 for your existing natural gas compressor station. This determination is based on information included with your permit determination form dated June 10, 2016 and received on June 13, 2016, which indicates that the existing facility is a "grandfathered" source under 45CSR13.

Please bear in mind, however, that any additional changes to the proposed facility may require a permit under 45CSR13. Furthermore, pursuant to 45CSR13-5.14, records briefly describing the proposed change, the pollutants involved, the potential to emit for each pollutant increased or added shall be maintained by the owner or operator for at least two years and made available to the Director upon request.

Should you have any questions, please contact the undersigned engineer at (304)926-0499 ext. 1223.

Sincerely,

Jerry Williams, P.E.
Engineer

c: Nathaniel L. Lanham