

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Thompson, Arbella Operator Well No.: 3

LOCATION: Elevation: 868' Quadrangle: _____
District: Scott County: Boone
Latitude: North Feet South of 38 Deg. 03 Min. 47.8008 Sec.
Longitude: West Feet West of 81 Deg. 53 Min. 31.0808 Sec.

Well Type: OIL _____ GAS X

Company Energy Corporation of America
501 56th ST SE
Charleston, WV 25304

Coal Operator Robin Land Company LLC
or Owner 500 Lee Street 900
Charleston, WV 25301

RECEIVED

Office of Oil & Gas

JAN 02 2014

Agent K. Ralph Ranson
Permit Issued Date _____

Coal Operator _____
or Owner _____

WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Boone ss:

Alex Pottmeyer and Gary Rexroad being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 2nd day of December, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Type 1 Cement	1938	1790	652' of 6-5/8"	666' of 6-5/8"
Type 1 Cement	1425	1310		272' of 10" could not pull
Type 1 Cement	1159	1030		
Type 1 Cement	688	500		
Type 1 Cement	307	Surface		
6% Gel Between all plugs				

Description of monument: 7" Steel casing with API and date of plugging and that the work of plugging and filling said well was completed on the 12th day of December, 2013.

And further deponents saith not.

Alex Pottmeyer
Gary W. Rexroad



Sworn and subscribe before me this 23rd day of December, 2013.

My commission expires: May 12, 2020

Justin W. Knopp
Notary Public

Affidavit reviewed by the Office of Oil and Gas:

[Signature]

Title: Walter Dilapas
INSQ.

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Yawkey Freeman Operator Well No.: 44

LOCATION: Elevation: 939' Quadrangle: _____
District: Washington County: Boone
Latitude: North Feet South of 37 Deg. 58 Min. 9.5759 Sec.
Longitude: West Feet West of 81 Deg. 49 Min. 44.8273 Sec.

Well Type: OIL _____ GAS X

Company Energy Corporation of America
501 56th ST SE
Charleston, WV 25304

Coal Operator Freal Mize
or Owner P.O. Box 271
Julian, WV 25529

RECEIVED
Office of Oil & Gas

Agent K. Ralph Ranson
Permit Issued Date _____

Coal Operator
or Owner _____

JAN 02 2014

WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Boone ss:


Alex Pottmeyer and Gary Rexroad being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 16 th day of December, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Type 1 Cement	1740'	1640'	405' of 6-5/8" casing	1319'
Type 1 Cement	1278'	1170'		1,212' of 8-1/4" casing
Type 1 Cement	866'	766'		804' of 10" casing
Type 1 Cement	632'	500'		
Type 1 Cement	420'	320'		
Type 1 Cement	120'	Surface		
6% Gel Between all plugs				

Description of monument: 7" Steel casing with API and date of plugging and that the work of plugging and filling said well was completed on the 20th day of December, 2013.

And further deponents saith not.

Alex Pottmeyer
Gary W. Rexroad



Sworn and subscribe before me this 13 day of December, 2013.

My commission expires: May 12, 2020

Justin W. Knopp
Notary Public

Affidavit reviewed by the Office of Oil and Gas: _____

Title: WV DEP Oil & Gas Insp.

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Clinchfield Coal Operator Well No.: #1

LOCATION: Elevation: 821 Quadrangle: Clay
District: Henry County: Clay
Latitude: UTM 493,846.17 Easting Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: UTM 4,256,391.44 Northing Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company Energy Corp. of America Coal Operator Tara Meek
501 56th Street SE or Owner 1000 Consol Energy Drive
Charleston, WV 35304 Cannonsburg, PA 15317

Agent Rodney A. Winters Coal Operator _____
Permit Issued Date September 20, 2013 or Owner _____

RECEIVED
Office of Oil and Gas
DEC 11 2013
WV Department of Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Gilmer ss:

Bruce Garrett and Rick Duckworth being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 20th day of November, 2013, and the well was plugged and filled in the following manner:


RECEIVED
Office of Oil and Gas
DEC 02 2013
WV Department of Environmental Protection

TYPE	FROM	TO	PIPE REMOVED	
Cement	1424	1175	1275' of 4 1/2" casing	
Cement	295	surface	0' of 8 5/8" casing	241'
Gel pumped between plugs				

Description of monument: 6" with API and that the work of plugging and filling said well was completed on the 21st day of November, 2013.

And further deponents saith not. Rick Duckworth
Bruce Garrett

Sworn and subscribe before me this 3 day of December, 2013



My commission expires November 9, 2020 Leisa G. Somerville
Notary Public

Affidavit reviewed by the Office of Oil and Gas: [Signature] Title: Inspector
D.D. not witnessed all clear

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: NRP Operating, LLC Operator Well No.: Dingess Rum # 13 (W-13)

LOCATION: Elevation: 1045' Quadrangle: Henlawson
District: Logan County: Logan
Latitude: 420687.253 Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: 4194199.359 Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company New River Energy Corp. Coal Operator Aracoma Coal Company, Inc.
782 Robinson Creek Road or Owner P.O. Box 1120
Madison, WV 25130 Holden, WV 25625

Agent Timothy E. Comer Coal Operator NRP Operating, LLC
or Owner P.O. Box 789
Permit Issued Date 10/29/13 Stollings, WV 25646

RECEIVED
Office of Oil & Gas
JAN 02 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Boone ss:

WV Department of
Environmental Protection


Johnathan P. Smith and Joseph D. Godbey being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 30th day of October, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2950'	2800'	2949' - 2 3/8" Tubing	0'
Cement	2140'	1990'	0'	2228' 6 5/8" Casing. Perf. @ 2120-2060 - 6 shots
Cement	1400'	1250'	0'	2228' 6 5/8" Casing. Perf. @ 1390-1270 - 13 shots
Cement	570'	470'	0'	2228' 6 5/8" Casing. Perf. @ 550-500 - 6 shots
Cement	150'	0'	0'	2228' 6 5/8" Casing, 240' 10" Casing, Perf. @ 120-100 3 Shots

Description of monument: 4" Steel Pipe w/ 8"x16" Steel Plate w/ API, Well Name, Plug Date. and that the work of plugging and filling said well was completed on the 18th day of November, 2013.

And further deponents saith not.

Johnathan Smith
Joseph Godbey



Sworn and subscribe before me this 10th day of December, 2013

My commission expires: December 15, 2014 Alberta Sue McGee
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Ralph D. Tripod Title: District Inspector

Rev (5-01)

WR-38

DATE: 06/04/13

API#

47-049-00650

REV

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Stephan & Freda Moore

Operator Well No.: J L Erwin 9

LOCATION: Elevation: 1164
District: Mannington
Latitude: Feet South of
Longitude: Feet West of

Quadrangle: Mannington
County: Marion
Deg. Min. Sec.
Deg. Min. Sec.

Well Type: OIL GAS X

Company: HG Energy, LLC
5260 Depont Rd
Parkersburg, WV 26104

Coal Operator or Owner

Agent: Phil Ondrusek

Coal Operator or Owner

Permit Issued Date: 3/14/2013

AFFIDAVIT

STATE OF WEST VIRGINIA,

County of Ritchie ss:

Kyle D. Perkins and Carl McQuillan being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Bill Hendershot, Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 29th day of May, 2013, and that the well was plugged and filled in the following manner:

Table with 5 columns: TYPE, FROM, TO, PIPE REMOVED, LEFT. Rows include Cement plugs at various depths and surface, with pipe removal measurements.

Note: 6% gel placed between cement plugs

Description of monument: 8" casing extending 30" above surface and filling said well was completed on the 4th day of June, 2013. And further deponents saith not.


and that the work of plugging

RECEIVED Office of Oil and Gas JAN 08 2014 WV Department of Environmental Protection

Sworn and subscribed before me this 5th day of June, 2013

My commission expires: June 7, 2020

Notary Public



Oil and Gas Inspector:

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL COMPANY
Lease or Property Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
CLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
8002
Well No.
CONSOLIDATION COAL COMPANY
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of **MONONGALIA**, ss:

MIKE MITCHELL and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17th day of September, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
<p>Removed all Sucker Rods from the surface to 4563'. Removed all 2 3/8" tubing from the surface to 4580'. 4 1/2" casing cemented in the hole from 1248' to 4585'. Previous well record indicated that 4 1/2" casing was perforated with 4 shots at the following depths: From 4562' to 4566', from 4556' to 4558', from 4544' to 4600', from 4502' to 4506'. Previous well record indicated 4 1/2" casing was perforated with 8 shots from 3104' to 3110'. Previous well record indicated that 4 1/2" casing was perforated with 10 shots from 2772' to 2778'. Perforated 4 1/2" casing with 6 shots each at the following depths: 1852', 1752', 1652', 1552', 1452' and 1352'. Removed 1228' of 4 1/2" casing from the hole from surface to 1228'. Left 3371' of 4 1/2" casing in the hole from 1228' to 4590'. Cut 7" casing at the following depths: 1220', 1125', 1025' and 925'. Removed 925' of 7" casing from the surface to 925'. Left 1027' of 7" casing in the hole from 925' to 1952'. Section Milled 9 5/8" casing from 732' to 325'. Left 325' of 9 5/8" casing in the hole from the surface to 325'. Cleaned hole with 8 1/2" bit through the Pittsburgh Coal seam from 718' to 727'. Possible junk metal left in Pittsburgh Coal seam from 718' to 727'. Left 9' of 16" conductor casing in the hole from the surface to 9'. Left 20' of 13 3/8" casing in the hole from the surface to 20'.</p> <p>Cemented hole from 4619' back to surface as follows: From 4619' to 2031' with 150 sacks of 35/65 Poz Cement. From 2031' to 1120' with 65 sacks of 35/65 Poz Cement. From 1120' to 618' with 180 sacks of Thizotropic Cement with Dye. From 618' to the surface with 155 sacks of Econofill Cement. A total of 550 sacks of cement were used to cement the hole from 4619' to the surface. Cement did circulate at the surface.</p>	16" Casing	0'	9'	
	13 3/8" Casing	0'	20'	
	9 5/8" Casing	0'	325'	
	7" Casing	925'	1027'	
	4 1/2" Casing	1228'	3371'	
	2 3/8" Tubing	4580'	0'	
	Sucker Rods	4563'	0'	
	Coal Seams		Description of Monument	
PITTSBURGH	718' to 727'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

RECEIVED
Office of Oil & Gas
JAN 02 2014
WV Department of
Environmental Protection

... And that the work of plugging and filling said well was completed on the 23rd day of October, 2013

And further deponents saith not.


[Signature]
Mike Mitchell

[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 18 day of November

[Signature]
Notary Public

My commission expires:



Permit No. **47-49-01327-P**
Well No. **8002**

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
THOMAS LEE SNODGRASS
Lease or Property Owner
291 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5462
Well No.
SNODGRASS, THOMAS LEE
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William H. ...*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 3rd day of September, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 348'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 348' to 1061'. Removed 115' of 7" casing from 1061' to 1176' with extreme difficulty due to being parted. Continued to clean 9 7/8" hole from 1061' to 1308'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 1090' to 1097'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole from 1308' to 2193'. Left 844' of 7" casing in the hole from 1308' to 2152'. Cut remaining 7" casing at the following depths: 2111', 2011', 1912', 1812', 1700', 1613', 1514' and 1414'. Let 30' of 16" conductor casing in the hole from the surface to 30'.		16" Conductor 7" Casing	0' 115'	30' 844'
Cemented hole from 2193' back to surface as follows: From 2193' to 1297' with 98 sacks of Superlite Cement. From 1297' to 990' with 150 sacks of Supertropic Cement with dye. From 990' to surface with 335 sacks of Superlite Cement. A total of 779 sacks of cement were used to fill the hole from 2193' back to surface. Cement did circulate at the surface.				
Coal Seams		Description of Monument		
<u>Pittsburgh</u>	<u>(1090' - 1097')</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil & Gas
JAN 02 2014
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 26th day of September, 2013

And further deponents saith not.


Delbert Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 30th day of October

Monica De Felice
Notary Public

My commission expires: 2/16/2021



Permit No. 47-049-02272-P
Well No. 5462

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. LUCAS
Lease or Property Owner
85 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5341
Well No.
LUCAS, WILLIAM C.
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William C. ...*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 27th day of September, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 32'. Removed 2484' of junk 1" cable from the hole. Continue to clean 12 1/4" hole from 32' to 329'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 329' to 801'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 801' to 1090'. Cleaned 7 7/8" hole through the Pittsburgh Coal seam from 856' to 864'. Possible junk reams through the Pittsburgh Coal seam from 856' to 864'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1090' to 1094'. Left 20' of 16" conductor casing in the hole from the surface to 20'.		16" Conductor	0'	20'
<p>RECEIVED Office of Oil & Gas JAN 02 2014 WV Department of Environmental Protection</p>				
<u>Coal Seams</u>		<u>Description of Monument</u>		
<u>Pittsburgh</u>	(856' - 864')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 31st day of October, 2013

And further deponents saith not.

Roger Moore
Roger Moore
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 9th day of Dec 2013

My commission expires: 9-12-2017



Carol A. Mayle
Notary Public

Permit No. 47-049-02273-P
Well No. 5341

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
THOMAS LEE SNODGRASS
Lease or Property Owner
291 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5460
Well No.
SNODGRASS, THOMAS LEE
Farm

STATE INSPECTOR SUPERVISING PLUGGING *William H. ...*

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 30th day of September, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 229'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 229' to 1199'. Tagged top of 7" casing at 1199'. Removed 169' of 7" casing from the hole from 1199' to 1368'. Continued to clean 9 7/8" hole from 1199' to 1368'. Reduced hole to 6 1/4". Cleaned 6 1/4" hole through 7" casing from 1368' to 2030'. Left 662' of 7" casing in the hole from 1368' to 2030'. Continue to clean 6 1/4" hole from 2030' to 2179'. Tagged solid plug at 2179'. Cut remaining 7" casing at the following depths: 1930', 1830', 1730', 1630', 1530' and 1444'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 975' to 982'. Left 20' of 16" conductor casing in the hole from the surface to 20'.		16" Conductor 7" Casing	0' 169'	20' 662'
<p>Cemented hole from 2179' back to surface as follows: From 2179' to 1182' with 220 sacks of 35/65 Poz Cement. From 1182' to 825' with 160 sacks of Thixotropic Cement with dye. From 825' to the surface with 280 sacks of Econofill Cement. A total of 660 sacks of cement were used to fill the hole from 2179' back to surface. Cement did circulate at the surface.</p>				
Coal Seams		Description of Monument		
Pittsburgh	(975' - 982')	77' of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

RECEIVED
Office of Oil & Gas
JAN 02 2014
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 21st day of October, 2013


And further deponents saith not.

Delbert Moore
Delbert Moore
Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 18th day of November

Monica De Felice
Notary Public

My commission expires:



Permit No. 47-049-02274-P
Well No. 5460

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
THOMAS LEE SNODGRASS
Lease or Property Owner
291 EVANS RUN ROAD MANNINGTON, WV 26682
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5357
Well No.
SNODGRASS, THOMAS LEE
Farm

STATE INSPECTOR SUPERVISING PLUGGING 

AFFIDAVIT


STATE OF WEST VIRGINIA,
County of MONONGALIA ss:


DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 22nd day of October, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to 191'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 191' to 1200'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 952' to 960'. Reduced hole to 6 1/2". Clean 6 1/2" hole from 1200' to 1236'. Tag solid plug at 1236'. Left 20' of 16" conductor casing in the hole from the surface to 20'.		16" Conductor	0'	20'
<p>RECEIVED Office of Oil & Gas JAN 02 2014 WV Department of Environmental Protection</p>				
<u>Coal Seams</u>		<u>Description of Monument</u>		
<u>Pittsburgh</u>	<u>(952' - 960')</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 5th day of November, 2013

And further deponents saith not.



Delbert Moore


Kevin S. Wright

Sworn to and subscribed before me this 18th day of November


Notary Public

My commission expires:



Permit No. 47-049-02277-P
Well No. 5357

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Drake Operator Well No.: 166

LOCATION: Elevation: 1136' Quadrangle: 7.5 Tariff
District: Geary County: Roane
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company Prime Operating
714 1/2 Lee Street East
Charleston WV 25301

Coal Operator
or Owner

Coal Operator
or Owner

Agent Ed Galner
Permit Issued Date 10/21/2013

RECEIVED
Office of Oil & Gas
JAN 09 2014

AFFIDAVIT

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA,
County of Roane ss:

Randall L. Willett and Gene McNemar being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6 day of November, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1340'	1190'	0	1830' TD solid bridge plug set @ 1340'
Gal	1190	730'	0	
Cement	730'	530'	730'	1100'
Gal	530'	300'		
Cement	300'	200'		
Gal	200'	100'		
Cement	100'	0'		

Description of monument: 4 1/2" casing 6' in length with API# and date plugged. and that the work of plugging and filling said well was completed on the 7 day of November, 2013.

And further deponents saith not Randall L. Willett
Gene McNemar

Sworn and subscribe before me this 7th day of November, 2013

My commission expires: March 28, 2013 Sara M. Lyon
Notary Public



Affidavit reviewed by the Office of Oil and Gas: [Signature] Title: Inspector

WR-38
Date: 12-06-2013

API# 47-095-1078P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Spencer, Alva D. Estate
LOCATION: Elevation: 781'
District: McElroy Operator Well No: MW Spencer No. 23
County: Tyler Quadrangle: Shirley 7.5
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL _____ GAS XXXX

Company: Gastar Coal Operator or owner: N/A
229 W. Main St. Suite 301
Clarksburg, WV 26301

Agent: Michael McCown Coal Lessee: NAILED
With declaration Office of Oil & Gas

Permit Issued Date: 10.21.2013

AFFIDAVIT

JAN 02 2014


STATE OF WEST VIRGINIA,
County of Tyler

ss:

WV Department of
Protection

Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Joe Taylor Oil and Gas Inspector representing the Director, say that said work was commenced on the 2 day of December 2013 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1803'	1700'	8 5/8" 0	453' cement to surface
Cement	1200'	1100'	5 1/2" 1722'	1722'
Cement	1200'	1100' Reset		Tried to back off could not back off
Cement	800'	700'		
Cement	562'	400'		
Cement	245'	0'		



Tagged 1648'; 698'; 400';
Shot 5 1/2"; 735'; 510'; 468'; 194';

Description of monument: 7 inch casing - 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 6th day of December 2013.
And further deponents saith not. Given McCown

Sworn and subscribe before me this 20th day of December, 2013.
My commission expires: June 9, 2020

[Signature]
Oil and Gas Inspector

Mildred L. Casto
Notary Public

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: FERRELL, PHYLLIS INET, ET AL Operator Well No.: 806260

LOCATION: Elevation: 856' Quadrangle: KIANSVILLE, WV 7.5'
District: STONEWALL County: WAYNE
Latitude: (N) 38.0094738
Longitude: (W) 82.3375622

Well Type: OIL _____ GAS

Company CHESAPEAKE APPALACHIA, LLC Coal Operator SOUTHERN REGION INDUSTRIAL REALTY INC
PO BOX 18496 or Owner THREE COMMERCE PLACE
OKLAHOMA CITY, OK NORFOLK, VA 23510
73154-0496 Coal Operator ARGUS ENERGY WV, LLC
Agent ERIC B. GILLESPIE or Owner 9204 TWELVE POLE CREEK RD.
Permit Issued Date 1-11-2013 DUNLOW, WV 25811

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

RICHARD D. MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 26th day of SEPTEMBER, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	2225'	2075'	2232' OF 2 3/8"	0'
CEMENT	1625'	1500'		
CEMENT	1475'	1375'		
CEMENT	1200'	1100'	CUT 7" OFF @	1195' CONDNT PUN
CEMENT	1020'	920'	990' OF 7"	435' OF 7"
CEMENT	815'	715'		
CEMENT	275'	175'	* 6% GEL BETWEEN ALL CEMENT	
CEMENT	125'	0'	PLUGS.	

Description of monument: 7" CASING 36" ABOVE GROUND w/ API T'S and that the work of plugging and filling said well was completed on the 30th day of OCTOBER, 2013

And further deponents saith not. Richard D Moore
Grover Butler



Sworn and subscribe before me this 19th day of NOVEMBER, 2013

My commission expires: Feb 16, 2019

[Signature]
Notary Public

WV Department of Environmental Protection

Affidavit reviewed by the Office of Oil and Gas: [Signature] Title: 12-11-13

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: USA C/O US ARMY CORPS OF ENGINEERS Operator Well No.: 808279

LOCATION: Elevation: 929' Quadrangle: KIAHSVILLE, WV 7.5'
District: STONEWALL County: WAYNE
Latitude: (N) 38.0528403
Longitude: (W) 82.2990557

Well Type: OIL _____ GAS

Company CHEESAPEAKE APPALACHIA, LLC Coal Operator US ARMY CORPS OF ENGINEERS
PO BOX 15496 or Owner REAL ESTATE - MERS
OKLAHOMA CITY, OK 502 8TH STREET
73154-0496 Coal Operator HUNTINGTON, WV 25701
Agent ERIC B. GILLESPIE or Owner _____
Permit Issued Date 4-15-2013

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

RICHARD D. MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 17TH day of OCTOBER, 2013 and the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LE
CEMENT	1700'	1400'	1190' OF 3 1/2"	454'
CEMENT	1190'	1090'		
CEMENT	1000'	900'	1160' OF 7"	315' OF
CEMENT	800'	700'		
CEMENT	340'	240'		
CEMENT	125'	0'	340' OF 8 5/8"	129'

* 6% GEL BETWEEN ALL CEMENT PLUGS

RECEIVED
Office of Oil & Gas
DEC 17 2013
WV Department of Environmental Protection

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 28TH day of OCTOBER, 2013

And further deponents saith not. Richard D Moore
Grover Butler



Sworn and subscribe before me this 19th day of NOV, 2013
My commission expires: Feb 16, 2019
Notary Public

Affidavit reviewed by the Office of Oil and Gas: _____ Title: 12-11-13

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Jackson, John David, ET UX. Operator Well No.: C.C.Sharp 5

LOCATION: Elevation: 1769.31 Quadrangle: Matheny
District: Center County: Wyoming
Latitude: _____ Feet South of 037 Deg. 37 Min. 47.03N Sec.
Longitude: _____ Feet West of 081 Deg. 32 Min. 43.80W Sec.

RECEIVED
Office of Oil & Gas
JAN 02 2014

WV Department of
Environmental Protection

Well Type: OIL _____ GAS X

Company Cabot Oil and Gas Corp.
Five Penn Center West, Suite 401
Pittsburgh, PA 15276

Coal Operator
or Owner Consol Coal Company, c/o CNX Gas Company 1000 Consol Energy Drive Canonsburgh, PA 15317
Spartan Mining Company, 208 Business Street Beckley, WV 25801
Brooks Run Mining Company, LLC 208 Business Street, Beckley, WV 25801

Agent Witney Johnson
Permit Issued Date 7-16-13

Coal Operator
or Owner Chief Mining, Inc. P.O. Box 446 Glen Daniel, WV 25844
Baylor Mining, Inc., P.O. Box 577 Mabscott, WV 25871

AFFIDAVIT


STATE OF WEST VIRGINIA,
County of Wyoming ss:

D.W. Butch Green, (Cabot Oil and Gas) and Bill Smith (Viking Well Service) being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 16th day of October, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A cement	2750'	2400'	2 3/8" V thread 2750'	110'
Class A cement	2400'	2100'		
6% Gel	2100'	1425'		
Class A cement	1425'	1100'	7" - 723'	1789'C
Class A cement	755'	504'	8 5/8" - 140.4	879.6
Class A cement	504'	250'	10 3/4" - 0'	150'
Class A cement	250'	surface	13 3/8" - 0'	25'

Description of monument: 1/4" steel plate (24"X5") W/ name, api and date) 36" from ground level and that the work of plugging and filling said well was completed on the 18th day of November, 2013.

And further deponents saith not. Butch Green
Bill Smith



Sworn and subscribe before me this 22 day of November, 2013

My commission expires: 4/15/2022

Kara Bragg
Notary Public

Affidavit reviewed by the Office of Oil and Gas: [Signature]

Title: WV DEP Oil & Gas Tax