

95-00553P

REVISED

553

WR-38
09-Jun-97

API # 47- 95-00533-P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: SMITH, ELIZABETH B, Operator Well No.: J.H.DAWSON #8

LOCATION: Elevation: 1,100.00 Quadrangle: CENTER POINT
District: MCELROY County: TYLER
Latitude: 11150 Feet South of 39 Deg. 30 Min. 0 Sec.
Longitude 10300 Feet West of 80 Deg. 40 Min. 0 Sec.

Well Type: OIL X GAS _____

Company: Pennzoil Products Company
P. O. Box 5519
Vienna, WV 26105-5519

Coal Operator NA
or Owner _____

Agent: P. S. Ondrusek

Coal Operator NA
or Owner _____

Permit Issued: 06/09/97

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Wood ss:

R.A. Drew and Leroy Snodgrass being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Mike Underwood Oil and Gas Inspector representing the Director, say that said work was commenced on the 23rd day of May, 1997, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
40 sks. cement	2350'	2100'	5 1/2" 225'	2207'
50 sks. cement	1540'	1440'		
40 sks. cement	950'	850'	Perf. 5" csg. @ 2347'-2349'	
40 sks. cement	460'	360'	2199'-2201'	
70 sks. cement	275'	175'	1499'-1501'	
63 sks. cement	50'	Surface	6% gel between cement plugs	

Description of monument: 5" x 20' casing and that the work of plugging and filling said well was completed on the 4th day of June, 19 97

And further deponents saith not.

Sworn and subscribe before me this 27th day of August, 19 97
My commission expires: August 7, 2006

R.A. Drew
Leroy Snodgrass
Diane E. Bork
Notary Public

TYL 053:

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
MICHAEL L. HIGGS
Lease or Property Owner
380 DRAKES RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
MANNINGTON 7.6'
Well Location
MANNINGTON
District
MARION
County
3975
Well No.
HIGGS, MICHAEL & BETTE
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Russell Smallwood* 1-28-14
AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RUSSELL SMALLWOOD and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of October, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Removed all 3/8" cable AND pump from the surface to 3104'. Removed all 2 3/8" tubing from the surface to 3104'. Cleaned 2 3/8" hole from the surface to 3174'. Tagged solid plug at 3174'. Removed 2008' of 5 1/2" casing from the surface to 2008'. Left 342' to 5 1/5" casing in the hole from 2008' to 2350'. Cut remaining 5 1/2" casing at the following depths: 2306', 2211' and 2101'. 5 1/2" casing was swedged down to 4 1/2" casing at 2350'. Cut 4 1/2" casing at the following depths: 2895', 2792', 2690', 2602' and 2492'. Left approximately 740' of 4 1/2" casing in the hole from 2350' to approximately 3090'. (Casing depth taken from previous well record.) Cement bottom hole from 3174' to 1900' with 90 sacks of 35/65 Poz Cement with gas blocker additive. Removed 1557' to 7" casing from the surface to 1557'. Left 299' of 7" casing in the hole from 1557' to 1856'. Cut remaining 7" casing at 1763' and 1648'. Removed 1106' to 8 5/8" casing from the surface to 1106'. Left 326' of 8 5/8" casing in the hole from 1106' to 1432'. Cut remaining 8 5/8" casing at 1322'. Cleaned 9 7/8" hole from the surface to 106'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 801' to 806'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1106' to 2008'. Tag bottom hole plug at 2008'. Left 277' of 10 1/4" casing in the hole from the surface to 277'.				
Cemented hole from top of bottom hole plug at 2008' back to surface as follows:				
From 2008' to 1106' with 155 sacks of 35/65 Poz Cement. From 1106' to 801' with 80 sacks of Thixotropic Cement with green dye. From 801' to the surface with 160 sacks of Econofill Cement. Cement did circulate at the surface. A total of 475 sacks of cement was used to cement the well from 3174' to the surface. Cement did circulate at the surface. Left 10' of 16" conductor casing in the well from the surface to 10'.				
Coal Seams		Description of Monument		
PITTSBURGH	901' to 906'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

RECEIVED
Office of Oil & Gas
MAR 13 2014
WV Department of
Environmental Protection

... And that the work of plugging and filling said well was completed on the 5th day of November, 2013

And further deponents saith not.


Russell Smallwood
Russell Smallwood

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 20th day of Jan 2014

Carol A. Mays
Notary Public

My commission expires: 9-12-2017



Permit No. 47-49-00595-P
Well No. 3975

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address
M.H. PRITCHARD HEIRS (c/o PHILLIP PRITCHARD)
Lease or Property Owner
PO BOX 108 MANNINGTON, WV 26682
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
MANNINGTON 7.5'
Well Location
MANNINGTON
District
MARION
County
3352
Well No.
PRITCHARD, MILDRED H. HEIRS
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Humboldt* 3-4-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA, ss:

DELBERT MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 11th day of December, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 6 1/4" hole through 7" casing from the surface to the bottom of the 7" casing at 1805'. Continued to clean 6 1/2" hole from 1805' to 2154'. Tagged solid plug at 2154'. Removed 1112' of 7" casing from the hole from the surface to 1112'. Cleaned 9 7/8" hole through 10 3/4" casing from the surface to the bottom of the 10 3/4" casing at 256'. Continued to clean 9 7/8" hole from 256' to 1112'. Tagged top of 7" casing at 1112'. Cut remaining 7" casing at the following depths: 1705', 1605', 1505', 1405', 1318' and 1212'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 549' to 555'.		16" Conductor	0'	20'
		10 3/4" Casing	0'	256'
		7" Casing	1112'	693'
<u>Cemented hole from 2154' back to surface as follows:</u> From 2154' to 755' with 290 sacks of 35/65 Poz Cement. From 755' to 449' with 145 sacks of Thixotropic Cement with green dye. From 449' to the surface with 115 sacks of Econofill Cement. Cement did circulate at the surface. A total of 550 sacks of cement was used to cement the hole from 2154' to the surface. Cement did circulate at the surface. Left 20' of 16" conductor casing in the well from the surface to 20'.				
<u>Coal Seams</u>	<u>PITTSBURGH</u> 549' to 555'	<u>Description of Monument</u> 77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

RECEIVED
Office of Oil & Gas
MAR 13 2014

WV Department of Environmental Protection

... And that the work of plugging and filling said well was completed on the 6th day of January, 2014

And further deponents saith not.

Delbert Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 27th day of January 2014

Kara Beth Frost
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-00803-P
Well No. 3352



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address

M.H. PRITCHARD HEIRS (c/o PHILLIP PRITCHARD)
Lease or Property Owner
PO BOX 108 MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address

MANNINGTON 7.5'
Well Location

MANNINGTON
District

MARION
County

3353
Well No.

PRITCHARD, MILDRED H. HEIRS
Farm

STATE INSPECTOR SUPERVISING PLUGGING *[Signature]* 3-9-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN S. WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 8th day of November, 2013 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
<p>Cleaned 6 1/2" hole through 7" casing from the surface to 1863'. Tagged solid plug at 1863'. Removed 1246' of 7" casing from the surface to 1246'. Left unknown 7" casing in the hole from 1246' to unknown depth. Cut remaining 7" casing at the following depths: 1857', 1758', 1653', 1547', 1445' and 1348'. Cemented bottom hole from 1863 to 1198' with 95 sacks of Superlite Cement. Removed 834' of 8 5/8" casing from the surface to 846'. Left 324' of 8 5/8" casing in the hole from 846' to 1170'. Cut remaining 8 5/8" casing at the following depths: 1097' and 974'. Cleaned 12 1/2" hole from the surface to 282'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 282' to 846'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 820' to 627'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing from 846' to 1198'. Tag bottom hole plug at 1198'.</p> <p><u>Cemented hole from top of bottom hole plug at 1198' back to surface as follows:</u> From 1198' to 820' with 175 sacks of Expandable Cement. From 820' to 520' with 140 sacks of Thixotropic Cement with green dye. From 520' to the surface with 225 sacks of Expandable Cement. Cement did circulate at the surface. A total of 635 sacks of cement was used to cement the well from 1863' to the surface. Cement did circulate at the surface. Left 20' of 16" conductor casing in the well from the surface to 20'.</p>				
<u>Coal Seams</u>		<u>Description of Monument</u>		
<u>PITTSBURGH</u>	620' to 627'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

RECEIVED
Office of Oil & Gas

MAR 13 2014

WV Department of
Environmental Protection

... And that the work of plugging and filling said well was completed on the 11th day of December, 2013

And further deponents saith not.

[Signature]
Delbert Moore


[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 27th day of January 2014

[Signature]
Notary Public

My commission expires: 11/4/23

Permit No. 47-49-02176-P
Well No. 3353



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE ST. MONONGAH WV 26554
Address

CONSOLIDATION COAL CO.
Lease or Property Owner
1 BRIDGE ST. MONONGAH, WV 26554
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE ST. MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5010
Well No.
CONSOLIDATION COAL COMPA
Farm

STATE INSPECTOR SUPERVISING PLUGGING *Bill Hershfield 3-9-14*
AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

RALPH HARMAN and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 27th day of January, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from surface to 257'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 257' to 1002' Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 773' to 781'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole from 1002' to 1015'. Reduced hole to 6 1/2". Cleaned 6 1/2" hole from 1015' to 1239'. Reduced hole to 3 1/2". Cleaned 3 1/2" hole from 1239' to 1630'. Tagged solid plug at 1630'.		16" Conductor 7" Casing	0' 0'	10' 217'
Cemented hole from 1630' back to surface as follows: From 1630' to 1240' with Gel Plug. Tagged top of bottom hole plug at 1240'. From 1240' to 981' with 40 sacks of Expandable Cement. From 981' to 673' with 180 sacks of Thixotropic Cement with green dye. From 673' to the surface with 360 sacks of Expandable Cement. A total of 580 sacks of both cements were used to cement the hole from 1630' to the surface. Cement did circulate at the surface. Left 10' of 16" conductor casing in the hole from the surface to 10'.				
Coal Seams		Description of Monument		
<u>PITTSBURGH</u>	773' to 781'	77" of 7" casing w/company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		
(Name)				
(Name)				

RECEIVED
Office of Oil & Gas
MAR 13 2014
WV Department of Environmental Protection

... And that the work of plugging and filling said well was completed on the 12th day of February, 2014.

And further deponents saith not.

Ralph Harman
Ralph Harman


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 24th day of Feb 2014

Carol A. Mayh
Notary Public

My commission expires: 9-12-2017

Permit No. 47-49-02276-P
Well No. 5010



AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address

COALQUEST DEVELOPMENT, LLC
Coal Operator or Owner
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Address

TERRY AUSTIN
Lease or Property Owner
RR1, BOX 260, THORNTON, WV 26440
Address

ICG TYGART VALLEY, LLC
Name of Well Operator
2708 CRANBERRY SQUARE MORGANTOWN, WV 26508
Complete Address

THORNTON (638)
Well Location
KNOTTSVILLE
District
TAYLOR
County
FREY NO. 3
Well No.
AUSTIN, TERRY
Farm

STATE INSPECTOR SUPERVISING PLUGGING

Constance Proppelke 2-13-14

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

ROGER MOORE and **KEVIN S. WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by ICG Tygart Valley, LLC well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 20th day of January, 2014 and that the well was plugged in the following manner:

Formation	Filling Material	Casing Size & Kind	Casing Pulled	Casing Left In
Perforated 4 1/2" casing with 6 shots per foot at each of the following depths: 4750', 4850', 4550', 4450', 4350', 4250', 4150', 4050', 3950', 3850', 3750', 3650', 3550', 3450', 3350', 3250', 3150', 3050', 2950', 2850', 2750', 2650', 2550', 2450', 2350', 2250', 2150', 2050', 1950', 1850', 1750', and 1650'. Cleaned out 4 1/2" casing with 2 7/8" tubing from the surface to 4848'. Cemented bottom hole plug from 4848' to 1500' with 220 sacks of Expandable Cement. Wireline cut 4 1/2" casing at 1442'. Removed 1442' of 4 1/2" casing from the surface to 1442'. Left 3408' to 4 1/2" casing in the hole from 1442' to 4848'. Cleaned 7 7/8" hole from the surface to 1442'. Tagged top of 4 1/2" casing at 1442'. Left 866' of 8 5/8" casing in the hole from the surface to 866' due to casing being bonded in the hole. Section Milled 8 5/8" casing from 452' to 467'. Section Milled 8 5/8" casing through the Lower Kittanning Coal seam from 461' to 467'. Perforated 8 5/8" casing with 6 shots per foot at each of the following depths: 763', 663', 563', 363', 263' and 163'.	8 5/8" Casing	0'	866'	
		4 1/2" Casing	1442'	3408'
Cemented hole from top of bottom hole plug at 1500' back to surface as follows: From 1500' to 667' with 230 sacks Expandable Cement. From 667' to 261' with 150 sacks of Thixotropic Cement w/ green dye. From 261' to surface with 50 sacks of Expandable Cement. A total of 500 sacks of Expandable Cement and 150 sacks of Thixotropic Cement was used to cement the hole 4848' to the surface. Cement did circulate at the surface.				
Coal Seams		Description of Monument		
LOWER KITTANNING	461' to 467'	77" of 7" casing w/company name, well number,		
(Name)		permit number and date cemented stated on 7"		
(Name)		casing. Well marker will be attached to the		
(Name)		cement plug at ground level.		

RECEIVED
Office of Oil & Gas
MAR 13 2014

WV Department of
Environmental Protection

... And that the work of plugging and filling said well was completed on the 11th day of February, 2014.

And further deponents saith not.

Roger Moore
Roger Moore


Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 12th day of February 2014

Kara Beth Forest
Notary Public

My commission expires: 11/4/2023

Permit No. 47-91-00837-P
Well No. FREY NO. 3



WR-38
Date: February 12, 2014

API# 47-9500430-P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Spencer, Alva D., Estate Operator Well No: M W Spencer No. 21
LOCATION: Elevation: 1084' Quadrangle: Shirley 7.5
District: McElroy County: Tyler
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL _____ GAS XXXX

Company: Gastar Exploration Inc. Coal Operator N/A
229 W Main Street Suite 301 or owner _____
Clarksburg WV 26301 _____

Agent: Mike McCown Coal Lessee Office of Oil & Gas
With declaration _____

Permit Issued Date: 12/11/2013

MAR 13 2014

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Tyler

ss:

WV Department of
Environmental Protection

Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Joe Tyler Oil and Gas Inspector representing the Director, say that said work was commenced on the 12th day of February 2014 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2120'	1960'	7" 345'	1669'
Cement	1655"	1550'	13" 0	13" 333' cement
Cement	1140'	1030'		To surface in
Cement	560'	440'		Drilling operations
Cement	400'	280'		
Cement	100'	0		

Shot 7" @ 1604' 1085' 499' 345 Free; Tagged 1955' 1030'

Description of monument: 7 inch casing - 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 18th day of February 2014.
And further deponents saith not. Jan Mark

Sworn and subscribed before me this 21st day of February, 2014

My commission expires 3, 2020
OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
MILDRED L. CASTO
RT. 1 BOX 2
GIVEN, WV 25245
My commission expires June 3, 2020

Mildred L. Casto
Notary Public
2-21-14

WR-38

Date: 02.12.2014

API# 47-095-0656-P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Spencer, Alva D... Estate Operator Well No: M.W. Spencer No. 14
LOCATION: Elevation: 1010' Quadrangle: Shirley 7.5"
District: McElroy County: Tyler
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL _____ GAS XXXX

Company: Gastar Exploration USA Coal Operator _____
229 West Main Street or owner _____

Agent: Mike McCown Coal Lessee RECEIVED
With declaration Office of Oil & Gas

Permit Issued Date: 12/11/2013

AFFIDAVIT

MAR 13 2014

STATE OF WEST VIRGINIA,
County of Tyler

ss:


WV Department of
Environmental Protection

Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Joe Taylor Oil and Gas Inspector representing the Director, say that said work was commenced on the 4th day of February, 2014 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2000'	1860'	Rod 2002'	0
Cement	1076'	926'	2 3/8" 2010	0
Cement	508'	380'	5 1/2" 446'	5 1/2" 530'
Cement	250'	150'	7" 0	7" 1911'
Cement	150'	0		
Shot 5 1/2" @ 446 7" @ 203'; 102' not Free tried to back off; tagged @ 1855' 924' 150'				

Description of monument: 7 inch casing - 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 12th day of February, 2014.
And further deponents saith not.

Sworn and subscribe before me this 21st day of February, 2014
My commission expires: March 3, 2020



Mildred L. Casto
Notary Public
2-21-14

WR-38

Date: January 24, 2014

API# 47-095-00657-P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Alva D Spencer Operator Well No: M W Spencer No 16
LOCATION: Elevation: 883' Quadrangle: Shirley 7.5
District: McElroy County: Tyler
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL _____ GAS XXXX

Company: Gastar Exploration Inc. Coal Operator N/A
229 W Main Street Suite 301
Clarksburg WV 26301

Agent: Mike McCown Coal Lessee NA
With declaration _____

Permit Issued Date: 12-04-2013

RECEIVED
Office of Oil & Gas

AFFIDAVIT

MAR 13 2014

STATE OF WEST VIRGINIA,
County of Tyler

ss:

WV Department of
Environmental Protection


Jacob Snider and Jackie Carpenter being first and second deponents to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Joe Taylor Oil and Gas Inspector representing the Director, say that said work was commenced on the 16th day of Jan. ~~February~~ 2014 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1810'	1725'	Rods 1902'	-0-
Cement	950'	850'	2 3/4" 1910'	-0-
Cement	560'	440'	5 1/2" 501'	1273'
Cement	440'	302'	7" 0	1774'
Cement	250'	-0-		

Tag Plug @ 1722' 302'; Shot 5 1/2" @ 905' 501' Free; Shot 7" @ 357' 199' 101' try to back off 7" couldn't

Description of monument: 7 inch casing - 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 24th day of January 2014.
And further deponents saith not. Jean Meadows

Sworn and subscribe before me this 21st day of February, 2014
My commission expires: June 3, 2020



Mildred L. Gaston
Notary Public
2-21-14

WR-38
Date: 01.15.2014

API# 047-095-0661 P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Spencer, Alva D., Estate
LOCATION: Elevation: 821'
District: McElroy
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Operator Well No: M.W. Spencer No. 20
Quadrangle: Shirley 7.5'
County: Tyler

Well Type: OIL _____ GAS XXXX

Company: Gastar Exploration USA
229 W. Main St. Suite 301
Clarksburg, WV 26301

Coal Operator or owner N/A

Agent: Mike McCown

Coal Lessee N/A
With declaration _____
RECEIVED
Office of Oil & Gas

Permit Issued Date: 12.06.2013

AFFIDAVIT

MAR 18 2014

STATE OF WEST VIRGINIA,
County of Tyler

ss:

WV Department of
Environmental Protection

Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Joe Taylor Oil and Gas Inspector representing the Director, say that said work was commenced on the 2nd day of January, 2014 and that the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1812'	1669'	5 1/2" 199'	361'
Cement	1812'	1669' Reset	7" 20'	1697'
Cement	902'	800'	2 3/4" 1900'	0
Cement	610'	510'	Rods 1898'	0
Cement	460'	350'		
Cement	250'	0		

Tagged plug @ 1668' 342'
Shot 6" @ 847', 197', 186'; 105' Shot 5 1/2" @ 403', 199', Free; Back 7" off @ 20'.

Description of monument: 7 inch casing - 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 15th day of January 2014.
And further deponents saith not. Jacob McCown

Sworn and subscribe before me this 21st day of February, 2014
My commission expires: June 3, 2020

Mildred L. Costo
Notary Public
2-21-14



Oil and Gas Inspector