



04 09 03:02p
 JUN. 9. 2009 10:10AM
 Rev (5-01)
 WR-38
 DATE: 05-01-2009

tristan jenkins
 CALL FEDERAL RV 2

3046220180

P-1

API # 47-061-0105P

61-00105P

STATE OF WEST VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

RECEIVED
 Office of Oil & Gas
 JUN 12 2012
 WV Department of
 Environmental Protection

Farm name: Wilson, D. - Estate Operator Well No. E2-534
 LOCATION: Elevation: 1,498' Quadrangle: Blacksville
 District: Clay County: Monongalia
 Latitude: 2098 Feet South of 39 Deg. 40 Min. 00 Sec.
 Longitude: 3 Feet West of 80 Deg. 15 Min. 00 Sec.
 Well Type: OIL GAS X
 Company: Eastern Associated Coal LLC Coal Operator Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
 Agent: Edward Y. Hoy Coal Operator _____
 or Owner _____
 Permit Issued Date: Oct 24, 2007

AFFIDAVIT

STATE OF WEST VIRGINIA,
 County of Monongalia ss:

William C. Chister and James D. Stieringer being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 3rd day of March, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Pulled out 3240' of 2" casing. Then pulled out 2135' of 7" casing. There is 483' of 7" casing left in the hole. Shot off and pulled out 1354' of 8" and there is 775' of 8" left in the hole. There is 1185' of 10" still in the hole.			
	Cleaned with an 8" bit down to 2130'.			
	Logged the hole with Century Wireline Service. Coal seam 1162' to 1167' based on log information. The hole deviated 57.6 feet at the coal seam. (9 feet South and 56.92 feet East)			
	Slotted 7", 8", and 10" pipe at 50' intervals			
	Ran 1-1/2" tubing and pumped the bottom plug with 160 sacks of cement and 55 sacks of ETK expanding cement.			
	Then ran 1309' of 4-1/2" tubing and pumped the top plug with 500 sacks of ETK expanding cement. Swabbed water off and rig down. Plug at 1280'.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 16th day of April, 2009.


And further deponents saith not. William Chister

James D. Stieringer

Sworn and subscribe before me this 12 day of May, 2009

My commission expires: Nov. 03, 2018

Crystal J. Spears
 Notary Public



Oil and Gas Inspector: [Signature]



02 09 08:43p
 JUL 27 2009 7:40AM
 rev (9-07)
 -WR-32
 DATE: 07-22-2009

tristan jenkins
 CANY ILLUMIN RO 2

3046220100

P. 1

API # 47-061-1533P

61-01533P

STATE OF WEST VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Fox/McCoy Operator Well No.: E2-42

LOCATION: Elevation: 1,405' Quadrangle: Blacksville
 District: Clay County: Monongalia
 Latitude: 39.955 Feet South of 39 Deg. 42 Min. 30 Sec.
 Longitude: 8.944 Feet West of 89 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS

Company: Eastern Associated Coal LLC Coal Operator Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner

Permit issued Date: 10/23/2006
 Renewed 04/29/2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
 County of Monongalia ss:

William S Storkling and Edward Y. Hoy being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 19 of April, 2009, and that the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleared out with a 8" bit down to 1393.				
A Gamma Ray and Caliper Log was performed on the hole by Century Wireline Services. Based on these logs there is 10" pipe from 906 ft deep to below coal seam, and 8" pipe from 1054 feet down to 1390. Based on the log, the coal depth is between 1056' to 1062'. The 10" was cut at the coal seam and perforated above the coal.				
Ran 1-1/2" tubing down and pumped in the bottom plug with 65 Sacks of ETK expanding cement.				
Tagged bottom plug at 1185'. Ran 1185' of 4-1/2" casing with latchdown plug.				
Pumped the top plug with 1385 sack of ETK expanding cement				
The latchdown plug was tagged at 1155'.				

Description of monument: 4 1/2" Pipe with metal plate with the API # and that the work of plugging and filling said well was completed on the 22nd day of June, 2009.

And further deponents saith not. William S Storkling
Edward Y. Hoy

Sworn and subscribe before me this 26th day of July, 2009.
 My commission expires: July 7, 2017

Oil and Gas Inspector: [Signature] 3 AUG 09



RECEIVED
 Office of Oil & Gas

JUN 12 2012

WV Department of
 Environmental Protection

Rev (5-01)
WR-38
DATE: 07-07

API # 47-061-01686P

61-01539P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: M. Tennant tract. 55.8 ac., current owner- J. Todd Moore Operator Well No.: F2-38

LOCATION: Elevation: 1,406' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 8.588 Feet South of 39 Deg. 42 Min. 30 Sec.
Longitude: 6.666 Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL GAS X

Company: Eastern Associated Coal LLC Coal Operator Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner _____

Permit Issued Date: April 25, 2007

AFFIDAVIT

Handwritten signature/initials

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Michael Hayhurst and Dale Chisler being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Bill Hatfield, Oil and Gas Inspector representing the Director, say that said work was commenced on the 12th day of June, 2007, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleaned out to 1,100'	with 12" bit.	Got some wood out of hole.	No metal.	
Cleaned out to 1,150'	with 7-7/8" bit.	Cleaned out to 1,400'	with 6-1/4" bit.	Logged hole with Century Geophysical. (Gamma, deviation, and Caliper). Coal at 1,050' to 1,057' based on log data. No indication of casing in hole.
Pumped bottom plug with 78 sacks of E1K expanding cement.				
Ran 1,158' of 4-1/2" casing with latchdown plug. BJ Hughes Well Service pumped the top plug with 600 sacks of E1K expanding cement.				
Swabbed water off the hole and tagged top of latchdown plug at 1,155'.				

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 2nd day of July, 2007.
And further deponents saith not.

Michael Hayhurst
Dale Chisler

RECEIVED
Office of Oil & Gas


JUN 12 2007

Sworn and subscribe before me this 31st day of July, 2007
My commission expires July 7, 2011

Edward Y. Hoy
Notary Public

WV Department of Environmental Protection

Oil and Gas Inspector: Bill Hatfield 8-3-07



Rev (5-01)
WR-38
DATE: 05-29-08

API # 47-061-01549P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: A. McFeater tract, 2 ac., current owner- Sandra Bleigh Operator Well No.: F2- 126

LOCATION: Elevation: 1,293' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 7,498 Feet South of 39 Deg. 42 Min. 30 Sec.
Longitude: 7,586 Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner _____

Permit Issued Date: June 1, 2007

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Michael Hayhurst and Charles Price being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Bill Hatfield, Oil and Gas Inspector representing the Director, say that said work was commenced on the 15th day of February, 2008, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out to 394' with an 8" bit. Cleaned out to 950' with a 6-1/4" bit. Ran a string of 8" casing to 318' to minimized caving problems. Cleaned out to 1,260' with a 6" bit. Got out 413' of 2" tubing, 27' of 10" casing, and 39' of 13" surface casing.			
	Logged the hole with Century Geophysical. Coal seam at 947' to 954' based on log information. No casing through the coal seam.			
	Ran 1-1/2" tubing and pumped the bottom plug with 35 sacks of E1K expanding cement.			
	Tagged bottom plug at 1,060'. Ran 1,065' of 4-1/2" casing with latchdown plug at 1,060'.			
	Pumped the top plug with 656 sacks of E1K expanding cement.			
	Swabbed water off latchdown plug at 1,042'.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and the work of plugging and filling said well was completed on the 22nd day of May, 2008.


And further deponents saith not. Michael Hayhurst

Charles Price

Sworn and subscribe before me this 30th day of May, 2008
My commission expires: July 7, 2017

Notary Public

Oil and Gas Inspector: [Signature]



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: S. Wilson 46.3 ac., current owner - William Gum Operator Well No.: F2- 549

LOCATION: Elevation: 1,354' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 8.077 Feet South of 39 Deg. 42 Min. 30 Sec.
Longitude: 2.446 Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL _____ GAS X

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator: _____
or Owner _____

Permit Issued Date: July, 08, 2008

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Eric Dale Chisholm and Kenneth Thomas Crump first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Triston Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 13th day of January, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out to 1,250'	with an 10" bit.	Cleaned out to 1,338'	with a 8" bit.
	Logged the hole with Century Geophysical. Coal seam at 1,028' to 1,036' based on log information.			
	Ran 1-1/2" tubing and pumped the bottom plug with 85 sacks of E1K expanding cement.			
	Tagged bottom plug at 1,138'. Ran 1,138' of 4-1/2" casing with latchdown plug at 1,118'.			
	Pumped the top plug with 800 sacks of E1K expanding cement and 250 sacks of cement.			
	Swabbed water off latchdown plug at 1,118'.			


Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 10th day of March, 2009.

And further deponents saith not. Eric Dale Chisholm
Kenneth Thomas Crump

Sworn and subscribe before me this 10th day of March, 2009.

My commission expires: July 7, 2011
Edward Y. Hoy
Notary Public

Affidavit review by the office of Oil and Gas: _____
Title: _____



RECEIVED
Office of Oil & Gas

JUN 12 2012

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Norris Operator Well No.: E2-41

LOCATION: Elevation: 1,221 Quadrangle: Blacksville

District: Clay County: Monongalia

Latitude: 8.149 Feet South of 39 Deg. 42 Min. 30 Sec.

Longitude: 5.671 Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC

1044 Miracle Run Road or Owner: 1044 Miracle Run Road

Fairview, WV 26570 Coal Operator: Fairview, WV 26570

Agent: Edward Y. Hoy or Owner: _____

Permit Issued Date: January 29, 2009 AFFIDAVIT 12 Feb 09

STATE OF WEST VIRGINIA,
 County of Monongalia ss:

Jeff Sise and Gracely H. Hickman being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 29th day of June, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with 12" bit to 357'	Cleaned out with 8 3/4" bit to 1200'		
	Logged the hole with Century Wireline Service. Coal seam 870' to 877' based on log information. The hole deviated 6.9 feet at the coal seam. There is 10" casing from 388' to below the coal seam. The pipe was shot at and above the coal seam by Timco Inc.			
	Ran 1-1/2" tubing and pumped the bottom plug with 80 sacks of ETK expanding cement. The top of the bottom plug is 980' deep.			
	Ran 977.5' of 4-1/2" tubing and pumped the top plug with 320 sacks of ETK expanding cement. Swabbed water off hole. Latch down plug at 958'.			


Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 2nd day of July, 2009.

And further deponents saith not.

Sworn and subscribe before me this 2nd day of FEBRUARY, 2010
 My commission expires: _____

Oil and Gas Inspector:

Edward Y. Hoy
 Notary Public
12 Feb 09



RECEIVED
 Office of Oil & Gas

JUN 18 2012

WV Department of
 Environmental Protection

Rev (5-01)
WR-38
DATE: 04-12-10

API # 47-6101590P

61-01590P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Norris Operator Well No.: F2-45

LOCATION: Elevation: 1,268 Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 8,503' Feet South of 39 Deg. 42 Min. 30 Sec.
Longitude: 6,227' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner: _____

Permit Issued Date: January 28, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

William J Storking and Kenneth M Gump being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 23rd day of June, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT	
Cleaned out with 12" bit	to 801'	Cleaned out with 8" bit	to 890'	Cleaned out with a 6" bit	to 1260'
Logged the hole with Century Wireline Service. The coal seam is at 937' based on log information. The hole deviated 4.1 feet at the coal seam. There is 13" casing from 27' to 196' feet. There is 10" casing from 772' to below the coal seam. The 10" pipe was shot at and above the coal seam by Timco Inc.					
Ran 1-1/2" tubing and pumped the bottom plug with 85 sacks of E1K expanding cement. The top of the bottom plug is 1040' deep.					
Ran 1040' of 4-1/2" tubing and pumped the top plug with 740 sacks of E1K expanding cement. Swabbed water off hole. Latch down plug at 1010'.					

RECEIVED
Office of Oil & Gas
JUN 12 2012

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 11th day of August, 2009

And further deponents saith not. William J Storking

Kenneth M Gump


Sworn and subscribe before me this 12th day of April, 2010

My commission expires: July 7, 2017

WV Department of
Environmental Protection

Edward Y. Hoy
Notary Public

Oil and Gas Inspector: _____



Rev (5-01)
WR-38
DATE: 05-10-10

API # 47-6101591P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Norris Operator Well No.: F2- 113

LOCATION: Elevation: 1.452' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 7.858' Feet South of 39 Deg. 42 Min. 30 Sec.
Longitude: 7.350' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner RECEIVED
Office of Oil & Gas

Permit Issued Date: January 28, 2009

JUN 12 2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Gary C Thomas and Jeff Sine

WV Department of
Environmental Protection

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 29th day of June, 2009, and that the well was plugged and filled in the following manner;

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleaned out with 12" bit	to 916'	Cleaned out with 8 3/4" bit	to 1435'	
Logged the hole with Timco Inc.	There is 10" casing from 916' to below the coal seam. The pipe was shot at and above the coal seam by Timco Inc. The hole was then logged by Century Wireline services. Coal seam is at 1098' based on log information. The hole deviated 18.1 feet at the coal seam.			
Ran 1-1/2" tubing and pumped the bottom plug with 100 sacks of E1K expanding cement.	The top of the bottom plug is 1200' deep.			
Ran 1199' of 4-1/2" tubing and B.J. Hughes pumped the top plug with 547 sacks of E1K expanding cement. Swabbed water off hole. Latch down plug at 1172'.				

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 18th day of August 2009.

And further deponents saith not. Gary C Thomas



Jeff Sine
13th day of May, 2010
4/1/14
John Kucish
Notary Public

Oil and Gas Inspector: [Signature]

Rev (5-01)
WR-38
DATE: 01-06-10

API # 47-6101592P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Perkey, Artyn Operator Well No.: F2- S-4
LOCATION: Elevation: 1,336' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 11,308' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7,161' Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL GAS
Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
Agent: Edward Y. Hoy Coal Operator
or Owner

Permit issued Date: January 28, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Hermitton Gump and William J Stonking being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 13th day of August, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleared out with 9 5/8" bit to 915'. Cleaned out with 8 3/4" bit to 1,271'.			
	Logged the hole with Century Wireline Service. Coal seam 947' to 954' based on log information. The hole deviated 6.1 feet at the coal seam.			
	Ran 1-1/2" tubing and pumped the bottom plug with 100 sacks of E1K expanding cement. The top of the bottom plug is 1058' deep.			
	Ran 1,058' of 4-1/2" tubing and pumped the top plug with 800 sacks of E1K expanding cement. Swabbed water off hole. Latch down plug at 1,016'.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 10th day of October, 2009.

And further deponents saith not. Hermitton Gump


William J Stonking

Sworn and subscribe before me this 6th day of January, 2010

My commission expires: July 7, 2017

[Signature]
Notary Public

Oil and Gas Inspector: [Signature]



RECEIVED
Office of Oil & Gas

JUN 12 2012

WV Department of
Environmental Protection

Rev (5-01)
WR-38
DATE: 04-14-10

API # 47-6101594P

61-01594P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Norris Operator Well No.: FZ-127

LOCATION: Elevation: 1,369 Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 7.892' Feet South of 39 Deg. 42 Min. 30 Sec.
Longitude: 6.841' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner: _____

Permit Issued Date: February 3, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Jeff Sine and Garrett Hickman being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 7th day of July, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with 12" bit to 225'. Cleaned out with 7" bit to 1230'. Cleaned out with a 6 1/2" bit to 1410'.			
	Logged the hole with Century Wireline Service. Coal seam 1018' to 1025' based on log information. The hole deviated 13.8 feet at the coal seam. There is 8" casing from 226' to 1226'. There is 7" casing from 1226' to 1410'. The pipe was shot at and above the coal seam by Timco Inc.			
	Ran 4-1/2" tubing and pumped the bottom plug with 55 sacks of E1K expanding cement. The top of the bottom plug is 1140' deep.			
	Ran 1140' of 4-1/2" casing and pumped the top plug with 230 sacks of E1K expanding cement by BJ Hughes. Swabbed water off hole. Latch down plug at 1123'.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 24th day of July, 2009.

And further deponents saith not. Jeff Sine


Garrett Hickman

Sworn and subscribe before me this 14th day of April, 2009

My commission expires: July 7, 2017

Notary Public

Oil and Gas Inspector: _____



RECEIVED
Office of Oil & Gas

JUN 12 2012

WV Department of
Environmental Protection



16 09 09:31a cristan.jenkins
 Rev (5-01)
 WR-98
 DATE: 11-13-09

3046220180 p.1

API # 47-6101599P

61-01599P

STATE OF WEST VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Zyra Thomas Operator Well No.: F2-S-6

LOCATION: Elevation: 1491 Quadrangle: Blacksville
 District: Clay County: Monongalia
 Latitude: 11.521' Feet South of 38 Deg. 40 Min. 00 Sec.
 Longitude: 6.510' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview WV 26570 Fairview WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner

Permit Issued Date: April 9, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
 County of Monongalia ss:

Jeff Sine and Chris Thomas being first duty sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 29th day of May, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with 12 1/4" bit to 763'. Cleaned out with 8 3/4" bit to 1,435'.			
	A Gamma Ray/ CCL log was performed on the hole by Timco Inc. The coal seam was from 1,084' to 1,092' based on log information. The 10" pipe was perforated between 1076' to 1100'. There was a deviation log performed by Century Wireline Services.			
	Ran 1-1/2" tubing and pumped the bottom plug with 80 sacks of ETK expanding cement. The top of the bottom plug is 1200' deep.			
	Ran 1,200' of 4-1/2" tubing and pumped the top plug with 620 sacks of ETK expanding cement. Swabbed water off hole. Latch down plug at 1,177'.			


Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 25th day of June, 2009.

And further deponents saith not.

Sworn and subscribe before me this 13th day of November, 2009
 My commission expires: 2017

Oil and Gas Inspector: [Signature]

[Signature]
[Signature]
 Notary Public



RECEIVED
 Office of Oil & Gas

JUN 12 2012

WV Department of
 Environmental Protection

Rev (5-01)
WR-38
DATE: 11-3-10

API # 47-6101601P

61-01601P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Perkey, Arlyn Operator Well No.: F2- S51

LOCATION: Elevation: 1,668' Quadrangle: Blacksville
 District: Clay County: Monongalia
 Latitude: 12,291' Feet South of 39 Deg. 40 Min. 00 Sec.
 Longitude: 6,157' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner _____

Permit Issued Date: September 4, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Gary C Thomas and Eric Dale Chisholm being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 14th day of December, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleaned out with $3/2$ 1/4" bit to 480'. Cleaned out with $3/2$ 5/8" bit to 1,572'.				
Logged the hole with Timco Inc. There is 10" pipe from 480' to 1252', which was shot at and above the coal seam. The bottom of the Pittsburgh coal seam is 1243'.				
Ran tubing and pumped the bottom plug with expanding cement. The top of the bottom plug is 1,348' deep.				
Ran 1348' of 4-1/2" tubing and pumped the top plug with expanding cement. A total of 512 sacks of expanding cement were used. Swabbed water off hole. Latch down plug at 1321'.				


Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 31st day of December, 2009.

And further deponents saith not. Gary C Thomas

Eric Dale Chisholm

Sworn and subscribe before me this 2nd day of November, 2010
My commission expires: July 7, 2017

Notary Public
[Signature]
Oil and Gas Inspector: [Signature]



RECEIVED
Office of Oil & Gas
JUN 12 2012
Department of
Environmental Protection

Rev (5-01)
WR-38
DATE: 07-29-10

API # 47-6101602P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

61-01602P

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Rodney Operator Well No.: F2-S1

LOCATION: Elevation: 1,201' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 10.487 Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7.552 Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner: _____

Permit Issued Date: September 11, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

William D Stonaker and Eric Dale Chisler being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 11th day of November, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with 10" bit to 885'. Cleaned out with 8" bit to 1,149'.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 830'. The hole deviated 3 feet at the coal seam. There is 10" pipe from 462' to 1132', which was ripped at and above the coal seam.			
	Ran 1-1/2" tubing and pumped the bottom plug with 110 sacks of E1K expanding cement. The top of the bottom plug is 935' deep.			
	Ran 935' of 4-1/2" tubing and pumped the top plug with 665 sacks of E1K expanding cement. Swabbed water off hole. Latch down plug at 908'.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 14th day of January, 2010.

RECEIVED
Office of Oil & Gas

JUN 12 2012


Sworn and subscribe before me this 29th day of July, 2010.
My commission expires: June 7, 2017

WV Department of
Environmental Protection

Oil and Gas Inspector: _____

And further deponents saith not. William D Stonaker
Eric Dale Chisler

Notary Public
3 AUG 10



Rev (5-01)
WR-38
DATE: 07-16-10

API # 47-6101603P

61-01603P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Rodney Operator Well No.: F2-S2

LOCATION: Elevation: 1,399' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 10.859' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7.216' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: Oil GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator
or Owner

Permit Issued Date: September 11, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Gary C Thomas and [Signature] being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 16th day of November, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with 12" bit to 154'. Then ran 207' of 8" inch casing. Then Cleaned out with 7 3/4" bit to 1350'.			
	Logged the hole with Timco Inc. Coal seam is at 1014' based on log information. There is 8" casing from the surface to 200' deep. There is 10" casing from 612' to 1230', which was shot at and above the coal seam by Timco. There is also 8" casing from 1230' to 1350'.			
	Ran 1142' of 4-1/2" casing. B.J. Hughes pumped the bottom plug with 50 sacks of expanding cement. Then B.J. Hughes pumped 512 sacks of cement in the top plug.			
	Swabbed water off hole. Latch down plug at 1118'.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 11th day of December 2009.

And further deponents saith not. [Signature]

Sworn and subscribe before me this 16th day of July, 2010

My commission expires: July 7, 2017


Notary Public

Oil and Gas Inspector:

RECEIVED
Office of Oil & Gas

JUN 12 2012

WV Department of
Environmental Protection



Rev (5-01)
WR-38
DATE: 07-16-10

API # 47-6101604P

61-01604P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Rodney Operator Well No.: F2- S3

LOCATION: Elevation: 1,405' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 11.035' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7.145' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner

Permit Issued Date: September 11, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

GARY C Thomas and Jeff Sue being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 30th day of October, 2009, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleaned out with 12" bit to 250'. Then Cleaned out with 9 3/4" bit to 1031'. Then Cleaned out with 6 1/4" bit to 1490'.				
Logged the hole with Century Wireline services. Coal seam is at 1014' based on log information. There is 10" casing from the surface to 200' deep. There is also 8" casing from 1031' to 1490'.				
Ran 1142' of 4-1/2" casing. B.J. Hughes pumped the bottom plug with 73 sacks of expanding cement. Then pumped 432 sacks of cement in the top plug.				
Swabbed water off hole. Latch down plug at 1120'.				

Description of monument: 4 1/2" Pipe with metal plate, API # and date plugged and that the work of plugging and filling said well was completed on the 13th day of November 2009.

And further deponents saith not. Gary C Thomas

RECEIVED
Office of Oil & Gas


Sworn and subscribe before me this 16th day of July, 2010
My commission expires: June 7, 2017

JUN 12 2012

WV Department of Environmental Protection

Oil and Gas Inspector: Edward Y. Hoy

Edward Y. Hoy
Notary Public



Nov 12 10 11:15a
NOV/04/2010/TBU 03:14 PM

FRA NO. J044931020

p.4

Rev (5-01)
WR-38
DATE: 11-2-10

API # 47-6101607P

61-01607P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Barr, Rocky Operator Well No.: F2-S15

LOCATION: Elevation: 1,683' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 12.450' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 5.833' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner

Permit Issued Date: December 14, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

James Wheeler and James Wheeler SC being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 19th day of January, 2010, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleared out with 10" bit to 1257'. Cleaned out with 8" bit to 1,564'.				
Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 1249'. There is 10" pipe from 245' to 1271', which was ripped at and above the coal seam. There is also 8" pipe from 1520' to 1560'.				
Ran 1-1/2" tubing and pumped the bottom plug with 90 sacks of expanding cement. The top of the bottom plug is 1,358' deep.				
Ran 1350' of 4-1/2" tubing and pumped the top plug with 585 sacks of expanding cement. Swabbed water off hole. Latch down plug at 1326'.				


Description of monument: 4 1/2" Pipe with metal plate. API #, and date plugged and that the work of plugging and filling said well was completed on the 3rd day of March, 2010.

RECEIVED
Office of Oil & Gas

Sworn and subscribe before me this 4th day of November, 2010
My commission expires: July 7, 2017

[Signature]
Notary Public

WV Department of
Environmental Protection and Gas Inspector:



Rev (5-01)
WR-38
DATE: 11-2-10

API # 47-6101608P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

61-01608P

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Barr, Rocky Operator Well No.: F2- S16
LOCATION: Elevation: 1,548' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 12.107' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 5.111' Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL GAS
Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
Agent: Edward Y. Hoy Coal Operator _____
or Owner _____
Permit Issued Date: January 13, 2010
Permit Modification Date: January 20, 2010

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Gary C Thomas and Eric Dale Chickler being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 18th day of January, 2010, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Set up RD 20 on January 18, 2010.			
	Cleaned out with a 12 1/4 bit to 260' deep.			
	Decided on January 20, that we didn't want to mine through this well, stopped drilling and applied for, and received a permit modification to backfill with a solid plug.			
	On January 25, 2010 backfilled the hole with 184 sacks of cement.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 25th day of January, 2010.

RECEIVED
Office of Oil & Gas

And further deponents saith not. Gary C Thomas


Eric Dale Chickler

JUN 1 2 2012 Sworn and subscribe before me this 4th day of November, 2010
My commission expires: June 7, 2017

WV Department of
Environmental Protection

Oil and Gas Inspector: _____

[Signature]
Notary Public



Rev (5-01)
WR-88
DATE: 11-2-10

API # 47-6101609P

61-01609P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Darrah, Edith Operator Well No.: FZ- S13

LOCATION: Elevation: 1,500' Quadrangle: Blacksville
 District: Clay County: Monongalia
 Latitude: 13.151' Feet South of 39 Deg. 40 Min. 00 Sec.
 Longitude: 7.729' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner: _____

Permit issued Date: March 25, 2009

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Eric Dale Chisler and Thermon Gump being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 26th day of March, 2010, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with 10" bit to 1131'. Cleaned out with 6" bit to 1420'.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 1106'. There is 10" pipe from 254' down to 1106', which was shot at and above the coal seam, by Timco, Inc. There is also 8" pipe from 1131 to 1420' which was ripped using an 8" ripper.			
	Ran 1-1/2" tubing and pumped the bottom plug with 50 sacks of expanding cement. The top of the bottom plug is 1,218' deep.			
	Ran 1218' of 4-1/2" tubing and pumped the top plug with 590 sacks of expanding cement. Swabbed water off hole. Latch down plug at 1187'.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 16th day of April, 2010.

RECEIVED
Office of Oil & Gas

And further deponents saith not. Eric Dale Chisler

Thermon Gump


JUN 1 2 2012

Sworn and subscribe before me this 4th day of November, 2010
My commission expires: July 7, 2017

WV Department of
Environmental Protection

Oil and Gas Inspector: _____

Edward Y. Hoy
Notary Public



Rev (5-01)
WR-38
DATE: 07-25-11

API # 47-6101610P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department; one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Karus, James Operator Well No.: F2- S14
LOCATION: Elevation: 1,488' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 13.314' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7,224' Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL GAS
Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
Agent: Edward Y. Hoy Coal Operator or Owner _____
Permit Issued Date: May 12, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Eric Dale Chisler and David L Chisler being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Tristan Jenkins, Oil and Gas Inspector representing the Director, say that said work was commenced on the 18th day of June, 2010, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleaned out with 6" bit and 4" bailer down to 1382.				
Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 1072'. There is 7" pipe from the surface down to 1016'. Below 1016' the 7" pipe is mangled. It was cut at, above, and below the coal seam.				
Ran 1-1/2" tubing and pumped the bottom plug with expanding cement.				
Ran 1200' of 4-1/2" tubing and pumped the top plug with expanding cement. A total of 605 sacks of expanding cement were used to plug this well. Swabbed water off hole. Latch down plug at 1184'.				


Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 18th day of November, 2010.

And further deponents saith not. Eric Dale Chisler
David L Chisler

Sworn and subscribe before me this 25th day of July, 2010 11
My commission expires: June 30, 2017

[Signature]
Notary Public

Oil and Gas Inspector: [Signature]



Rev (5-01)
WR-38
DATE: 09-07-11

API # 47-6101620P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Tennant, Billy Ray Operator Well No.: F2- S12
LOCATION: Elevation: 1,310' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 13.028' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 8.509' Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL GAS X
Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
Agent: Edward Y. Hoy Coal Operator or Owner _____

Permit Issued Date: Jan 10, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Kenneth W. Gump and Garet L. Hickman being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 27th day of January, 2010, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with 8" flat bottom mill to 996'. Cleaned out with 6 1/2" cone bit to 1,330'. Tripped in with 6" hole opener to 1,133'.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 924'. The hole deviated 7.2' at the coal seam. (4.17' south and 5.81' west)			
	Pumped the bottom plug with 620 sacks of expanding cement. The top of the bottom plug is 314' deep.			
	Pumped the top plug with 240 sacks of cement.			

RECEIVED

Office of Oil & Gas


JUN 12 2012

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 26th day of July, 2011.

And further deponents saith not. Kenneth W. Gump

Garet L. Hickman

Sworn and subscribe before me this 9th day of September, 2011



[Signature]
Notary Public

WV Department of Environmental Protection

Rev (5-01)
WR-38
DATE: 10-18-11

API # 47-6101627P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Quickle, Penny S. Operator Well No.: F2- S10

LOCATION: Elevation: 1,200' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 12.994' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 10.923' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner _____

Permit Issued Date: May 11, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Jeff Sine and Chris Thomas being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 27th day of June, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with a 9 5/8" cone bit to 1,050'.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 835'. The hole deviated 13' at the coal seam. There is 10" pipe from the surface to 850' deep. This pipe was shot below, at, and above the coal seam by Timco Logging.			
	There was an expanding cement plug from 1050 feet deep to 720 feet deep. Then from 720' to the surface, the rest was pumped with regular cement.			
	A total of 100 sacks of E1K expanding cement and 288 sacks of Portland cement were used in the plugging.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 1st day of July, 2011.

RECEIVED
Office of Oil & Gas

JUN 12 2012

And further deponents saith not. Chris Thomas

Sworn and subscribe before me this 18th day of October, 2011
My commission expires: June 2012

WV Department of Environmental Protection

Notary Public

Oil and Gas Inspector: Sam Ward

0125/2011



OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
EDWARD Y. HOY
306 Alta Vista Avenue
Fairmont, West Virginia 26554

Rev (5-01)
WR-38
DATE: 08-05-12

API # 47-6101628P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Derrah, Edith Operator Well No.: F2-S17A
LOCATION: Elevation: 1,498' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 14.062' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 8.434' Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL X GAS _____
Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
Agent: Edward Y. Hoy Coal Operator _____
or Owner _____
Permit issued Date: May 24, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

X Kenneth Gump and Garratt Hickman being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 29th day of July, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with a 10" bit to 1,128 feet deep. Hit a lot of junk. Put on a power swivel. Cleaned out with an 8" flat bottom mill to 1,318' deep.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 1,099'. The hole deviated 36.3 feet at the coal seam. Based on the logs, there is no pipe in the coal seam.			
	There is a 328' thick bottom plug made of expanding cement from 1,318' to 990' feet.			
	The rest of the hole was filled with regular cement from 990' to the surface.			


Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 28th day of December, 2011.

And further deponents saith not X Kenneth Gump
Garratt Hickman

Sworn and subscribe before me this 6th day of March, 2012
My commission expires: July 7, 2017

Notary Public

Oil and Gas Inspector: S. E. Ward 3/7/12



RECEIVED
Office of Oil & Gas

JUN 12 2012

WV Department of
Environmental Protection

Rev (5-01)
WR-38
DATE: 05-05-12

API # 47-6101629P

61-01629P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Darrah, Edith. Operator Well No.: F2- S18

LOCATION: Elevation: 1,366' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 14.664° Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 8.563° Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS _____

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator _____
or Owner _____

Permit issued Date: May 24, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Chris Thomas and Jeff Sive being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 1st day of August, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with a 10" mill to 1,010 feet deep. Then cleaned out with a 6" mill to 1,200'			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 928'. The hole deviated 11.9 feet at the coal seam. Based on the logs, there is no pipe in the coal seam.			
	There is a 390' thick bottom plug made of expanding cement from 1,200' to 810' feet.			
	The rest of the hole was filled with regular cement from 810' to the surface.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 14th day of September, 2011.


And further deponents saith not. Chris Thomas

Jeff Sive

Sworn and subscribe before me this 5th day of March, 2012
My commission expires: Jan 7, 2017

[Signature]
Notary Public

Oil and Gas Inspector: [Signature]



Rev (5-01)
WR-38
DATE: 10-18-11

API # 47-6101630P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Latocha, Michael Operator Well No.: F2- S21
LOCATION: Elevation: 1,645' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 14,946' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7,946' Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL X GAS _____
Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
Agent: Edward Y. Hoy Coal Operator _____
or Owner _____
Permit Issued Date: June 14, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Jeff Sinc and Chris Thomas being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 14th day of June, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cleaned out with a 12 1/4" bit to 379. Cleaned out hole with 8 3/4" bit to 1440'.				
Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 1216'. The hole deviated 37' at the coal seam. There is 10' pipe from the 379 to 1218' deep. This pipe was shot below, at, and above the coal seam by Timco Logging.				
There was an expanding cement plug from 1440 feet deep to 1,110 feet deep. Then from 1,110' to the surface, the rest was pumped with regular cement.				
The plug was pumped by BJ Hughes.				

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 24th day of June, 2011.

And further deponents saith not. Jeff Sinc

Chris Thomas

Sworn and subscribe before me this 18th day of October, 2011
My commission expires: July 27, 2011

Notary Public

Oil and Gas Inspector: Sam DWard

10/25/2011



OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
EDWARD Y. HOY
306 Alta Vista Avenue
Fairmont, West Virginia 26554

Office of Oil & Gas

JUN 12 2012

WV Department of Environmental Protection

Rev (5-01)
WR-38
DATE: 10-18-11

API # 47-6101631P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Latocha, Michael Operator Well No.: F2- S24
LOCATION: Elevation: 1,365' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 15.152' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 6.549' Feet West of 80 Deg. 12 Min. 30 Sec.
Well Type: OIL X GAS _____
Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570
Agent: Edward Y. Hoy Coal Operator _____
or Owner _____
Permit Issued Date: June 14, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Jeff Sire and Chris Thomas being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 8th day of July, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with a 12 1/4" bit to 61'. Cleaned out hole with 8 3/4" bit to 990'. Cleaned out with 7 1/2" bit to 1200'.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 918'. The hole deviated 18.5' at the coal seam. There is 10" pipe from the 63 to 936' deep. This pipe was shot below, at, and above the coal seam by Timco Logging.			
	There was an expanding cement plug from 1,200 feet deep to 810 feet deep. Then from 810' to the surface, the rest was pumped with regular cement.			
	The plug was pumped by BJ Hughes.			

RECEIVED
Office of Oil and Gas
Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 28th day of July, 2011.

JUN 18 2012
And further deponents saith not. Jeff Sire
Chris Thomas

WV Department of Environmental Protection
Sworn and subscribe before me this 18th day of October, 2011
My commission expires: July 7, 2017

Oil and Gas Inspector: Sam Ward
Notary Public: [Signature]
OFFICIAL SEAL
NOTARY PUBLIC
STATE OF WEST VIRGINIA
EDWARD Y. HOY
306 Alta Vista Avenue
Fairmont, West Virginia 26554
My Commission Expires July 7, 2017
10/25/2011

Rev (5-01)
WR-38
DATE: 12-23-11

API # 47-6101633P

61-01633P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Latocha, Michael Operator Well No.: F2- S22

LOCATION: Elevation: 1,389' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 14.388' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 6.923' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS _____

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator _____
or Owner _____

Permit Issued Date: August 25, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Gary C Thomas and Jeff Sine being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 19th day of September, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with a 13" bit to 495'. Cleaned out hole with 10" bit to 870'. Cleaned out with 8 3/4" bit to 1,210'.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 950'. The hole deviated 10.0' at the coal seam. There is 10" pipe from the 870' to 938' deep. This pipe could not be pulled, but it was shot from 938' to 889'.			
	There was an expanding cement plug from 1,170 feet deep to 800 feet deep. Then from 800' to the surface, the rest was pumped with regular cement.			
	The plug was pumped by B.I. Hughes			

RECEIVED

Office of Oil & Gas

Description of monument: 4 1/2" Pipe with metal plate, API # and date plugged and that the work of plugging and filling said well was completed on the 20th day of October, 2011.

JUN 12 2012

And further deponents seith not. Gary C Thomas

Jeff Sine

WV Department of Environmental Protection

Sworn and subscribe before me this 25th day of December, 2011
My commission expires: July 7, 2017

Notary Public
Sam DeWalt



Rev (5-01)
WR-38
DATE: 05-15-12

API # 47-6101634P

61-01634P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Quicke, Penny Operator Well No.: F2- S54

LOCATION: Elevation: 1,258' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 14.664' Feet South of 39 Deg. 37 Min. 30 Sec.
Longitude: 8.563' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner

Permit Issued Date: September 22, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Kevin H. Gump and Garrett H. Hickman being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 3rd day of January, 2012, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Pulled 3124.5' of tubing. Pulled 3173.7 feet of 3" pipe. Ran 4" hole opener to 3133', then pumped in bottom plug of 40 sacks of expanding cement. Ran 4" hole opener to 2203', then pulled 1931' of 5" pipe. Then they pumped 172 sacks of expanding cement. Logged the hole down to 1220'. Cut and pulled 1179' of 7" pipe. Cleaned out with 8" bit back down to 1,100'				
Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 752'. The hole deviated 7.6 feet at the coal seam. There was 10" pipe from 542' to 1116'. The pipe was shot every 50 feet from 1,100' to 550'.				
There they pumped an expanding cement plug of 615 sacks from 1220 to 86 feet deep.				
Then the hole was topped off with 80 more sacks of expanding cement.				

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 14th day of March, 2012.

And further deponents saith not. Kevin H. Gump


Garrett H. Hickman

Sworn and subscribe before me this 15th day of May, 2012

My commission expires: July 7, 2017

Notary Public

Oil and Gas Inspector: Sam Ward



RECEIVED
Office of Oil & Gas

JUN 19 2012

Rev (5-01)
WR-38
DATE: 12-23-11

API # 47-6101637P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Latocha, Michael. Operator Well No.: F2- S23

LOCATION: Elevation: 1,339' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 14.800' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7.032' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS _____

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner Office of Oil & Gas

Permit Issued Date: October 19, 2011

JUN 1 2 2012

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

WV Department of
Environmental Protection

+ Gary C Thomas and Jeff Sine being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 8th day of November, 2011, and that the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LEFT
	Cleaned out with a 13" bit to 474'. Cleaned out hole with 10" bit to 980'. Cleaned out with 9 5/8" bit to 1,110'.			
	Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 899'. The hole deviated 10.0' at the coal seam. There is 7" pipe from the 938' to 1,110' deep. This pipe was ground up with the 9 5/8" bit.			
	There was an expanding cement plug from 1,110 feet deep to 780 feet deep. Then from 780' to the surface, the rest was pumped with regular cement.			
	The plug was pumped by BJ Hughes.			

Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 20th day of December, 2011.

And further deponents saith not. x Gary C Thomas

Sworn and subscribe before me this 23rd day of December, 2011

My commission expires: July 7, 2017



Sam Ward
Notary Public
Sam Ward

Rev (5-01)
WR-38
DATE: 02-20-12

API # 47-6101638P

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Latocha, Michael Operator Well No.: F2-S20

LOCATION: Elevation: 1,658' Quadrangle: Blacksville
District: Clay County: Monongalia
Latitude: 14.349' Feet South of 39 Deg. 40 Min. 00 Sec.
Longitude: 7.794' Feet West of 80 Deg. 12 Min. 30 Sec.

Well Type: OIL X GAS

Company: Eastern Associated Coal LLC Coal Operator: Eastern Associated Coal LLC
1044 Miracle Run Road or Owner: 1044 Miracle Run Road
Fairview, WV 26570 Fairview, WV 26570

Agent: Edward Y. Hoy Coal Operator or Owner

Permit Issued Date: December 15, 2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Monongalia ss:

Jeff Stone and Chris Thomas being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Sam Ward, Oil and Gas Inspector representing the Director, say that said work was commenced on the 27th day of December, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
				Cleaned out with a 6 1/2" bit to 600 feet deep. Cleaned out with a 12 1/2" bit to 298'. Ran 330' of 8" pipe. Put on 6" bit and cleaned to 1500' deep.
				Logged the hole with Century Wireline Service. The bottom of the Pittsburgh coal seam is 1,231'. The hole deviated 19.9' at the coal seam. There was 7" pipe from 318' to 1,500' deep.
				Used 7" spears to fish out 12 pieces of 7" pipe. Ran 10" watermelon hole opener to 565' deep. Ran 10" pipe over 7 inch pipe to 600'. Used 7" spear and pulled 29 joints of 7" pipe. Pulled 10" pipe. Ran 13" bit to 1196'. Ran 12 1/4" flat bottom milled to 1241 (which milled the pipe through the coal seam). There was an expanding cement plug from 1,500 feet deep to 1,100 feet deep. Then from 780' to the surface, the rest was pumped with regular cement.
				The plug was pumped by BJ Hughes.

RECEIVED

Office of Oil & Gas

JUN 12 2012


Description of monument: 4 1/2" Pipe with metal plate, API #, and date plugged and that the work of plugging and filling said well was completed on the 6th day of February, 2012.

And further deponents saith not.

Chris Thomas

Edward Y. Hoy
Notary Public

Sam Ward 2/21/2012



WV Department of Environmental Protection