

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION Office of Oil & Gas  
OFFICE OF OIL & GAS

RECEIVED

JUL 16 2012

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

WV Department of Environmental Protection

Farm Name: P. C. Williams Operator Well No.: No. 1  
 Location: Elevation: 1191' Quadrangle: Wolf Summit 7.5'  
 District: Tenmile County: Harrison  
 Latitude: \_\_\_\_\_ Feet South of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
 Longitude: \_\_\_\_\_ Feet West of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Well Type: Oil X Gas \_\_\_\_\_ WIW \_\_\_\_\_

Company: East Resources Inc. Coal Operator or Owner: American Mountaineer Energy Comp  
P.O. Box 5519 Rt 2, Box 406 - Suite 115  
Vienna, WV 26105 Clarksburg, WV 26301  
 Agent: Philip S. Ondrusek Coal Operator or Owner: NA

Permit Issued: 6/14/12

AFFIDAVIT

State of West Virginia, County of Wood ss:

Pat Taylor and Jim Lamp being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 27th day of June, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2770'	2531'	6 5/8" 0'	2747'
Cement	2250'	2150'	4 1/2" 940'	1896'
Cement	1850'	1750'		
Cement	1500'	1393'		
Cement	440'	322'		
Cement	300'	200'		
Cement	100'	0'		
Perforated 4 1/2" casing; 1 shot/20' from 2250' - 2150', 1850' - 1750' & 1500' - 1400'. Perforated 6 7/8" casing; 1 shot/10' from 500' - 400' & 1 shot/1' from 440' - 430'. Ripped 6 5/8" casing @ 355', 307', 282', 255' & 100'				
6% Gel Between Cement Plugs				

Description of monument: 4 1/2" x 5' and that the work of plugging and filling said well was completed on the 27th day of June, 2012

And further deponents saith not. Pat Taylor


James L. Lamp

Sworn and subscribed before me this 18th day of July, 2012.  
My commission expires: 7/11/22

Notary Public Diane White

Affidavit reviewed by the Office of Oil and Gas: \_\_\_\_\_

Title: Oil & Gas Inspector



STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL & GAS

RECEIVED  
Office of Oil & Gas

AFFIDAVIT OF PLUGGING AND FILLING WELL

JUL 16 2012

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

WV Department of Environmental Protection

Farm Name: P. C. Williams  
Location: Elevation: 1191'  
District: Tenmile  
County: Harrison  
Operator Well No.: No. 21  
Quadrangle: Wolf Summit 7.5'  
County: Harrison  
Latitude: \_\_\_\_\_ Feet South of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
Longitude: \_\_\_\_\_ Feet West of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Well Type: Oil X Gas \_\_\_\_\_ WIW \_\_\_\_\_

Company: HG Energy LLC  
5260 Dupont Road  
Parkersburg, WV 26101  
Agent: Phillip S. Ondrusek

Coal Operator or Owner: American Mountaineer Energy Compa  
Rt 2, Box 406 - Suite 115  
Clarksburg, WV 26301  
Coal Operator or Owner: NA

Permit Issued: 5/15/12

AFFIDAVIT

State of West Virginia, County of Wood ss:

Pat Taylor and Jim Lamp being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 28th day of June, 20 12 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2740'	2512'	4 1/2" 960'	1,927
Cement	1050'	950'		
Cement	600'	500'		
Cement	400'	300'		
Cement	100'	0'		
6% Gel Between Cement Plugs				

RECEIVED  
Office of Oil & Gas  
JUL 23 2012

WV Department of Environmental Protection

Description of monument: 4 1/2" x 5' and that the work of plugging and filling said well was completed on the 9th day of July, 20 12

And further deponents saith not. Pat Taylor


James L. Lamp

Sworn and subscribed before me this 18th day of July, 20 12  
My commission expires: 7/11/22

Notary Public Diane White

Affidavit reviewed by the Office of Oil and Gas: \_\_\_\_\_

Title: Oil & Gas Inspector





AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

**MCELROY COAL COMPANY**  
Coal Operator or Owner  
RD.4 BOX 425 MOUNDSVILLE, WV 26041-9802  
Address

**MCELROY COAL COMPANY**  
Coal Operator or Owner  
RD.4 BOX 425 MOUNDSVILLE, WV 26041-9802  
Address

**WILLIAM STARCHER**  
Lease or Property Owner  
RD 3 BOX 98 CAMERON, WV 26033  
Address

**MCELROY COAL COMPANY**  
Name of Well Operator  
RD.4 BOX 425 MOUNDSVILLE, WV 26041-9802  
Complete Address

**CAMERON, WV 7.5'**  
Well Location  
**CAMERON**  
District  
**MARSHALL**  
County  
**M-1520**  
Well No.  
**STARCHER, WILLIAM**  
Farm

STATE INSPECTOR SUPERVISING PLUGGING \_\_\_\_\_

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

**MARK WILSON** and **KEVIN WRIGHT** being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 23<sup>rd</sup> day of March, 2012 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from the surface to 415'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 415' to 1273'. Tagged plug at 1273'. Cleaned 9 7/8" hole through Pittsburgh Coal (1025' - 1031'). Possible junk metal remaining through Pittsburgh Coal seam. Left 20' of 16" conductor pipe in the hole from 20' to surface.		16" Conductor	0'	20"
<p><b>Cemented hole from 1273' to surface as follows:</b> From 1273' to 1231' with Expandable Cement. From 1231' to 925' with 185 sacks of Thixotropic Cement with green dye. From 925' to surface with Expandable Cement. A total of 455 sacks of Expandable Cement and 185 sacks of Thixotropic Cement were used to fill the hole from 1273' to surface. Cement did circulate at the surface.</p>				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<b>Pittsburgh</b>	(1025' - 1031')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

RECEIVED  
Office of Oil & Gas  
JUL 23 2012  
WV Department of  
Environmental Protection

... and that the work of plugging and filling said well was completed on the 6<sup>th</sup> day of April, 2012

And further deponents saith not.


*Mark Wilson*  
Mark Wilson

*Kevin S. Wright*  
Kevin S. Wright

Sworn to and subscribed before me this 18<sup>th</sup> day of April, 2012

*Jacqueline L. Shriver*  
Notary Public

My commission expires:  
March 18, 2020



Permit No. 47-051-01441-P  
Well No. M-1520

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: SHEPPARD, J.A. ET AL Operator Well No.: 808561  
 LOCATION: Elevation: 1229' Quadrangle: MYRTLE, WV 7.5'  
 District: KERMIT County: WAYNE  
 Latitude: N-314,841.639 (N) 37.8581523°  
 Longitude: E-1,644,104.159 (W) 82.2327544°

Well Type: OIL \_\_\_\_\_ GAS

Company CHESAPEAKE APPALACHIA, LLC Coal Operator J.A. SHEPPARD ET AL  
PO Box 18496 or Owner SEE ATTACHED  
OKLAHOMA CITY OK  
73154-0496 Coal Operator \_\_\_\_\_  
 Agent ERIC B. GILLESPIE or Owner \_\_\_\_\_  
 Permit Issued Date 9-22-11

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 29<sup>TH</sup> day of FEBRUARY, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<del>CEMENT</del>	<del>2575'</del>	<del>2475'</del>	<del>2500' OF 2 3/8"</del>	<del>0'</del>
CEMENT	2275'	2175'		
CEMENT	2140'	2040'		
CEMENT	1400'	1300'	1370' OF 7"	954'
CEMENT	900'	800'	580' OF 8"	251'
CEMENT	600'	500'		
CEMENT	300'	200'		
	150'	0'	<u>* 6% GEL BETWEEN ALL CEMENT PLUGS</u>	

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 12<sup>TH</sup> day of MARCH, 2012

And further deponents saith not. Richard D Moore  
Grover Butler

Sworn and subscribe before me this 12<sup>th</sup> day of June, 2012

My commission expires: Feb 16, 2019  
Erica J. Moore  
 Notary Public



Affidavit reviewed by the Office of Oil and Gas: Barry Stovling Title: District Inspector  
047-059-00540

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: BOWEN, JAMES FOREST SR. Operator Well No.: 806156

LOCATION: Elevation: 1018.0' Quadrangle: NESTLOW, WV 7.5'  
District: STONEWALL County: WAYNE  
Latitude: N 38.1355988°  
Longitude: W 82.3129346°

JUL 23 2012

Well Type: OIL \_\_\_\_\_ GAS

Company CHESAPEAKE APPALACHIA, Coal Operator ROCKSPRING DEVELOPMENT, INC.  
PO BOX 18496 or Owner PO BOX 390  
OKLAHOMA CITY, OK 73154-0496 Coal Operator EAST LYNN, WV 25512  
Agent ERIC B. GILLESPIE or Owner POCAHONTAS LAND CORP.  
Permit Issued Date 10-14-2011 PO BOX 1517  
BLUEFIELD, WV 24701

AFFIDAVIT ALPHA NAT. RESOURCES  
PO BOX 2345  
ABINGDON, VA 24212

STATE OF WEST VIRGINIA,  
County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 25<sup>TH</sup> day of JANUARY, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	2250'	2150'		
CEMENT	1675'	1575'		
CEMENT	1525'	1425'		
CEMENT	750'	650'	700' - 7" CASING	761' - 7" CASING
CEMENT	400'	250'		
CEMENT	150	0'		
* 6% GEL BETWEEN ALL CEMENT PLUGS				

Description of monument: 7" CASING 36" ABOVE GROUND w/API TAG and that the work of plugging and filling said well was completed on the 2<sup>ND</sup> day of FEBRUARY, 2012

And further deponents saith not. Richard Moore

Grover Butler

Sworn and subscribe before me this 12<sup>th</sup> day of January, 2012

My commission expires: Feb 16<sup>th</sup>, 2019  
Notary Public



Affidavit reviewed by the Office of Oil and Gas: Ronald D. Triplett Title: District Supervisor

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: WILLIAMSON, LEON + HERB Operator Well No.: 806838

LOCATION: Elevation: 1,101 Quadrangle: WEBS, WV 7.5'  
District: LINCOLN County: WAYNE  
Latitude: (N) 37.8985786° — N 4,195,492.548  
Longitude: (W) 82.3970491° — E 377,182.741

Well Type: OIL \_\_\_\_\_ GAS

Company CHESAPEAKE APPALACHIA, LLC Coal Operator WAYNE CO. LAND + MINERAL CO.  
PO Box 18496 or Owner % GADDY ENGINEERING  
OKLAHOMA CITY, OK 303 W. WASHINGTON ST.  
73154-0496 Coal Operator CHARLESTON, WV 25302  
Agent ERIC B. GILLESPIE or Owner \_\_\_\_\_  
Permit Issued Date 11-2-2011

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 8TH day of JUNE, 2012 and the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1700'	1500'		
CEMENT	1400'	1300'	1380' OF 7" CASING	173'
CEMENT	1000'	900'		
CEMENT	600'	450'	485' OF 10 3/4"	91'
CEMENT	250'	0'		
* 6% Gel BETWEEN ALL CEMENT PLUGS				

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 14TH day of JUNE, 2012

And further deponents saith not. Richard W Moore  
Grover Butler

Sworn and subscribe before me this 22 day of June, 2012

My commission expires: Feb 16, 2019  
Eric Moore  
Notary Public



Affidavit reviewed by the Office of Oil and Gas: Robert D. Triplett Title: District Inspector

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: U.S. ARMY CORPS OF ENGINEERS Operator Well No.: 806958-

LOCATION: Elevation: 981' Quadrangle: KIANSVILLE, WV 7.5'  
District: STONEWALL County: WAYNE  
Latitude: N-406,837.185 (N) 38.1097763°  
Longitude: E-1,617,794.036 (W) 82.3284426°

Well Type: OIL \_\_\_\_\_ GAS

Company CHESAPEAKE APPALACHIA, LLC Coal Operator ROCKSPRING DEVELOPMENT, INC.  
PO Box 18496 or Owner PO Box 390  
OKLAHOMA CITY, OK EAST LYNN, WV 25512  
73154-0496 Coal Operator POCAHONTAS LAND CORP.  
Agent ERIC B. GILLESPIE or Owner PO Box 1517  
Permit Issued Date 9-8-11 BLUEFIELD, WV 24701

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of ROANE ss:

JUL 29 2012

Richard Moore and Grover Butler being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 9TH day of FEBRUARY, 2012 and the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1825'	1725'	1689' OF 2 3/8"	0'
CEMENT	1525'	1425'		
CEMENT	1375'	1275'		
CEMENT	1000'	900'	980' OF 7"	318'
CEMENT	860'	760'		
CEMENT	600'	500'	510' OF 8 3/8"	0'
CEMENT	260'	160'	<del>6"</del> 6% GEL BETWEEN ALL CEMENT PLUGS	
CEMENT	100'	0'		

Description of monument: 7" CASING 36" ABOVE GROUND w/API TAG and that the work of plugging and filling said well was completed on the 23RD day of FEBRUARY, 2012

And further deponents saith not. Richard W Moore  
Grover Butler

Sworn and subscribe before me this 12th day of June, 2012

My commission expires: Feb 16, 2019  
[Signature]  
Notary Public



Affidavit reviewed by the Office of Oil and Gas: Raepe D. Triplett Title: District Supervisor

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Berwind Land Co. Operator Well No.: 1304

LOCATION: Elevation: 2114.92 Quadrangle: Pineville WV 7-1/2'  
District: Center County: Wyoming  
Latitude: 185,444.04 Feet South of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
Longitude: 1,794,715.3 Feet West of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Well Type: OIL \_\_\_\_\_ GAS X

Company Pinnacle Mining Co Coal Operator Pinnacle Mining Company LLC  
P O Box 338 or Owner P O Box 338  
Pineville WV 24874 Pineville WV 24740  
Coal Operator Berwind Land Company  
Agent David Trader or Owner 300 Summers St Suite 1050  
Permit Issued Date 1-26-12 Charleston WV 25301

RECEIVED  
Office of Oil & Gas  
JUL 28 2012

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Lincoln ss:


WV Department of  
Environmental Protection

Pat McChristian and Paul Byrd being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 21st day of May, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Gel Hole	Surface	2122'	Perf 4-1/2" 1622' -	422'
Cement	2122'	1936'	Perf 4-1/2" 1305' -	205'
Cement	1750'	1316'	Perf 7" 1105' - 100'	7" - 1520'
Pulled 4-1/2"		1127'	1127'	1131'
Cement	1316'	882'		
Cement	882'	417'	Mill window 1430' - 1398'	4-1/2"
Cement	417'	Surface	Plugged according to	1.0 c regs to allow mining through

Description of monument Erect monument with API# 47-109-01203 and that the work of plugging and filling said well was completed on the 12th day of June, 2012.

And further deponents saith not. Pat McChristian  
Paul Byrd



Sworn and subscribe before me this 14th day of June, 2012

My commission expires: 10-7-2012

Michael E. Minney  
Notary Public

Affidavit reviewed by the Office of Oil and Gas: Barry Stille Title: inspector