



STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

JUL 23 2011

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Dagon Operator Well No.: SHL-60-H5

LOCATION: Elevation: 830.06' Quadrangle: Majorsville  
District: Sandhill County: Marshall  
Latitude: \_\_\_\_\_ Feet South of 39 Deg. 57 Min. 22.42 Sec.  
Longitude: \_\_\_\_\_ Feet West of 80 Deg. 34 Min. 31.36 Sec.

Well Type: OIL \_\_\_\_\_ GAS X

Company CNK Gas Company, LLC Coal Operator Consolidation Coal Company  
200 Evergreen Drive or Owner 1000 Consol Energy Drive  
Waynesburg, PA 15370 Canonsburg, PA 15347  
Coal Operator \_\_\_\_\_  
Agent \_\_\_\_\_ or Owner \_\_\_\_\_  
Permit Issued Date 1-28-12

<sup>Pennsylvania</sup>  
STATE OF WEST VIRGINIA  
County of Indiana ss:

AFFIDAVIT

Whipstick and Appalachian Well Services being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 7 day of 28, 2011, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
<u>30" Conductor</u>	<u>0'</u>	<u>80'</u>	<u>0'</u>	<u>80'</u>

Description of monument: 6" diameter cement plug w/ 6 1/2" steel pipe casing and that the work of plugging and filling said well was completed on the 12 day of April, 2011.

And further deponents saith not. AWS: Dawn Miller  
WWS: David C. Wilson

COMMONWEALTH OF PENNSYLVANIA  
Notarial Seal  
Douglas E. Smith, Notary Public  
City of Greensburg, Westmoreland County  
My Commission Expires Oct. 31, 2012

Sworn and subscribe before me this 22 day of June, 2012

My commission expires: 10/31/12

Doug E. Smith  
Notary Public  
Affidavit reviewed by the Office of Oil and Gas: [Signature] Title: Manager

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

MCELROY COAL COMPANY  
Coal Operator or Owner  
RD #4, BOX 425 MOUNDSVILLE, WV 26041  
Address

MCELROY COAL COMPANY  
Coal Operator or Owner  
RD #4, BOX 425 MOUNDSVILLE, WV 26041  
Address

O.E & SARAH LOU BURGE  
Lease or Property Owner  
RD.3 BOX 33 CAMERON, WV 26033  
Address

MCELROY COAL COMPANY  
Name of Well Operator  
RD #4, BOX 425 MOUNDSVILLE, WV 26041  
Complete Address

CAMERON, WV 7.5'  
Well Location

CAMERON  
District

MARSHALL  
County

M-1527  
Well No.

BURGE, O.E & SARAH LOU  
Farm

STATE INSPECTOR SUPERVISING PLUGGING W. J. ...

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 1<sup>st</sup> day of June, 2012 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 6 1/2" hole from the surface to 2673'. Tagged plug at 2673'. Cut existing 7" casing at the following depths; 2050', 1947', 1840', 1733', 1627', 1524' and 1400'. Cemented bottom hole from 2673' to 1924' with 145 sacks of Expandable Cement. Removed 1297' of 7" casing from surface to 1297'. Left 868' of 7" casing in the hole from 1297' to 2165'. Left 20' of 10 3/4" casing in the hole from 241' to 261'. Cleaned 6 1/2" hole from 1297' to top of bottom hole plug at 1924'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam (1075' - 1082'). Possible junk metal remaining through Pittsburgh Coal seam. Left 20' of 16" conductor pipe in the hole from 20' to surface.		16" Conductor	0'	20'
		10 3/4" Casing	0'	20'
		7" Casing	1297'	868'
<b>Cemented hole from 2673' to surface as follows;</b> From 2673' to 1924' with 145 sacks of Expandable Cement. From 1924' to 1282' Expandable Cement. From 1282' to 975' with 135 sacks of Thixotropic Cement with green dye. From 975' to surface with Expandable Cement. A total of 755 sacks of cement, 620 sacks of Expandable Cement and 135 sacks of Thixotropic Cement, were used to fill the hole from 2673' to surface. Cement did circulate at the surface.				
<b>Coal Seams</b>	<b>Description of Monument</b>			
<u>Pittsburgh</u>	<u>(1075' - 1082')</u>	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

REC'D  
Office of Oil & Gas  
AUG 20 2012  
Department of Energy  
Environmental Protection

... and that the work of plugging and filling said well was completed on the 19<sup>th</sup> day of June, 2012

And further deponents saith not.


Mark Wilson  
Mark Wilson

Kevin S. Wright  
Kevin S. Wright

Sworn to and subscribed before me this 13<sup>th</sup> day of August, 2012

Jacqueline L. Shriver  
Notary Public

My commission expires:  
March 18, 2020



Permit No. 47-051-01456-P  
Well No. M-1527

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOL PENNSYLVANIA COAL CO. LLC.  
Coal Operator or Owner  
1525 PLEASANT GROVE RD. CLAYSVILLE, PA 15323  
1000 CONSOL ENERGY DRIVE CANONSBURG, PA 15317  
Address  
CONSOL PENNSYLVANIA COAL CO. LLC.  
Coal Operator or Owner  
1525 PLEASANT GROVE RD. CLAYSVILLE, PA 15323  
1000 CONSOL ENERGY DRIVE CANONSBURG, PA 15317  
Address  
VIOLETTA MATTHEWS  
Lease or Property Owner  
2421 4<sup>th</sup> STREET MOUNDSVILLE, WV 26041  
Address

CONSOL PENNSYLVANIA COAL CO. LLC.  
Name of Well Operator  
192 CRABAPPLE ROAD WIND RIDGE, PA 15380  
Complete Address  
CAMERON, WV 7.5'  
Well Location  
CAMERON  
District  
MARSHALL  
County  
5044  
Well No.  
MATTHEWS, VIOLETTA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING \_\_\_\_\_

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consol Pennsylvania Coal Company, LLC. Well Operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 4<sup>th</sup> day of June, 2012 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/2" hole from the surface to top of 8 5/8" casing at 532'. Reduced hole to 7 7/8" at 532'. Cleaned 7 7/8" hole from 532' to 1567'. Reduced hole to 6 1/2" at 1567'. Cleaned 6 1/2" hole from 1567' to 1704'. Tagged solid plug at 1704'. Removed 595' of 8 5/8" casing from 532' to 1127' with extreme difficulty due to casing being ripped and parted. Left 283' of 8 5/8" casing in hole from 1127' to 1410'. Cut remaining 8 5/8" casing at the following depths: 1203', 1299' and 1347'. Cleaned 12 1/2" hole from 532' to 831'. Reduced hole to 9 7/8" at 831'. Clean 9 7/8" hole from 831' to 1127'. Cleaned 9 7/8" hole through Pittsburgh Coal (913' to 919'). Left 20' of 16" conductor pipe in hole from 20' to surface.		16" Conductor 8 5/8" Casing	0' 595'	20' 283'
<b>Cemented hole from 1704' back to surface as follows:</b> From 1704' to 1119' with 210 sacks of Expandable Cement. From 1119' to 813' with 195 sacks of Thixotropic Cement with green dye. From 813' to surface with 400 sacks of Expandable Cement. A total of 805 sacks of cement were used to fill the hole from 1704' to surface. Cement did circulate at the surface.				
<b>Coal Seams</b>		<b>Description of Monument</b>		
<u>Pittsburgh</u>	(913' - 919')	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.		

... and that the work of plugging and filling said well was completed on the 5<sup>th</sup> day of July, 2012


And further deponents saith not.

Russell Smallwood  
Russell Smallwood  
Kevin S. Wright  
Kevin S. Wright

Sworn to and subscribed before me this 30<sup>th</sup> day of July, 2012

Jacqueline L. Shriver  
Notary Public

My commission expires:



Permit No. 47-51-01515-P  
Well No. 5044

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOL PENNSYLVANIA COAL CO, LLC.  
Coal Operator or Owner  
1525 PLEASANT GROVE RD. CLAYSVILLE, PA 15323  
1000 CONSOL ENERGY DRIVE CANONSBURG, PA 15317  
Address  
CONSOL PENNSYLVANIA COAL CO, LLC.  
Coal Operator or Owner  
1525 PLEASANT GROVE RD. CLAYSVILLE, PA 15323  
1000 CONSOL ENERGY DRIVE CANONSBURG, PA 15317  
Address  
VIOLETTA MATTHEWS  
Lease or Property Owner  
2421 4<sup>th</sup> STREET MOUNDSVILLE, WV 26041  
Address

CONSOL PENNSYLVANIA COAL CO, LLC.  
Name of Well Operator  
192 CRABAPPLE ROAD WIND RIDGE, PA 15380  
Complete Address  
CAMERON, WV 7.5'  
Well Location  
CAMERON  
District  
MARSHALL  
County  
5045  
Well No.  
MATTHEWS, VIOLETTA  
Farm

STATE INSPECTOR SUPERVISING PLUGGING \_\_\_\_\_

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of MONONGALIA ss:

RUSSELL SMALLWOOD and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consol Pennsylvania Coal Company, LLC. Well Operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 9<sup>th</sup> day of July, 2012 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 1/4" hole from the surface to top of 8 5/8" casing at 384'. Reduced hole to 7 7/8" at 384'. Cleaned 7 7/8" hole from 384' to 1452'. Tagged solid plug at 1452'. Removed 594' of 8 5/8" casing from 384' to 978' with extreme difficulty due to casing being ripped and parted. Due the 8 5/8" casing being cemented in the hole, the casing could not be removed from 978' to 1542'. Left an unknown amount of 8 5/8" casing in hole from 978' to an unknown depth. Cut remaining 8 5/8" casing at the following depths: 1377', 1282', 1184', 1173', 1123', 1028', 1023' and 990'. Cleaned 12 1/4" hole from 384' to 968'. Reduced hole to 9 7/8" at 968'. Cleaned 9 7/8" hole from 968' to top of remaining 8 5/8" casing at 978'. Reduced hole to 7 7/8" at 978'. Cleaned 7 7/8" hole from 978' to 1452'. Cleaned 9 7/8" hole through Pittsburgh Coal (968' to 973'). Left 20' of 16" conductor pipe in hole from 20' to surface.	16" Conductor 8 5/8" Casing	0' 594'	20' Unknown	
<b>Cemented hole from 1452' back to surface as follows:</b> From 1452' to 1173' with Expandable Cement. From 1173' to 868' with 165 sacks of Thixotropic Cement with green dye. From 868' to surface with Expandable Cement. A total of 720 sacks of cement were used fill the hole from 1452' to surface, (555 sacks of Expanadable Cement - 165 sacks of Thixotropic Cement). Cement did circulate at the surface.				
<b>Coal Seams</b>	<b>Description of Monument</b>			
<u>Pittsburgh</u>	<u>(968' - 973')</u> 77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker will be attached to the cement plug at ground level.			

... and that the work of plugging and filling said well was completed on the 30<sup>th</sup> day of July, 2012

And further deponents saith not.

Russell Smallwood  
Russell Smallwood

Kevin S. Wright  
Kevin S. Wright

Sworn to and subscribed before me this 13<sup>th</sup> day of August 2012

Jacqueline R. Shier  
Notary Public

My commission expires:  
March 18, 2020



Permit No. 47-51-01516-P  
Well No. 5045

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Pat Gould Jr. Operator Well No.: 1-WV0198

LOCATION: Elevation: 1643 Quadrangle: Adrian 7.5  
District: MEADE County: UPSHUR  
Latitude: 38-55-59.7 Feet South of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
Longitude: 80-18-22.1 Feet West of \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Well Type: OIL \_\_\_\_\_ GAS x \_\_\_\_\_

Company	<u>Mountain V Oil and Gas</u>	Coal Operator	<u>Adrain Venture</u>
	<u>P.O. Box 470</u>	or Owner	<u>Rt 2, Box 76</u>
	<u>Bridgeport WV. 26330</u>		<u>Bridgeport WV. 26330</u>
Agent	<u>Mike Shaver</u>	Coal Operator	<u>Rossco LLC</u>
		or Owner	<u>P.O. Box 219</u>
Permit Issued Date	<u>09-16-2010</u>		<u>Coalton WV. 26257</u>

AFFIDAVIT


STATE OF WEST VIRGINIA,  
County of UPSHUR ss:

Richard L. Moody and Luke Sands being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 4th day of October, 2010, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
4 1/2 Casing	2550	1513		Left in well
4 1/2 Casing	1513	Surface	Pipe Removed	
7" casing	1660	Surface		Left in well
9 5/8 Casing	450	Surface		Left in well

Description of monument: 2 3/8 tubing 5 ft high 24" x 24" information plate and that the work of plugging and filling said well was completed on the 4th day of October, 2010.

And further deponents saith not. Richard L. Moody  
Luke Sands



Sworn and subscribe before me this 5th day of October, 2010

My commission expires: Aug. 25, 2019 Christine Lynn Davis  
Notary Public

Affidavit reviewed by the Office of Oil and Gas:

[Signature] Title: Manager

AUG 13 2012

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL & GAS

WV Department of  
Environmental Protection

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: Charles Gilbert  
 Location: Elevation: 1256'  
 District: Grant  
 Latitude: \_\_\_\_\_ Feet South of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
 Longitude: \_\_\_\_\_ Feet West of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Operator Well No.: No. 3  
 Quadrangle: Big Run 7.5'  
 County: Wetzel

Well Type: Oil  Gas \_\_\_\_\_ WIW \_\_\_\_\_

Company: East Resources Inc.  
5260 Dupont Road  
Parkersburg, WV 26101  
 Coal Operator or Owner: Consol Energy  
1000 Consol Energy Drive  
Cannonburg, PA 15317-6506

Agent: Philip S. Ondrusek  
 Coal Operator or Owner: NA

Permit Issued: 5/29/12

AFFIDAVIT

State of West Virginia, County of Wood ss:

Phil Ondrusek and Ken Dotson being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 7th day of June, 2012 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED		LEFT
Cement	2280'	2150'	10"	365'	441'
Cement	2010'	1900'	8 1/4"	850'	603'
Cement	860'	760'	6 5/8"	1472'	484'
Cement	400'	300'	5 3/16"	2060'	313'
Cement	100'	0'			
Ripped 5 3/16" Casing, 3' rips every 10' from 2270' - 2180'. Perforated 8 1/4" & 10" Casing, 1 shot/10' from 1050' - 950' & 1 shot/1' from 1005' - 995'					
6% Gel Between Cement Plugs					

Description of monument: 8" x 5' and that the work of plugging and filling said well was completed on the 5th day of July, 2012

And further deponents saith not.

Sworn and subscribed before me this 2 day of AUGUST, 2012  
 My commission expires: Nov. 12, 2018

Notary Public Tina L. Pethel

Affidavit reviewed by the  
Office of Oil and Gas: [Signature]

Title: [Signature]



FILE  
CHECK  
COMMISSION  
ARTICLE 10

RECEIVED  
Office of Oil & Gas

API# 47- 103 - 1096

STATE OF WEST VIRGINIA <sup>15</sup> 2012 <sup>B</sup>  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL & GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm Name: Robinson Improvement Operator Well No.: No. 1  
 Location: Elevation: 1056' Quadrangle: Folsom 7.5'  
 District: Grant County: Wetzel  
 Latitude: \_\_\_\_\_ Feet South of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.  
 Longitude: \_\_\_\_\_ Feet West of: \_\_\_\_\_ Deg. \_\_\_\_\_ Min. \_\_\_\_\_ Sec.

Well Type: Oil  Gas \_\_\_\_\_ WIW \_\_\_\_\_

Company: East Resources Inc. Coal Operator NA  
5260 Dupont Road or Owner \_\_\_\_\_  
Parkersburg, WV 26101  
 Agent: Philip S. Ondrusek Coal Operator NA  
 or Owner \_\_\_\_\_

Permit Issued: 2/27/12

AFFIDAVIT

State of West Virginia, County of Wood ss:

Phil Ondrusek and Ken Dotson being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 26th day of July, 20 12 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	2740'	2500'	6 5/8" 375'	1727'
Cement	2150'	2050'	5 3/16" 2130'	558'
Cement	1250'	1150'		
Cement	950'	850'		
Cement	400'	300'		
Cement	100'	0'		
Ripped 6 5/8" Casing from 1640'-1540', 1250'-1150', 900 -800' & through Coal from 842'-836'.				
6% Gel Between Cement Plugs				

Description of monument: 7" x 5' and that the work of plugging and filling said well was completed on the 3rd day of August, 20 12

And further deponents saith not. [Signature]  
[Signature]

Sworn and subscribed before me this 10<sup>th</sup> day of August, 20 12

My commission expires: Nov. 12, 2015

Notary Public [Signature]

Affidavit reviewed by the Office of Oil and Gas: [Signature]

Title: Manager

