WR-38
Rev. 5/08

API # 47-1500551

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Ward, Kenneth and Carol Operator Well No.: Shadle #108

LOCATION: Elevation: 1,135 Feet Quadrangle: Elkhurst 7.5'

District: Henry County: Clay

Latitude: 38.456592 ~~Feet South of~~ ____ ~~Deg.~~ ____ ~~Min.~~ ____ ~~Sec.~~

Longitude: 81.132725 ~~Feet West of~~ ____ ~~Deg.~~ ____ ~~Min.~~ ____ ~~Sec.~~

Well Type: OIL ____ GAS X

Company EQT Production Co.
120 Professional Pl.
Bridgeport, WV 26330

Agent Rex C. Ray

Permit Issued Date 05-13-2013

Coal Operator or Owner
Mary Auchmuty
P.O. Box 35
Shickshinny, PA 18655-0035

Coal Operator or Owner
Frances L. Sives
1905 Woodside Circle
Charleston, WV 25314-2255

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ____ ss:

Jason F. Cox and David Nicholas being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 29th day of July, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
cement	1872	1629		4½" csg. 124'
cement	1558	1458	5½" csg. 1580'	5½" csg. 182'
cement	1385	1285		13" csg. 10'
cement	1162	1062		
cement	392	286		
cement	200	0		
6% gel	between	plugs		

Description of monument: 7" casing with plate

RECEIVED
Office of Oil & Gas

And that the work of plugging and filling said well was completed on the ~~4th~~ 7th day of ~~September~~ August, 2013.

OCT 21 2013

And further deponents saith not.

Jason F. Cox
David Nicholas

WV Department of Environmental Protection

Sworn and subscribe before me this 11th day of September, 2013

OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
David N. Brannon
RC 75 Box 410
Ghent, WV 25235
My commission expires December 10, 2017

My commission expires: December 10, 2017

David N. Brannon
Notary Public

Affidavit reviewed by the Office of Oil and Gas: ____ Title: Inspector

9/11/13

Did not witness all plugs

WR-38
Rev. 5/08

API # 47-015-01742

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Sizemore, John and Robin Operator Well No.: WV410081 (Craig A-15)

LOCATION: Elevation: 1,105 Feet Quadrangle: Elkhurst 7.5'

District: Union County: Clay

Latitude: 38.474561 ~~Feet South of~~ ____ ~~Deg.~~ ____ ~~Min.~~ ____ ~~Sec.~~

Longitude: 81.217891 ~~Feet West of~~ ____ ~~Deg.~~ ____ ~~Min.~~ ____ ~~Sec.~~

Well Type: OIL ____ GAS X

Company: EQT Production Co.
120 Professional Pl.
Bridgeport, WV 26330

Coal Operator or Owner: Mr. Robin Sizemore et al
4567 Samples Road
Bomont, WV 25030-9614

Coal Operator or Owner: ____

Agent: Rex C. Ray

Permit Issued Date: 05-15-2013

RECEIVED
Office of Oil & Gas
OCT 21 2013
WV Department of Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Roane ss:

Jason F. Cox and David Nicholas being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of August, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED		LEFT	
cement	1904	1830	3½" tbg.	1745'	3½" tbg.	32'
cement	1734	1508	7" csg.	518'	7" csg.	1250'
cement	1428	1328			10" csg.	18'
cement	1088	988				
cement	544	400				
cement	200	0				
6% gel	between	plugs				

Description of monument: 5½" casing with plate and that the work of plugging and filling said well was completed on the 4th day of September, 2013.

And further deponents saith not.

Jason F. Cox
David Nicholas

Sworn and subscribe before me this 11th day of September, 2013

OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
David N. Brannon
HC 75 Box 410
Chloe, WV 25235
My Commission Expires December 10, 2017

My commission expires: December 10, 2017

David N. Brannon
Notary Public

Affidavit reviewed by the Office of Oil and Gas: ____ Title: Inspector

9/11/13

Not witness All plug

WR-38
Rev. 5/08

API # 47-019-00081

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Big Creek Land Co Operator Well No.: Brown 9661 (461211)

LOCATION: Elevation: 810' Quadrangle: Gauley Bridge

District: Valley County: Fayette

Latitude: 38.195646 Feet South of ____ Deg. ____ Min. ____ Sec.

Longitude: -81.196663 Feet West of ____ Deg. ____ Min. ____ Sec.

Well Type: OIL ____ GAS X

Company EQT Production Co
120 Professional Place
Bridgeport WV 26330

Coal Operator or Owner George Angus
P O Box 144
Oak Hill WV 25901

Agent John Damato

Coal Operator or Owner

Permit Issued Date 5/2/13

RECEIVED
Office of Oil & Gas
OCT 22 2013
WV Department of Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of WV ss:

Roger McComas and Oswald Wiley being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 5th day of Aug, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Gel Hole	Surface	1800'	Perf. 6-5/8" - 1031'	- 1028'/806' - 802'/
Cement	1800'	1575'	632' - 629'/437' - 433'	
Cement	1480'	1424'	Perf. 8-1/4" - 311' -	307'/221' - 219'
Cement	1129'	981'		8-5/8" - 807'
Cement	943'	757'		
Cement	693'	582'		
Pull 7"		353'	353'	1171'
Cement	508'	Surface		10-3/4" - 311'

Description of monument: Erect monument with API # 47-019-00081 and that the work of plugging and filling said well was completed on the 19 day of Aug, 2013.

And further deponents saith not. Roger McComas
Oswald Wiley

OFFICIAL SEAL
Notary Public, State Of West Virginia
MICHAEL E MINNEY
233 Whispering Pines
Alum Creek, WV 25003
My Commission Expires October 7, 2022

Sworn and subscribe before me this 19 day of August, 2013

My commission expires: 10-7-2022

Notary Public

Affidavit reviewed by the Office of Oil and Gas: [signature] Title: 8-22-13

WR-38
DATE 06 Sept 13

API# 47-039-01940-P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Goff, Paul
Operator Well No: WV 127421 (A-5 -1401)
LOCATION: **Elevation:** 848.31'
Quadrangle: Charleston West 7.5'
District: Louden
County: Kanawha
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL _____ GAS XXXX

Company: EQT Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Coal Operator or owner The Courtland Company
114 Monongalia Street
Coal Owner w/Declaration
Charleston. WV 25302-2312

Coal Lessee With declaration NA

Agent: John Damato

Permit Issued Date: 08/29/2013

RECEIVED
Office of Oil & Gas
OCT 22 2013
WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Kanawha ss:

Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Terry Urban Oil and Gas Inspector representing the Director, say that said work was commenced on the 29th day of August 2013 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED		LEFT
Cement	1641'	1400'	2 3/8 "	1661'	0
Cement	1408'	1247'	5 ½"	0'	1692'
Cement	807'	0'	10"	0'	529'
Cement					
Cement					
Cement					
Cement					
6 % Gel Between Each Plug					

Tagged 1408', 1238', 807'; Shot 5 ½" casing@ 1395', 1297', 1005' 3 times, 840' worked pipe at 35,000 lb. would not come free; pumped 147 sacks down 10" circulated up 5 ½"; Tagged cement @ 807' & set; 100 sacks in 5½" casing & pumped 75 sacks down between 5 ½" & 10"; topped off with 10 sacks.

Description of monument: 7 inch casing – 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 9th day of September, 2013.
And further deponents saith not.

Jason Meadows

Sworn and subscribed before me this 9th day of September, 2013
My commission expires June 3, 2020

STATE OF WEST VIRGINIA
NOTARY PUBLIC
MILDRED L. CASTO
RT. 1 BOX 2
GIVEN, WV 25245
My commission expires June 3, 2020

Mildred L Casto
Notary Public

Oil and Gas Inspector 9-16-13

WR-38
DATE 29 Aug 13

API# 47-039-03347P

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Baire Russell, ET AL
Operator Well No: Courtland 12 WV 127461
LOCATION:
Elevation: 1039'
Quadrangle: Charleston West 4.5
District: Loudon
County: Kanawha
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL _____ GAS XXXX

Company: EQT Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Coal Operator or owner NA

Coal Owner w/Declaration
The Courtland Company
114 Monongalia Street
Charleston WV 25302-2312

Coal Lessee With declaration NA

Agent: John Damato

Permit Issued Date: 08-05-2013

RECEIVED
Office of Oil & Gas
OCT 22 2013
WV Department of Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Kanawha ss:

Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Terry Urban Oil and Gas Inspector representing the Director, say that said work was commenced on the 27th day of August 2013 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1796'	1614'	2 3/8 1798'	0 '
Cement	1638'	-0-		
Cement			8 5/8" Cemented to Surface during drilling operations	
Cement			4 ½" Cemented to Surface during drilling operations	
Cement				
6 % Gel Between Each Plug				
Tag Plug 1645'				

Description of monument: 7 inch casing – 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 29th day of August, 2013.
And further deponents saith not. Jason Meadows

Sworn and subscribe before me this 29th day of August, 2013
My commission expires: June 3, 2020

OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
MILDRED L. CASTO
RT. 1 BOX
GIVEN, WV 25245
My commission expires June 3, 2020

Mildred L Casto
Notary Public

Oil and Gas Inspector 8-30-13

FORM WR-38
(Affidavit of Plugging)

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. LUCAS
Lease or Property Owner
85 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5354
Well No.
LUCAS, WILLIAM C.
Farm

STATE INSPECTOR SUPERVISING PLUGGING William Hendrick

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 14th day of May, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Formation				
Removed 605' of 2 3/8" tubing from the hole from the surface to 605'. Cleaned 12 ¼" hole from the surface to 217'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 217' to 605'. Tagged top of 2 3/8" tubing and cement at 605'. Drilled 2 3/8" tubing and cement from 605' to 658'. Fished 2" junk from hole from 658' to 730'. Tagged top of 8 5/8" casing at 730'. Cleaned 9 7/8" hole from 658' to 730'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing to 1414'. Tagged solid plug at 1414'. Pilot Milled 8 5/8" casing from 730' to 786'. Removed 13' of 8 5/8" casing from 786' to 799'. Continued to Pilot Mill 8 5/8" casing from 799' to 920'. Cut remaining 8 5/8" casing at the following depths: 1414', 1313', 1213', 1113', 1050', 1000' and 950'. Cleaned 9 7/8" hole through the Pittsburgh Coal seam from 905' to 913'. **Cemented hole from 1414' back to surface as follows;** From 1414' to 1113' with 59 sacks of SuperLite Cement. From 1113' to 805' with 151 sacks of SuperTropic Cement with white dye. From 805' to surface with 454 sacks of SuperLite Cement. A total of 664 sacks of cement were used to fill the hole from 1414' back to surface. Cement did circulate at the surface.		16" Conductor	0'	20'
Coal Seams		Description of Monument		
Pittsburgh	(905' - 913')	77" of 7" casing w/ company name, well number,		
		permit number and date cemented stated on 7"		
		casing. Well marker will be attached to cement		
		plug at ground level.		

RECEIVED
Office of Oil & Gas
OCT 22 2013
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 26th day of July, 2013

And further deponents saith not.

Delbert E Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 9th day of Sept.

Monica DeFelice
Notary Public

My commission expires:
Feb. 16, 2021

OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
MONICA DeFELICE
RR 3 Box 1700 Grafton, WV 26354
My Commission Expires February 16, 2021

Permit No. 47-049-02255-P
Well No. 5354

FORM WR-38
(Affidavit of Plugging)

STATE OF WEST VIRGINIA
DEPARTMENT OF ENERGY
OIL AND GAS WELLS DIVISION

ORIGINAL

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
CONSOLIDATION COAL CO.
Coal Operator or Owner
1 BRIDGE STREET MONONGAH, WV 26554
Address
WILLIAM C. LUCAS
Lease or Property Owner
85 EVANS RUN ROAD MANNINGTON, WV 26582
Address

CONSOLIDATION COAL CO.
Name of Well Operator
1 BRIDGE STREET MONONGAH, WV 26554
Complete Address
GLOVER GAP 7.5'
Well Location
MANNINGTON
District
MARION
County
5348
Well No.
LUCAS, WILLIAM C. & VICKIE
Farm

STATE INSPECTOR SUPERVISING PLUGGING _____

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

DELBERT MOORE and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 5th day of August, 2013 and that the well was plugged in the following manner:

Sand or Zone Record Formation	Filling Material	Casing/Tubing Size	Casing Pulled	Casing Left In
Cleaned 12 ¼" hole from the surface to 334'. Reduced hole to 9 7/8". Cleaned 9 7/8" hole from 334' to 428'. Tagged top of 8 5/8" casing at 428'. Reduced hole to 7 7/8". Cleaned 7 7/8" hole through 8 5/8" casing from 428' to 1341'. Left 893' of 8 5/8" casing in the hole from 428' to 1341'. Continued to clean 7 7/8" hole from 1341' to 1701'. Tagged solid plug at 1701'. Section milled 20' window in 8 5/8" casing from 848' to 868'. Cut remaining 8 5/8" casing at the following depths: 1239', 1140', 1040', 940', 748', 646' and 544'. Cleaned 7 7/8" hole through the Pittsburgh Coal seam from 854' to 862'. Left 20' of 16" conductor casing in the hole from the surface to 20'. **Cemented hole from 1701' back to surface as follows;** From 1701' to 1062' with 109 sacks of SuperLite Cement. From 1062' to 754" with 49 sacks of SuperTropic Cement with white dye. From 754' to surface with 314 sacks of SuperLite Cement. A total of 472 sacks of cement were used to fill the hole from 1707' back to surface. Cement did circulate at the surface.		16" Conductor 8 5/8" Casing	0' 0'	20' 893'

RECEIVED
Office of Oil & Gas
OCT 22 2013
WV Department of
Environmental Protection

Coal Seams		Description of Monument
Pittsburgh	(854' - 862')	77" of 7" casing w/ company name, well number,
		permit number and date cemented stated on 7"
		casing. Well marker will be attached to cement
		plug at ground level.

... and that the work of plugging and filling said well was completed on the 4th day of September, 2013

And further deponents saith not.

Delbert Moore
Delbert Moore

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 14 day of October

Monica DeFelice
Notary Public

My commission expires: 2/16/2021

OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
MONICA DeFELICE
RR 3 Box 170C Grafton, WV 26354
My Commission Expires February 16, 2021

Permit No. 47-049-02263-P
Well No. 5348

WR-38
Rev. 5/08

API # 47-067-00819

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Dickinson Prop/Southern Land Operator Well No.: WV 202631 Dickinson B-29

LOCATION: Elevation: 1715' Quadrangle: Anstead 7.5'

District: Jefferson County: Nicholas

Latitude: 38.237269 Feet South of ____ Deg. ____ Min. ____ Sec.

Longitude: -81.078422 Feet West of ____ Deg. ____ Min. ____ Sec.

Well Type: OIL ____ GAS X

Company: EQT Production Co
120 Professional Place
Bridgeport WV 26330

Coal Operator or Owner: Dickinson Prop/Southern Land Co
300 Capitol St
Charleston WV 25301

Coal Operator or Owner: ____

Agent: Rex C. Ray

Permit Issued Date: 5/14/13

RECEIVED
Office of Oil & Gas
OCT 21 2013
WV Department of Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lincoln ss:

Roger McComas and Jeff Adkins being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of Aug, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Gel Hole	Surface	2196'		
Cement	2196'	1900'		
Pull 4-1/2"		1405'	1405'	829'
Cement	1459'	1200'		
Cement	642'	462'		9-5/8" - 576'
Cement	201'	Surface		
9-5/8" was not free, cement to surface				

Description of monument: Erect monument with API# 47-067-00819 and that the work of plugging and filling said well was completed on the 7th day of Sept, 2013.

And further deponents saith not. Roger McComas

Jeff Adkins

Sworn and subscribe before me this 11th day of September, 2013

My commission expires: 10-7-2022

Notary Public

OFFICIAL SEAL
Notary Public, State Of West Virginia
MICHAEL E MINNEY
233 Whispering Pines
Alum Creek, WV 25003
My Commission Expires October 7, 2022

Affidavit reviewed by the Office of Oil and Gas: ____ Title: Inspector

Did Not witnesses all plugs

WR-38
DATE 09 April 12

API# 47-085-04024

STATE OF WEST VIRGINIA
DIVISION OF ENVIRONMENTAL PROTECTION
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Goff, FP – Estate & Martha
Operator Well No.: WV 655356 (Bird 1266)
LOCATION: **Elevation:** 807'
Quadrangle: Burnt House
District: Union
County: Ritchie
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL X GAS XXXX

Company: EQT Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Coal Operator or owner NA

Coal Lessee With declaration NA

Agent: John Damato

RECEIVED
Office of Oil & Gas
OCT 22 2013
WV Department of Environmental Protection

Permit Issued Date: 10/14/2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Ritchie ss:

Jacob Snider and Jackie Carpenter being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and David Cowan Oil and Gas Inspector representing the Director, say that said work was commenced on the 29 day of July and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED		LEFT
Cement	2089'	1980'	2 3/8	2119'	0 '
Cement	1726'	1590'	5 ½"	1676'	410'
Cement	1053'	950'	7"	876'	764'
Cement	950'	814'	8"	0	874'
Cement	495'	392'			
Cement	250'	0'			
Cement					
Cement					
6 % Gel Between Each Plug					

Shot 5 ½ "@ 1676' ; 1 time; Free; Shot 7" @ 1003'; 1 Time; 876'; 1 time; Free. Shot 8"@ 798'; 1 time; 204'; 1 Time; . Tagged plug @ 1985'; 950'; 798;

Description of monument: 7 inch casing – 8 ft long with API# welded on it and that the work of plugging and filling said well was completed on the 6th day of August, 2013 .
And further deponents saith not. Jacob Meadows

Sworn and subscribe before me this 6th day of August, 2013
My commission expires: June 3, 2020

OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
MILDRED L. CASTO
RT. 1 BOX 2
GIVEN, WV 25245
My commission expires June 3, 2020

Mildred L. Casto
Notary Public

Oil and Gas Inspector 8-19-13

WR-38
Rev. 5/08

API # 47-103-00871

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Morrison, Billy & Rosa Operator Well No.: WV 605287 (Knisely 5287)

LOCATION: Elevation: 1262' Quadrangle: Big Run
District: Grant County: Wetzel
Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

RECEIVED
Office of Oil & Gas
OCT 22 2013
WV Department of Environmental Protection

Well Type: OIL _____ GAS X

Company: EQT Production Company
1710 Pennsylvania Avenue
Charleston, WV 25302

Agent: John Damato
Permit Issued Date: 7-24-2012

Coal Operator or Owner: Consolidation Coal Company
1000 Conso Energy DR
Canonsburg, Pa. 15317

Coal Operator or Owner: ATTN: Don Puglio
WPP LLC
5260 Irwin Rd, Huntington, WV 25705 ATTN: George Angus

AFFIDAVIT

STATE OF ~~WEST VIRGINIA~~, KY
County of Floyd ss:

Charles Moore and Rodney Osborne being first duy sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 13th day of August, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
See Attachment A			1107' of 5"	1588' of 5"
			30' of 6 5/8"	2250' of 6 5/8"
				1823' of 8 1/4"
				588' of 10"
				Perf'd 3 holes each @ 1050',1000',900',797',700',700',650'
				518',200',150',100',50. 6 holes each @ 950', 726' 10 holes each
				1868',1735',1630',1520',1475', 1422', 555', and 415'

Description of monument: 4" casing w/ plug date and API # 36" above ground and that the work of plugging and filling said well was completed on the 30th day of August, 2013.

And further deponents saith not. Charles Moore
Rodney

Sworn and subscribe before me this 4th day of Sept, 2013

My commission expires: 9-26-14

Michelle Handshoe
Notary Public

MICHELLE HANDSHOE
NOTARY PUBLIC
ID NO. 426403
MY COMMISSION EXPIRES 9/26/2014
PRESTONSBURG, KY.

Affidavit reviewed by the Office of Oil and Gas: _____ Title: Inspector

Attachment A
8-30-13
47-103-00871
Knisely 605287

Type	***From***	***To***
6% gel	2695'	Surface
Class A Cement	2690'	2640'
Class A Cement	2331'	2186'
Class A Cement	1890'	1595'
Class A Cement	1512'	1404'
Class A Cement	1102'	881'
Class A Cement	790'	518'
Class A Cement	210'	Surface

WR-38
Rev. 5/08

API # 47-109-00119

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Ford Motor Company Operator Well No.: Poca Ford #3

LOCATION: Elevation: 1729.49' Quadrangle: Baileysville
District: Baileysville County: Wyoming
Latitude: 13753.17 Feet South of ____ Deg. ____ Min. ____ Sec.
Longitude: 11020.46 Feet West of ____ Deg. ____ Min. ____ Sec.

Well Type: OIL ____ GAS x

Company: Cabot Oil And gas Corporation
Five Penn Center West, Ste. 401
Pittsburgh, Pa 15276

Agent: Brian Hall
Permit Issued Date: 6-10-13

Coal Operator or Owner: Raw Coal Mining Co., Inc P.O. Box 1030, Bluefield,VA 24605
Pinnacle Mining Co.,LLC P.O. Box 338, Pineville, WV 24874
Baylor Mining, Inc. P.O. Box 577, WV 25871

Coal Operator or Owner: ____

RECEIVED
Office of Oil & Gas
OCT 21 2013
WV Department of Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Wyoming ss:

D. W. "Butch" Green(Cabot) and Bill Smith (Viking Well Service Rig 8) being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 26th day of September, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A cement	1167'	920'	1167' (2 3/8" V)	1325'- 2 3/8"
Class A cement	920'	surface	3' (8 5/8")	667'- 8 5/8"
				314'- 10 3/4"

Description of monument: 1/4" steel 24"x 6" with API#, Well Name and Date (permanent) and that the work of plugging and filling said well was completed on the 14th day of October, 2013.

And further deponents saith not.

D. W. Butch Green
Bill Smith

OFFICIAL SEAL
Notary Public, State of West Virginia
KARA BRAGG
PO Box 1154
Oceana, WV 24870
My commission expires April 15, 2022

Sworn and subscribe before me this 16th day of October, 2013

My commission expires April 15, 2022

Kara Bragg
Notary Public

Affidavit reviewed by the Office of Oil and Gas: ____ Title: WVDEP Oil & Gas Inspector

WR-38
Rev. 5/08

API # 47-109-1121

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Pocahontas Land Corporation Operator Well No.: Pocahontas Land B-31

LOCATION: Elevation: 2,002' Quadrangle: Mullens 7.5'
District: center County: Wyoming
Latitude: N 218, 031state plane Feet South of _____ Deg. _____ Min. _____ Sec.
Longitude: E 1,663,251state plane Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS x

Company: Cabot oil and Gas Corp.
Five Penn Center West
Pittsburgh, PA 15276-0120

Coal Operator or Owner:
John Payne, Pocahontas Land Corp. P.O.Box 1517,Bluefield,wv 24701
Sam Hatcher,Riverside Energy Inc.,P.O.Box 501, Pineville,wv 24872
Consolidated Coal Co., P.O. Box 947,Bluefield,VA 24605

Coal Operator or Owner:

Agent: Brian Hall
Permit Issued Date _____

RECEIVED
Office of Oil & Gas
OCT 21 2013
WV Department of Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Wyoming ss:

D.W. Butch Green (Cabot) and Bill Smith (Viking Well Service Rig 8) being first duly sworn according to law, depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 17th day of september, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A	3570' well TD	2387'		
Class A	1800'	1600'	1800'- 4 1/2"	1922' - 4 1/2"
72bblClass A - 27bbl 6% gel	1600'	900'		1155' - 8 5/8"
30bblClass A- 10bbl 6%Gel	900'	surface		43' - 16"

Description of monument: 1/4" steel 24" X 4" plate with API#, Name and Date and that the work of plugging and filling said well was completed on the 25th day of September, 2013.

And further deponents saith not.

D.W. Butch Green
Bill Smith

Sworn and subscribe before me this 16th day of October, 2013

My commission expires April 15 2022

Kara Bragg
Notary Public

OFFICIAL SEAL
Notary Public, State of West Virginia
KARA BRAGG
PO Box 1154
Oceana, WV 24870
My commission expires April 15, 2022

Affidavit reviewed by the Office of Oil and Gas: _____ Title: WVDEP Oil & Gas Inspector