

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Plum Creek Timberlands, LP Operator Well No.: PCSF 2-3H

LOCATION: Elevation: 3,665' Quadrangle: Fork Mountain
District: Falling Springs County: Greenbrier
Latitude: 9,058, 7000 Feet South of 38 Deg. 12 Min. 30 Sec.
Longitude: 2,920, 9070 Feet West of 80 Deg. 25 Min. 00 Sec.

Well Type: OIL GAS

Company BRC Operating Co., LLC Coal Operator Plum Creek Timberlands, LP (Surface Owner)
200 Crescent Court, Suite 200 or Owner P.O. Box 1109
Dallas, TX 75201 Lewisburg, WV 24901-4110

Agent Marc A. Monteleone Coal Operator _____
Permit Issued Date 12/30/2010 or Owner _____

RECEIVED
Office of Oil & Gas

AFFIDAVIT

JUL 10 2013

STATE OF WEST VIRGINIA,
County of GREENBRIER ss:

JAKE BENTON and KB WELLBORE SOLUTIONS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 8 day of JUNE, 2013 and the well was plugged and filled in the following manner:

WV Department of
Environmental Protection

TYPE	FROM	TO	PIPE REMOVED	LEFT
20", X-35	Surface	130'	NONE	130'
CEMENT	SURFACE	130'	NONE (Filled with Cement)	130'

Description of monument: CEMENT TO SURFACE and that the work of plugging and filling said well was completed on the 11 day of JUNE, 2013.


And further deponents saith not.

Jake Benton 6/17/13

Sworn and subscribe before me this 17th day of June, 2013

My commission expires: SEP 10 2017

[Signature]
Notary Public



Affidavit reviewed by the Office of Oil and Gas: [Signature]

Office of Oil and Gas
Title: [Signature]
WV Dept. of Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Plum Creek Timberlands, LP Operator Well No.: PCSF 2-4H

LOCATION: Elevation: 3,664' Quadrangle: Fork Mountain
District: Falling Springs County: Greenbrier
Latitude: 38 Deg. 12 Min. 30 Sec.
Longitude: 80 Deg. 25 Min. 00 Sec.

Well Type: OIL _____ GAS X

Company BRC Operating Co., LLC Coal Operator Plum Creek Timberlands, LP (Surface Owner)
200 Crescent Court, Suite 200 or Owner P.O. Box 1109
Dallas, TX 75201 Lewisburg, WV 24901-4110
Agent Marc A. Monteleone Coal Operator _____ or Owner _____
Permit Issued Date 01/10/2011

RECEIVED
Office of Oil & Gas
JUL 10 2013

AFFIDAVIT

WV Department of Environmental Protection

STATE OF WEST VIRGINIA,
County of GREENBRIER ss:

JAKE BENTON and KB WELLBORE SOLUTIONS being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 8th day of JUNE, 2013, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
20", X-35	Surface	130'	NONE	130'
<u>CEMENT</u>	<u>Surface</u>	<u>130'</u>	<u>NONE</u> <u>(FILLED WITH CEMENT)</u>	<u>130'</u>

Description of monument: CEMENT TO SURFACE and that the work of plugging and filling said well was completed on the 11 day of JUNE, 2013.


And further deponents saith not.

Jake Benton 6/17/13

Sworn and subscribe before me this 17th day of June, 2013

My commission expires: Sept 10 2017

[Signature]
Notary Public



Affidavit reviewed by the Office of Oil and Gas: [Signature]

Office of Oil and Gas
WV Dept. of Environmental Protection
Title: [Signature]

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

Received
Office of Oil & Gas

NOV 5 2013

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Cummins, Debra Y & Russel Operator Well No.: Coleman 2

LOCATION: Elevation: 721 Quadrangle: Portland 555

District: Grant County: Jackson

Latitude: 39.0458684 Feet South of _____ Deg. _____ Min. _____ Sec.

Longitude: 81.7738488 Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company L.W. Burdette Etal LL Coal Operator _____
P O Box 1485 or Owner _____
Parkersburg WV 26102 Coal Operator _____
Agent Chris Burdette or Owner _____
Permit Issued Date 4/11/12

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lincoln ss:

Roger McComas and Edbert Adkins being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 26th day of April, 2013 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
GeI Hole	Surface	2044'		
Pull 2-3/8"		2044'	2044'	0
Cement	2004'	1900'		
Cement	1509'	1400'	Perf 4-1/2" 1452'-1450'/945'-943'/502'-500'	
Cement	1029'	900'		
Cement	514'	120'		
Pull 4-1/2"		120'	120'	1914'

No 10", 8-1/4
or 6-5/8" in
well

Cement 120' Surface
Description of monument: Erect monument with API# 47-035-1097P and that the work of plugging and filling said well was completed on the 1st day of May, 2013.

And further deponents saith not. Roger McComas
Edbert Adkins

Sworn and subscribe before me this 4th day of April, 2013



My commission expires: 10-7-2022

Michael E Minney
Notary Public

Affidavit reviewed by the Office of Oil and Gas: James Stovens Title: Inspector 5/21/2013

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address

MAJORSVILLE, WV 7.5'

Well Location

WEBSTER

District

MARSHALL

County

SGW-159

Well No.

CHARLES ALBERT WITSBERGER II
Lease or Property Owner
250 DRY RIDGE ROAD CAMERON, WV 26033
Address

CHARLES ALBERT WITSBERGER II
Farm

STATE INSPECTOR SUPERVISING PLUGGING William J. ...

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 17th day of September, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Formation				
Cleaned 3 1/2" hole inside of 4 1/2" casing from the surface to 1918'. Continued to clean 3 1/2" hole to 1960'. Tagged solid plug at 1960'. Left 1918' of 4 1/2" casing in the hole from the surface to 1918' due to casing being bonded. Cut 4 1/2" casing at the following depths: 1784', 1688', 1593', 1497', 1401', 1305', 1208', 1111' and 831'. Perforated 4 1/2" casing with 6 Shots at the following depths: 1900', 1880', 1740', 1650', 1550', 1450', 1350', 1250' and 1150'. Cemented bottom hole as follows: From 1960' to 1043' with 65 sacks of Expandable Cement with Gas Blocker additive. Jet Cut 4 1/2", 7", 8 5/8" and 10 3/4" casing at the following depths: 1004', 950', 804', 855', 806.5', 804.5', 802.5', 800.5', 798.5', 757' and 800'. Jet Cut through the Pittsburgh Coal seam from 800' to 806'.	13 3/8" Casing 10 3/4" Casing 8 5/8" Casing 7" Casing 4 1/2" Casing	0' 0' 0' 0' 0'	68' 826' 1388' 1576' 1918'	
Cemented hole from top of bottom hole plug at 1043' to surface as follows:				
From 1043' to 700' with 40 sacks of Thixotropic Cement with green dye. From 700' to the surface with 45 sacks of Expandable Cement. Cement did circulate at the surface. A total of 150 sacks of cement was used cement the hole from 1854' to the surface.				
Coal Seams		Description of Monument		
Pittsburgh Coal	800' to 806'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

RECEIVED
Office of Oil & Gas
NOV 12 2013
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 24th day of October, 2013

And further deponents saith not.


Mark Wilson
Mark Wilson

Kevin S. Wright
Kevin S. Wright

Sworn to and subscribed before me this 31 day of October

Monica DeFelice
Notary Public

My commission expires: 2/16/2021



Permit No. 47-051-00331-P
Well No. SGW-159

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Coal Operator or Owner
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Address
CHARLES ALBERT WITSBERGER II
Lease or Property Owner
250 DRY RIDGE ROAD CAMERON, WV 26033
Address

CONSOLIDATION COAL CO. - OHIO VALLEY OPERATIONS
Name of Well Operator
6126 ENERGY DRIVE MOUNDSVILLE, WV 26041
Complete Address
MAJORSVILLE, WV 7.5'
Well Location
WEBSTER
District
MARSHALL
County
SGW-160
Well No.
CHARLES ALBERT WITSBERGER II
Farm

STATE INSPECTOR SUPERVISING PLUGGING [Signature]

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of MONONGALIA ss:

MARK WILSON and KEVIN WRIGHT being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Consolidation Coal Company well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 25th day of September, 2013 and that the well was plugged in the following manner:

Sand or Zone Record	Filling Material	Plugs Used Size & Kind	Casing Pulled	Casing Left In
Formation				
Cleaned 4 1/2" hole inside of 5 1/2" casing from the surface to 1790'. Continued to clean 4 1/2" hole to 1854'. Tagged solid plug at 1854'. Left 1790' of 5 1/2" casing in the hole from the surface to 1790' due to casing being bonded. Cut remaining 5 1/2" casing at the following depths: 1690', 1593', 1498', 1404', 1309', 1184' and 1089'. Perforated remaining 5 1/2" with 6 Shots at the following depths: 1680', 1580', 1480', 1380', 1280', 1170', 980' and 880'. Jet Cut 5 1/2" casing and 8 5/8" casing at the following depths: 681', 679', 677', 675', 673', 625' and 525'. Cemented bottom hole as follows: From 1854' to 880' with 90 sacks of Expandable Cement with Gas Blocker Additive. Jet cut 5 1/2" casing and 8 5/8" through the Pittsburgh Coals seam from 674' to 680'. Cemented from 880' to 735' with 20 sacks of Thixotropic Cement with dye. Cemented hole from top of bottom hole plug at 735' to surface as follows: From 735' to 574' with 20 sacks of Thixotropic Cement with green dye. From 574' to the surface with 80 sacks of Expandable Cement. Cement did circulate at the surface. A total of 210 sacks of cement was used cement the hole from 1854' to the surface.		13 3/8" Casing 8 5/8" Casing 5 1/2" Casing	0' 0' 0'	100' 720' 1790'
Coal Seams		Description of Monument		
Pittsburgh Coal	674' to 680'	77" of 7" casing w/ company name, well number, permit number and date cemented stated on 7" casing. Well marker attached to the cement plug at ground level.		
(Name)				
(Name)				
(Name)				

RECEIVED
Office of Oil & Gas
NOV 12 2013
WV Department of
Environmental Protection

... and that the work of plugging and filling said well was completed on the 7th day of October, 2013

And further deponents saith not.


[Signature]
Mark Wilson

[Signature]
Kevin S. Wright

Sworn to and subscribed before me this 31 day of October

[Signature]
Notary Public

My commission expires: 2/16/2021



Permit No. 47-051-00414-P
Well No. SGW-160

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: H. W. CRAIG #1 Operator Well No.: 47-087-00880

LOCATION: Elevation: 956' Quadrangle: SPENCER
District: SPENCER County: ROANE
Latitude: 10450 Feet South of 38 Deg. 50 Min. 00 Sec.
Longitude: 9400 Feet West of 81 Deg. 15 Min. 00 Sec.

STATE PLANE Coord
NAD 83
N 658,275
E 1,886,809

Well Type: OIL GAS

Company ROY G. HILDRETH AND SON, INC. Coal Operator
P. O. BOX 1007 or Owner
SPENCER, WV 25276

Agent ROY G. HILDRETH Coal Operator
Permit Issued Date 9/16/2010 or Owner

RECEIVED
Office of Oil & Gas
DEC 01 2010

AFFIDAVIT

WV Department of
Environmental Protection

STATE OF WEST VIRGINIA,
County of ROANE ss:

Thomas Springston and Jon R. Hildreth being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 9TH day of NOVEMBER, 2010, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	2168	1972		
CEMENT	1750	1600		
CEMENT	970	870		
CEMENT	700	590	644' OF 5 1/2"	1520' OF 5 1/2"
CEMENT	100	0		
6 % GEL	between all plugs			


Description of monument: 16' OF 5 1/2" CASING - WITH API# and that the work of plugging and filling said well was completed on the 17TH day of NOVEMBER, 2010.

And further deponents saith not. Thomas Springston
Jon R. Hildreth

Sworn and subscribe before me this 30TH day of NOVEMBER, 2010

My commission expires: August 11, 2013

Terri A. McMullan
Notary Public



Affidavit reviewed by the Office of Oil and Gas:

[Signature]
11/19/10

Title: Inspector