



---

west virginia department of environmental protection

---

Office of Oil and Gas  
601 57th Street SE  
Charleston, WV 25304  
(304) 926-0450  
(304) 926-0452 fax

Earl Ray Tomblin, Governor  
Randy C. Huffman, Cabinet Secretary  
www.dep.wv.gov

July 31, 2015

**WELL WORK PLUGGING PERMIT**

**Plugging**

This permit, API Well Number: 47-9703147, issued to XTO ENERGY, INC., is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. The above named operator will also file, as required in WV Code 22-6-23, an affidavit on form WR-38 by two experienced persons in the operator's employment and the Oil and Gas inspector that the work authorized under this permit was performed and a description given. Failure to abide by all statutory and regulatory provisions governing all duties and operations here under may result in suspensions or revocation of this permit and in addition may result in civil and/or criminal penalties being imposed upon the operator.

This permit will expire in two (2) years from date of issue. If there are any questions, please free to contact me at (304) 926-0499 ext. 1654.

  
James Martin  
Chief

Operator's Well No: EVANS 1 D0404

Farm Name: EVANS, R. T. JR.

**API Well Number: 47-9703147**

**Permit Type: Plugging**

Date Issued: 07/31/2015

**Promoting a healthy environment.**

## PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

---

### CONDITIONS

---

1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
3. Well work activities shall not constitute a hazard to the safety of persons.

9703147A

WW-4B  
Rev. 2/01

1) Date July 1, 2014  
2) Operator's  
Well No. Evans 1 D0404  
3) API Well No. 47-097 - 03147

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil  / Gas  / Liquid injection  / Waste disposal  /  
(If "Gas, Production  or Underground storage  ) Deep  / Shallow

5) Location: Elevation 1259' Watershed Hackers Creek  
District Warren County Upshur Quadrangle Berlin

6) Well Operator XTO Energy Inc 7) Designated Agent Gary Beall  
Address PO Box 1008 Address PO Box 1008  
Jane Lew, WV 26378 Jane Lew, WV 26378

8) Oil and Gas Inspector to be notified 9) Plugging Contractor  
Name Bryan Harris Name \_\_\_\_\_  
Address PO Box 157 Address \_\_\_\_\_  
Volga, WV 26238

10) Work Order: The work order for the manner of plugging this well is as follows:  
RIH and check TD at 4440', POOH and run 2" tubing down to 4440' and circulate 6% gel back to surface, then pump cement from 4440' up to 4260', perfs at 4360' - 4388', pull tubing up to 4100'  
and reverse circulation up the tubing and wait on cement to set up, RIH down tubing to tag cement at 4260', if ok pull tubing up to 3670' and pump cement up to 3400', perfs at 3556 - 3610', pull tubing  
up to 2965' and pump cement up to 2800', perfs at 2900 - 2906', pull tubing up to 2700' and pump cement up to 2200', perfs at 2650' - 2340', pull tubing out of well and run a CBL, cement top should be at 1440'  
cut casing at 1410' and circulate 6% gel back to surface, then pump cement from 1410' up to 1150', elevation at 1276', pull casing up to 1000' and pump cement up to 830', bottom of 7" casing at 934', pull casing  
up to 250' and pump cement to surface. 7" casing is cemented to surface. Install well monument.

See attached.

Notification must be given to the district oil and gas inspector 24 hours before permitted work can commence.

Work order approved by inspector Bryan O'Han Date 7-1-15

Received  
Office of Oil & Gas  
JUL 08 2015

WR-35

DATE: 3/20/05  
API: 47-097-03147

State of West Virginia  
Division of Environmental Protection  
Section of Oil and Gas

**RECEIVED**  
Office of Oil & Gas  
JUL 17 2006  
WV Department of  
Environmental Protection

Well Operator's Report of Well Work

Farm Name: Evans #1 Operator Well No. D0404

LOCATION: Elevation: 1,275.88' Quadrangle: Berlin  
District: Warren County: Upshur  
Latitude: 12,605 Feet S. of 39 Deg. 07 Min. 30 Sec.  
Longitude: 1,965 Feet W. of 80 Deg. 15 Min. 00 Sec.

Company: Devonian Gas Production, Inc.

Address:	Casing & Tubing	Used in Drilling	Left in Well	Cement fill up Cu. Ft.
<u>PO Box 907</u>				
<u>Jane Lew, WV 26378</u>	<u>9 5/8"</u>	<u>30'</u>		
	<u>7"</u>	<u>934'</u>	<u>934'</u>	<u>to surface</u>
Agent: <u>John Haskins</u>	<u>4 1/2"</u>	<u>-</u>	<u>4513'</u>	<u>300 sks</u>
Inspector: <u>C. Duckworth</u>				
Date Permit Issued: <u>03/02/04</u>				
Date Well Work Commenced: <u>04/19/04</u>				
Date Well Work Completed: <u>04/25/04</u>				
Verbal Plugging:				
Date Permission Granted on:				
Rotary X Cable Rig				
Total Depth (ft): <u>4,586'</u>				
Fresh Water Depth (ft): <u>966'</u>				

Salt Water Depth (ft): \_\_\_\_\_

Is coal being mined in the area (Y/N)? N  
Coal Depths (ft): 380-384', 451-454', 695-700'

OPEN FLOW DATA

Producing formations	Pay zone depth (ft)
<u>Benson</u>	<u>4382'</u>
<u>Bradford</u>	<u>3572'</u>
<u>Speechley</u>	<u>2903'</u>
<u>Bayard</u>	<u>2497'</u>
<u>Fourth Sand</u>	<u>2351'</u>

Gas: Initial open flow show Mcf/d. Oil: Initial open flow N/A Bbl/d  
Final open flow 225 Mcf/d. Final open flow N/A Bbl/d  
Time to open flow between initial and final tests: 4 Hours  
Static rock Pressure 875 psig (surface press.) after 36 Hours

NOTE: On back of this form put the following: 1) Details of perforated intervals, fracturing, stimulating, physical change, etc. 2) The well log which is a systematic detailed geological record of all formations, including coal encountered by the wellbore.

Signed: \_\_\_\_\_  
By: \_\_\_\_\_  
Date: 3/20/05

Received  
Office of Oil & Gas  
JUL 08 2015  
UPS 3147



970347A

WELL NAME	OWNER NAME	ROYALTY INTEREST	ADDRESS LINE1	CITY	STATE	ZIP
EVANS 1	R. T. EVANS	0.12500000	118 HICKORY FLAT RD	BUCKHANNON	WV	262010000

Received  
Office of Oil & Gas  
JUL 08 2015

47-097-03147

## Plugging Procedure

Cement	4440	-	4260	=	180'	in	4.5"	
Cement	3670	-	3400	=	270'	in	4.5"	
Cement	2965	-	2800	=	165'	in	4.5"	
Cement	2700	-	2200	=	500'	in	4.5"	
Cement	1410	-	1150	=	260'	in	6.5"	Open Hole
Cement	1000	-	830	=	170'	in	7"	
Cement	250	-	0	=	250'	in	7"	

Received  
Office of Oil & Gas  
JUL 08 2015

WW-4A  
Revised 6-07

1) Date: 7/1/14  
2) Operator's Well Number  
Evans 1 D0404

3) API Well No.: 47 - 097 - 03147

**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL**

4) Surface Owner(s) to be served:	5) (a) Coal Operator
(a) Name <u>Gary Wayne Evans</u>	Name _____
Address <u>1313 Hickory Flat</u>	Address _____
<u>Buckhannon, WV 26201</u>	
(b) Name _____	(b) Coal Owner(s) with Declaration
Address _____	Name <u>Penn Virginia Operating Co. LLC</u>
	Address <u>Five Radnor Corporate Center</u>
	<u>100 Matsonford Rd., Suite 500</u>
(c) Name _____	Name <u>Radnor, PA 19087</u>
Address _____	Address _____
6) Inspector <u>Bryan Harris</u>	(c) Coal Lessee with Declaration
Address <u>PO Box 157</u>	Name _____
<u>Volga, WV 26238</u>	Address _____
Telephone <u>304-553-6087</u>	

**TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:**

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.



Well Operator XTO Energy Inc.  
 By: [Signature]  
 Its: Regulatory Compliance Technician  
 Address PO Box 1008  
Jane Lew, WV 26378  
 Telephone 304-884-6000

Subscribed and sworn before me this 1 day of July, 2015  
Yvonne A. Dutchess Notary Public  
 My Commission Expires September 26, 2018

**Oil and Gas Privacy Notice**

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

Received  
Office of Oil & Gas  
JUL 08 2015

9703147P  
CK 7735014  
10000

WW-9  
(2/15)

API Number 47 - 097 - 03147  
Operator's Well No. Evans 1 D0404

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name XTO Energy Inc. OP Code 494487940

Watershed (HUC 10) Hackers Creek Quadrangle Berlin

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes  No

Will a pit be used? Yes  No

If so, please describe anticipated pit waste: Fluids from plugging operations.

Will a synthetic liner be used in the pit? Yes  No  If so, what ml.? Yes - 20 mil.

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection ( UIC Permit Number 4707302523, 4708505151, 4708509721 )
- Reuse (at API Number \_\_\_\_\_)
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain Meadowbrook Landfill SWF#1032, RES Water Recycling -WMGR123SW005 (PA)

Will closed loop system be used? If so, describe: NA

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. NA - Plugging

-If oil based, what type? Synthetic, petroleum, etc. NA

Additives to be used in drilling medium? NA

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Any solid waste from plugging will be taken to landfill.

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) NA

-Landfill or offsite name/permit number? Meadowbrook Landfill SWF#1032

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature Tim Sands


Company Official (Typed Name) Tim Sands

Company Official Title Regulatory Compliance Technician

Subscribed and sworn before me this 18th day of June, 2015

Yvonne A. Dutches Notary Public

My commission expires September 26, 2018



Received  
Office of Oil & Gas  
JUL 08 2015

Form WW-9

Operator's Well No. Evans 1 D0404

XTO Energy Inc.

Proposed Revegetation Treatment: Acres Disturbed 0.8 Prevegetation pH \_\_\_\_\_

Lime \_\_\_\_\_ Tons/acre or to correct to pH \_\_\_\_\_

Fertilizer type Commercial Fertilizer 10-20-20

Fertilizer amount 1000 lbs/acre

Mulch 3 Tons/acre

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Ryegrass	40	Kentucky Bluegrass	20
		Redtop	3
		Birdsfoot Trefoil	10

Attach:

Drawing(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided)

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: Diana O'Han


Comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Title: O.I & Co. Inspector Date: 7-1-15

Field Reviewed? ( ) Yes ( X ) No

Received  
Office of Oil & Gas  
JUL 08 2015


9703147P



MAP REFERENCE: U.S.G.S. BERLIN & CENTURY, WV



810 HOUSTON STREET  
FORT WORTH, TX 76102



**TRI-COUNTY ENGINEERING, LLC**

An ENERCON Company  
319 Paintersville Road  
Hunker, PA 15639  
www.tricountyeng.com

Voice: (724) 635-0210

Fax: (724) 635-0678

LOCATION MAP	
EVANS D0404 WELL PLUG	
DRAWN BY: ZJC	WARREN DISTRICT, UPSHUR COUNTY, WEST VIRGINIA
DATE: 5/29/2015	FILE NO. OG61-14
SCALE: AS NOTED	SHEET: 1 OF 1

Received  
Office of Oil & Gas  
JUL 08 2015

WW-7  
8-30-06



West Virginia Department of Environmental Protection  
Office of Oil and Gas

**WELL LOCATION FORM: GPS**

API: 47-097-03147 WELL NO.: D0404

FARM NAME: Evans

RESPONSIBLE PARTY NAME: XTO Energy, Inc.

COUNTY: Upshur DISTRICT: Warren

QUADRANGLE: Berlin

SURFACE OWNER: Gary Wayne Evans

ROYALTY OWNER: See attached list

UTM GPS NORTHING: 4327079.5

UTM GPS EASTING: 564298.9 GPS ELEVATION: 384 meters (1260')

The Responsible Party named above has chosen to submit GPS coordinates in lieu of preparing a new well location plat for a plugging permit or assigned API number on the above well. The Office of Oil and Gas will not accept GPS coordinates that do not meet the following requirements:

1. Datum: NAD 1983, Zone: 17 North, Coordinate Units: meters, Altitude: height above mean sea level (MSL) – meters.
2. Accuracy to Datum – 3.05 meters
3. Data Collection Method:  
Survey grade GPS : Post Processed Differential

Real-Time Differential

Mapping Grade GPS : Post Processed Differential

Real-Time Differential

4. Letter size copy of the topography map showing the well location.

I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.


*V. H. A.*  
Signature

Project Manager  
Title

June 18, 2015  
Date

Received  
Office of Oil & Gas  
JUL 08 2015

Received  
Office of Oil & Gas  
JUL 08 2015



**SITE LOCATION MAP**  
SCALE: 1"=1000'  
MAP REF: BERLIN & CENTURY, WV  
U.S.G.S. 7.5 MINUTE QUAD



**REVISIONS**

NO.	DESCRIPTION	DATE	BY
1			

UNDERGROUND UTILITIES SHOWN HEREON ARE APPROXIMATE AND THERE MAY BE OTHER UNDISCOVERED UTILITIES THAT ARE NOT SHOWN. BEFORE ANY EXCAVATION OR CONSTRUCTION OPERATIONS BEGIN, THE CONTRACTOR MUST CONTACT WEST VIRGINIA AND THE OWNERS OF THE UTILITIES TO VERIFY THEIR LOCATION.

**LEGEND**

- EXISTING CONDUIT (10)
- PROPERTY LINE
- TEMPORARY WORKSPACE
- STREAM
- STAY SOON ETC.
- LIMIT OF DISTURBANCE (100)
- ACCESS ROAD - EXISTING
- ACCESS ROAD - PROPOSED
- CONSTRUCTION BARRIER FENCE
- STUDY AREA

**NOTES**

1. ELEVATION ARE APPROXIMATED FROM WEST VIRGINIA STATE CENTER COORDINATES AND NOT FIELD VERIFIED.
2. PROPERTY LINES SHOWN HEREON ARE DERIVED FROM COUNTY RECORDS AND NOT FIELD SURVEYED.
3. 1.8474 VERTICAL IMPACTS TO WILDLIFE.
4. 35.7 V' TEMPORARY IMPACTS TO STREAMS.



PREPARED FOR:

**XTO ENERGY**  
810 HOUSTON STREET  
FORT WORTH, TX 76102

GRAPHIC SCALE 1" = 100'

TRI-COUNTY ENGINEERING, LLC  
An OGENERON Company  
218 Parkside Blvd  
FARMER, PA 15035  
www.tri-county.com

View: (724) 639-0210 Fax: (724) 633-0670

**SEDIMENT CONTROL PLAN**

**EVANS D04D4 WELL PLUG**

Drawn by: ZJC  
Date: 5/28/2015  
AS NOTED

WARREN DISTRICT  
UPSHUR COUNTY, WV

1 OF 3  
0061-14

**PROJECT DESCRIPTION:**

TRI-COUNTY ENGINEERING, LLC (TCE), ON BEHALF OF XTO ENERGY, INC., PREPARED THIS SEDIMENT CONTROL PLAN FOR THE EVANS D0404 WELL PLUG PROJECT. THE PROJECT IS LOCATED APPROXIMATELY 8.0 MILES SOUTHEAST OF JANELLEW IN THE WARREN DISTRICT OF UPSHUR COUNTY, WEST VIRGINIA. THE PROPOSED EVANS D0404 WELL PLUG PROJECT INVOLVES THE PLUGGING AND ABANDONMENT OF THE EVANS D0404 SHALLOW GAS WELL. THE WELLHEAD, CASING, AND PRODUCTION EQUIPMENT WILL BE REMOVED. ONCE CEMENT PLUGS ARE PLACED WITHIN THE BOREHOLE, THE WELL PAD AREA WILL BE RECLAIMED AND GRADED TO BE CONSISTENT WITH THE GENERAL CONTOUR OF THE IMMEDIATE SURROUNDING LAND. THE SITE WILL BE SEEDING, AS REQUIRED, WITH A MIX APPROVED BY WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). THE PROJECT CONSISTS OF AN ACCESS ROAD APPROXIMATELY 7 FEET WIDE AND 2.177 FEET LONG, AND A WORKFACE APPROXIMATELY 17,561 SQUARE FEET (0.40 ACRES). THE STUDY AREA FOR THE PROJECT WAS 102,043 SQUARE FEET (2.34 ACRES).

**STANDARD EROSION AND SEDIMENTATION CONTROL MEASURES AND NOTES:**

THE CONTRACTOR SHALL USE WEST VIRGINIA EROSION AND SEDIMENT CONTROL FIELD MANUAL.

BEST MANAGEMENT PRACTICES WILL BE USED DURING CONSTRUCTION TO HELP MINIMIZE SEDIMENTATION TO ANY STREAMS AND/OR WETLANDS AND TO KEEP MUD, DIRT, AND DEBRIS OFF THE PUBLIC ROADS THAT COULD BE DEPOSITED FROM THE EQUIPMENT USED FOR CONSTRUCTION OF THE PROJECT.

EROSION AND SEDIMENTATION CONTROL MEASURES TO BE USED FOR THIS PROJECT ARE COMPOST FILTER SOCKS, STABILIZED CONSTRUCTION ENTRANCE, AND TAMBER MAT BRIDGES FOR STREAM AND WETLAND CROSSINGS (WHEN APPLICABLE).

IF PROJECT LIMITS CHANGE FOR NEEDS OF CONSTRUCTION, AND ADDITIONAL WATERBODIES AND/OR WETLANDS ARE TO BE CROSSED OR IMPACTED, IT IS THE CONTRACTOR'S RESPONSIBILITY TO ACQUIRE THE NECESSARY PERMITS PRIOR TO IMPACTING THOSE FEATURES.

IF OTHER ACCESSSES ARE NEEDED OR BETTER LOCATIONS ARE DETERMINED, OBTAIN THE NECESSARY PERMITS PRIOR TO INITIATING WORK FOR THE NEW ROUTES. PROVIDE RECORD MARKUPS ON THE ON-SITE SOP DRAWINGS TO INCLUDE THE LOCATION OF THE ACCESS ROADS AND THE CONTROL MEASURES, SUCH AS STABILIZED CONSTRUCTION ENTRANCES, TO BE USED.

**VEGETATIVE PRACTICES - TEMPORARY AND PERMANENT**

**PERMANENT VEGETATIVE STABILIZATION:** DISTURBED AREAS WILL RECEIVE TOPSOIL AND PERMANENT VEGETATIVE STABILIZATION, DEFINED AS A LAWNFORM 70% PERMANENT VEGETATIVE COVER. THE SOIL TO A DEPTH OF 2" REMOVE ALL OBJECTS 2" OR LARGER. THESE AREAS WILL BE PERMANENTLY STABILIZED IN ACCORDANCE WITH THE SEEDING SPECIFICATIONS OF THIS PLAN.

**TEMPORARY VEGETATIVE PRACTICES (INTERIM STABILIZATION):** SLOPE AREAS, SOIL STOCKPILES, OR EMBANKMENTS THAT WILL SIT IDLE DUE TO UNFORESEEN CIRCUMSTANCES DURING OPERATIONS OR THAT WILL REMAIN IN PLACE FOR MORE THAN TWO WEEKS SHALL RECEIVE TEMPORARY SEEDING. THESE AREAS WILL BE TEMPORARILY STABILIZED IN ACCORDANCE WITH THE SEEDING TABLES OF THIS PLAN.

THE PLANS AND SPECIFICATIONS FOR INSTALLING TOPSOIL SHALL BE IN KEEPING WITH THIS STANDARD AND SHALL DESCRIBE THE REQUIREMENTS FOR APPLYING THE PRACTICE TO ACHIEVE ITS INTENDED PURPOSE. AT A MINIMUM INCLUDE THE FOLLOWING ITEMS:

1. TOPSOIL SOURCE;
2. STOCKPILE LOCATION AND METHOD OF STABILIZATION PRIOR TO USE;
3. TOPSOIL/SUBSOIL BONDING PROCEDURES;
4. SITE PREPARATION PLANS AND METHODS OF APPLICATION, DISTRIBUTION AND COMPACTION.

**SITE PREPARATION - BEFORE SPREADING TOPSOIL:** ASSURE THAT ALL NECESSARY SEDIMENT CONTROL PRACTICES, SUCH AS DIVERSIONS AND SEDIMENT BARRIERS ARE IN PLACE AND FUNCTIONING PROPERLY. THESE PRACTICES MUST BE MAINTAINED UNTIL THE SITE IS PERMANENTLY STABILIZED.

**DRAINING -** MAINTAIN GRADES ON THE AREAS TO BE TOPSOILED ACCORDING TO THE APPROVED PLAN AND DO NOT ALTER THEM BY ADDING TOPSOIL.

**LAMING OF SUBSOIL -** WHERE THE PH OF THE EXISTING SUBSOIL IS 6.0 OR LESS, OR THE SOIL IS COMPOSED OF HEAVY CLAYS, INCORPORATE AGRICULTURAL LIMESTONE IN AMOUNTS RECOMMENDED BY SOIL TESTS OR SPECIFIED FOR THE SEEDING MIXTURE TO BE USED. INCORPORATE LIME TO A DEPTH OF AT LEAST 2 INCHES BY DIGGING.

**ROUGHENING -** IMMEDIATELY PRIOR TO SPREADING THE TOPSOIL, LOOSEN THE SUBGRADE BY DIGGING OR SCARPING TO A DEPTH OF AT LEAST 4 INCHES, TO ENSURE BONDING OF THE TOPSOIL AND SUBSOIL. IF NO AMENDMENTS HAVE BEEN INCORPORATED, LOOSEN THE SOIL TO A DEPTH OF AT LEAST 8 INCHES BEFORE SPREADING THE TOPSOIL.

**SPREADING TOPSOIL -** UNIFORMLY DISTRIBUTE TOPSOIL TO A MINIMUM COMPACTED DEPTH OF 2 INCHES ON 3:1 SLOPES AND 4 INCHES ON FLATTER SLOPES. TOPSOIL SHALL NOT BE SPREAD WHILE IT IS FROZEN OR SATURATED OR WHEN THE SUBSOIL IS FROZEN OR SATURATED. IRREGULARITIES IN THE SURFACE THAT RESULT FROM TOPSOILING OR OTHER OPERATIONS SHALL BE CORRECTED TO PREVENT THE FORMATION OF DEPRESSIONS OR POOLING OF WATER. COMPACT THE TOPSOIL ENOUGH TO ENSURE GOOD CONTACT WITH THE UNDERLYING SOIL, BUT AVOID EXCESSIVE COMPACTION, AS IT INCREASES RUNOFF AND IMPEDS SEED GERMINATION AND SEEDLING GROWTH. LIGHT PACKING WITH A ROLLER IS RECOMMENDED WHERE HIGH-MAINTENANCE TRAFFIC IS TO BE ESTABLISHED. IN AREAS THAT ARE NOT GOING TO BE MOWED, THE SURFACE CAN BE LEFT ROUGH. MAINTENANCE AFTER TOPSOIL APPLICATION, FOLLOW PROCEDURES FOR SEEDBED PREPARATION. TAKE CARE TO AVOID EXCESSIVE MIXING OF TOPSOIL INTO THE SUBSOIL. PERMANENTLY STABILIZE THE SITE FOLLOWING APPROPRIATE PRACTICE STANDARDS AS QUICKLY AS PRACTICABLE. PERIODICALLY INSPECT THE SITE UNTIL PERMANENT STABILIZATION IS ACHIEVED. MAKE NECESSARY REPAIRS TO ERODED AREAS OR AREAS OF LIGHT VEGETATIVE COVER. ESTABLISH A VEGETATIVE

COVER IN THE AREAS THAT WILL ADEQUATELY PREVENT EROSION.

**SEEDBED PREPARATION -** TO CONTROL EROSION ON BARE SOIL SURFACES, PLANTS MUST BE ABLE TO GERMINATE AND GROW. SEEDBED PREPARATION IS ESSENTIAL IF THE AREA HAS BEEN RECENTLY LOOSENED OR DISTURBED, NO FURTHER ROUGHENING IS REQUIRED. WHEN THE AREA IS COMPACTED, CRUSTED, OR HARDENED, THE SOIL SURFACE MUST BE LOOSENED BY DIGGING, RAKING, HARROWING, OR OTHER ACCEPTABLE MEANS (SEE SURFACE ROUGHENING SECTION).

**SEEDING -** SEED SHALL BE EVENLY APPLIED WITH A BROADCAST SEEDER, DRILL, CULTIPACKER SEEDER OR HYDROSEEDER. SMALL DRAINS SHALL BE PLANTED NO MORE THAN 1.5 INCHES DEEP. SMALL SEEDS, SUCH AS ANNUAL RYE, SHALL BE PLANTED NO MORE THAN A QUARTER INCH DEEP. OTHER GRASSES AND LEGUMES SHALL BE PLANTED NO MORE THAN A HALF INCH DEEP. MULCHING TEMPORARY SEEDING, CONDUCTED IN FALL FOR WINTER COVER AND DURING HOT AND DRY SUMMER MONTHS, SHALL BE MULCHED WITH STRAW OR HAY ACCORDING TO THE STANDARD FOR MULCHING HYDROMULCHES (FIBER MULCH) MAY NOT PROVIDE ADEQUATE TEMPERATURE AND MOISTURE CONTROL.

**BASIC SEDIMENT CONTROL PLAN ELEMENTS**

OBTAIN ALL PERMITS AND APPROVALS PRIOR TO CONSTRUCTION.

IF CONSTRUCTION LIMITS NEED TO BE ENHANCED BEYOND THE LIMITS OF DISTURBANCE AREA SHOWN ON THE PLANS, A PRE-CONSTRUCTION ENVIRONMENTAL EVALUATION (NEED) MUST BE CONDUCTED, CONTACT THE ENVIRONMENTAL BIOLOGIST TO CONDUCT A REVIEW ON THE NEW AREAS PRIOR TO CONSTRUCTION.

INSTALL THE STABILIZED CONSTRUCTION ENTRANCES AT THE ACCESS ROAD. STABILIZED CONSTRUCTION ENTRANCES MAY BE NEEDED AT THE ACCESS ROAD PENDING ITS USE AT THE TIME OF THIS PROJECT'S CONSTRUCTION.

MARK ALL CLEARING LIMITS AND SENSITIVE AREAS SUCH AS STREAMS, WETLANDS, ETC.

INSTALL ORANGE CONSTRUCTION FENCE NEAR STREAMS, WETLANDS AND STRUCTURES WITHIN THE LIMITS OF DISTURBANCE TO PROVIDE A PHYSICAL BARRIER TO DETER DISTURBANCE BY CONSTRUCTION ACTIVITIES.

ADD GRAVEL TO ACCESS ROAD AS NEEDED, BUT NO GRADING OR IMPACTS TO EXISTING DRAINAGE FEATURES ARE TO BE MODIFIED.

ON A DAILY BASIS, CLEAN THE ROADS THOROUGHLY BY REMOVING TRACKED SEDIMENT BY SHOVELING OR SWEEPING. STREET WASHING TO A WATERCOURSE OR STORM DRAIN SYSTEM IS NOT ALLOWED.

INSTALL COMPOST FILTER SOCK WHERE SHOWN, PARALLEL TO THE SLOPE AND ON THE DOWN-GRADE SIDE OF THE LIMITS OF DISTURBANCE TO PREVENT SEDIMENTATION FROM LEAVING THE PROJECT AREA.

CLEAN AND GRUB ALONG THE ROW. PRESERVE NATURAL VEGETATION AS MUCH AS POSSIBLE, WITHOUT SIGNIFICANT INTERFERENCE WITH CONSTRUCTION ACTIVITIES.

USE TAMBER MAT BRIDGES TO CROSS WATERBODIES AND WET AREAS, AS NEEDED.

RE-ESTABLISH THE GRADE TO THE PRE-CONSTRUCTION CONDITIONS.

RE-STABILIZE DISTURBED SOILS WITHIN 7 DAYS BY PLACING TEMPORARY SEEDING IF NOT FINAL GRADED, AND PERMANENT SEEDING WITH A NURSE CROPP IF FINAL GRADED.

MULCH AND FERTILIZE AS STATED IN THIS PLAN.

PLACE ROLLED EROSION CONTROL PRODUCTS (RECP), MATS AND BLANKETS ON TOP OF SEEDED AREAS, ON STEEP SLOPES WHERE SEEDING MAY BE DISPLACED BY RUNOFF. TYPICALLY, SLOPES GREATER THAN 3:11/2 NEED TO HAVE AN EROSION CONTROL MAT OR BLANKET PLACE OVER THE SEEDED AREAS. SEED AND PLANT KEEP ON THE STEEP SLOPES ADJACENT TO ANY AND ALL STREAMS IMMEDIATELY (WITHIN 7 DAYS) AFTER THE WELL PLUG IS REMOVED.

MAINTAIN ALL BEST MANAGEMENT PRACTICES (BMPs) AS NEEDED TO ASSURE CONTINUED PERFORMANCE OF THEIR INTENDED FUNCTION.

ALL BMPs SHALL BE INSPECTED AT LEAST ONCE EVERY SEVEN CALENDAR DAYS AND WITHIN 24 HOURS AFTER ANY STORM EVENT GREATER THAN 0.5 INCHES PER 24 HOUR PERIOD. ANY REQUIRED REPAIRS OR MAINTENANCE SHOULD BE MADE IMMEDIATELY. THIS INCLUDES THE REMOVAL OF SEDIMENT THAT IS OVER HALF THE HEIGHT OF THE COMPOST FILTER SOCK (1 DAY PER WEEK OR AS STORM EVENTS REQUIRE).

TEMPORARY BMPs SHOULD BE REMOVED WITHIN 30 DAYS AFTER FINAL SITE STABILIZATION IS ACHIEVED OR AFTER THE TEMPORARY BMPs ARE NO LONGER NEEDED. TRACKED SEDIMENT SHALL BE REMOVED OR STABILIZED ON-SITE. DISTURBED SOILS RESULTING FROM REMOVAL OF BMPs OR VEGETATION SHALL BE PERMANENTLY STABILIZED. FINAL STABILIZATION MEANS THAT ALL SOIL-DISTURBING ACTIVITIES ARE COMPLETED AND THAT EITHER A PERMANENT VEGETATIVE COVER OF THE TOTAL VEGETATED AREA WITH A DENSITY OF 70% OR GREATER HAS BEEN ESTABLISHED OR THAT THE SURFACE HAS BEEN STABILIZED BY HARD COVER SUCH AS PAVEMENT OR BUILDINGS (WHEN APPLICABLE).

NO NEW PERMANENT CUT OR FILL SLOPES ARE TO REMAIN ON-SITE. GRADING SHOULD BE DONE SUCH THAT POST-CONSTRUCTION CONTOURS SHOULD CLOSELY MATCH APPROXIMATE ORIGINAL CONTOURS AFTER CONSTRUCTION IS COMPLETE. ALL AREAS IN THE LOO THAT WERE VEGETATED IN THE EXISTING CONDITION ARE TO BE VEGETATED AFTER CONSTRUCTION.

**MANAGING THE PROJECT:**

THIS SEDIMENT CONTROL PLAN (SCP) IS TO REMAIN ON-SITE AT ALL TIMES DURING CONSTRUCTION. THE SCP SHALL BE MODIFIED WHENEVER THERE IS SIGNIFICANT CHANGE IN THE DESIGN, CONSTRUCTION, OPERATION OR MAINTENANCE OF ANY BMP.

CLEARING AND GRUBBING ACTIVITIES SHOULD TAKE INTO CONSIDERATION REMOVAL OF TREES AND DISTURBANCE AND COMPACTION OF NATIVE SOILS. ANY AREAS THAT REQUIRE PRESERVATION OF CRITICAL OR SENSITIVE AREAS AND/OR REQUIRE BUFFERS SHALL BE DELINEATED ON BOTH THE PLANS AND ON-SITE.

ALL BMPs SHALL BE INSPECTED, MAINTAINED AND REPAIRED AS NEEDED TO ASSURE CONTINUED PERFORMANCE OF THEIR INTENDED USE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO ENSURE SEDIMENTATION AND EROSION IS BEING CONTROLLED ON-SITE, AND IS NOT IMPOSING ON ADJACENT PROPERTIES. BMPs, OTHER THAN STATED IN THIS PLAN, MAY NEED TO BE IMPLEMENTED.

SPILLS OR DISCHARGE OF POLLUTANTS ARE TO BE REPORTED WITHIN 24-HOURS TO THE APPROPRIATE AGENCIES.

**WASTE MATERIALS AND DISPOSAL:**

ALL POLLUTANTS, INCLUDING WASTE MATERIALS, SHOULD BE HANDLED AND DISPOSED OF IN A MANNER THAT DOES NOT CAUSE CONTAMINATION OF THE SURFACE WATER. WASTE DEBRIS MAY BE CHIPPED AND SPREAD ON-SITE, AS APPROVED BY THE LANDOWNER.

COVER, CONTAINMENT, AND PROTECTION FROM WINDBLOWN SHALL BE PROVIDED FOR ALL CHEMICALS, LIQUID PRODUCTS AND NON-FLAMMABLE GASES PRESENT ON THE SITE.

CLEANING AND REPAIR OF HEAVY EQUIPMENT AND VEHICLES INVOLVING OIL CHANGES, HYDRAULIC SYSTEM DRAIN DOWN, SOLVENT AND OIL CLEANING, CLEANING OPERATIONS, FUEL TANK DRAIN DOWN AND REMOVAL, AND OTHER ACTIVITIES WHICH MAY RESULT IN DISCHARGE OR SPLASH OF OILS OR GREASES TO GROUND OR INTO THE SURFACE WATER RUNOFF MUST BE CONDUCTED USING SPILL PREVENTION MEASURES, SUCH AS DIPP PANS. CONTAMINATED SURFACES SHALL BE CLEANED IMMEDIATELY FOLLOWING ANY DISCHARGE OR SPILL INCIDENT. PLACE PLASTIC BENEATH THE EQUIPMENT WHEN EMERGENCY REPAIRS ARE TO BE PERFORMED ON-SITE. IF RAINING, PLACE PLASTIC OVER THE VEHICLE.

**GENERAL NOTES REGARDING DECLARATION:**

THE GENERAL CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES INVOLVED IN THE SITE NO MORE THAN TEN DAYS AND NO LESS THAN THREE DAYS IN ADVANCE OF EXCAVATION EXCLUDING SATURDAY, SUNDAY, AND FEDERAL OR STATE HOLIDAYS. CONTACT MISS UTILITY OF WEST VIRGINIA AT 1-800-245-4848.

TRAFFIC SHALL BE MAINTAINED ON ALL ADJOINING STREETS AND DRIVES AT ALL TIMES IN ACCORDANCE WITH WV DOT'S REQUIREMENTS.

DISTURBED AREAS IDENTIFIED DUE TO WELL PLUG REMOVAL, SHALL BE RECLAIMED, MULCHED AND SEEDING, TO REDUCE EROSION AND SEDIMENTATION.

UTILITY NUMBERS: ANY IDENTIFICATION NUMBERS SHALL BE DISPLAYED AT THE WELL, IN ACCORDANCE WITH STATE REQUIREMENTS.

LANDOWNERS SHALL BE GIVEN ADEQUATE NOTICE THAT CERTAIN SPECIFIED ACTIVITIES WILL BE OCCURRING ON THEIR PROPERTY.

**PERMANENT STABILIZATION:**

SPICES:	KENTUCKY BLUEGRASS / REDTOP / BIRDFOOT TREFLO
% PURE LIME SEED:	80%
APPLICATION RATE:	20 LBS/ACRE, 3 LBS/ACRE, AND 10 LBS/ACRE, RESPECTIVELY
FERTILIZER TYPE:	COMMERCIAL FERTILIZER 10-20-20
FERTILIZER APPL. RATE:	COMMERCIAL - 1000 LBS/ACRE
LIMING RATE:	3 TONS/ACRE
MULCH TYPE:	HAY & STRAW
MULCHING RATE:	3 TONS/ACRE
ANCHOR MATERIAL:	RECYCLED CELLULOSE FIBER/WOOD FIBER MIXTURE
ANCHORING METHOD:	HYDRAULIC SEEDING EQUIPMENT
SIZE OF ANCHOR:	
MATERIAL APPLICATION:	310 LBS/1000 SQ. YD.
SEEDING SEASON DATES:	YEAR ROUND

**TEMPORARY STABILIZATION:**

SPICES:	ANNUAL RYEGRASS
% PURE LIME SEED:	95%
APPLICATION RATE:	40 LBS/ACRE
FERTILIZER TYPE:	COMMERCIAL FERTILIZER 10-10-10
FERTILIZER APPL. RATE:	COMMERCIAL - 1060 LBS/ACRE
LIMING RATE:	3 TONS/ACRE
MULCH TYPE:	HAY & STRAW
MULCHING RATE:	3 TONS/ACRE

**ESTIMATED QUANTITIES**

	UNITS	ESTIM. QUANTITY	BID QUANTITY	UNIT PRICE	TOTAL COST
<b>EROSION &amp; SEDIMENT CONTROL</b>					
STONE CONSTRUCTION ENTRANCE	SE	356			
12" COMPOST FILTER SOCK	LF	251			
PERMANENT SEEDING	SY	9596			
TAMBER MAT BRIDGE	EA	6"			

\* SEE PLAN DRAWING FOR TAMBER MAT DIMENSIONS

**REVISIONS**

NO.	DESCRIPTION	DATE	BY
1			

6/15/2015



PREPARED FOR:  
**XTO ENERGY**  
 810 HOUSTON STREET  
 FORT WORTH, TX 76102

**TRI-COUNTY ENGINEERING, LLC**  
 An ENGINEER Company  
 318 Parkside Road  
 Parker, PA 15630  
 www.tce-engineering.com  
 Phone: (724) 635-0210 Fax: (724) 635-0610

**SEDIMENT CONTROL PLAN NARRATIVE**  
 EVANS D0404 WELL PLUG


Drawn by: J.C.  
 Date: 5/29/2015  
 AS NOTED

WARREN DISTRICT  
 UPSHUR COUNTY, WV

2 OF 3  
 0061-14

Received  
 Office of Oil & Gas  
 JUL 08 2015





**SITE LOCATION MAP**  
SCALE: 1"=1000'

MAP REF: BERLIN & CENTURY, WV  
U.S.G.S. 7.5 MINUTE QUAD



REVISIONS			
NO.	DESCRIPTION	DATE	BY
1	-	-	-

UNDERGROUND UTILITIES SHOWN HEREON ARE APPROXIMATE ONLY. THERE MAY BE OTHER UNDERGROUND UTILITIES THAT ARE NOT SHOWN. BEFORE ANY EXCAVATION OR CONSTRUCTION OPERATIONS BEGIN, THE CONTRACTOR MUST CONTACT MISS UTILITY OF WEST VIRGINIA AND THE OWNERS OF THE UTILITIES TO VERIFY THEIR LOCATION.

LEGEND	
EXISTING CONTOUR 10'	---
PROPERTY LINE	---
TEMPORARY WORKSPACE	---
STREAM	---
SALT SOCK (FPS)	---
LIMITS OF DISTURBANCE (LOD)	---
ACCESS ROAD - EXISTING	---
ACCESS ROAD - PROPOSED	---
CONSTRUCTION BARRIER FENCE	---
STUDY AREA	---

- NOTES:
- ELEVATIONS ARE APPROXIMATED FROM WEST VIRGINIA DEPARTMENT OF TECHNICAL CENTER CONTIGUOUS, AND NOT FIELD VERIFIED.
  - PROPERTY LINES SHOWN ON PLANS ARE REFERENCED FROM COUNTY MAPPING AND NOT FIELD SURVEYED.
  - 1,845.9 SF TEMPORARY IMPACTS TO WETLANDS
  - 35.7 SF TEMPORARY IMPACTS TO STREAMS

Received  
Office of Oil & Gas  
JUL 08 2015



**PROJECT DESCRIPTION:**

TRI-COUNTY ENGINEERING, LLC (TCE), ON BEHALF OF ITO ENERGY, INC., PREPARED THIS SEDIMENT CONTROL PLAN FOR THE EVANS 00404 WELL PLUG PROJECT. THE PROJECT IS LOCATED APPROXIMATELY 8.0 MILES SOUTH-EAST OF JARRELL IN THE WARREN DISTRICT OF UP-SHUR COUNTY, WEST VIRGINIA.

THE PROPOSED EVANS 00404 WELL PLUG PROJECT INVOLVES THE PLUGGING AND ABANDONMENT OF THE EVANS 00404 SHALLOW GAS WELL. THE WELLHEAD, CASING, AND PRODUCTION EQUIPMENT WILL BE REMOVED. ONCE CEMENT PLUGS ARE PLACED WITHIN THE BOREHOLE, THE WELL PAD AREA WILL BE RECLAIMED AND GRADED TO BE CONSISTENT WITH THE GENERAL CONTOUR OF THE IMMEDIATE SURROUNDING LAND. THE SITE WILL BE SEEDED, AS REQUIRED, WITH A MIX APPROVED BY WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). THE PROJECT CONSISTS OF AN ACCESS ROAD APPROXIMATELY 7 FEET WIDE AND 2,177 FEET LONG, AND A WORKSPACE APPROXIMATELY 17,563 SQUARE FEET (0.40 ACRES). THE STUDY AREA FOR THE PROJECT WAS 1,02,043 SQUARE FEET (2.34 ACRES).

**STANDARD EROSION AND SEDIMENTATION CONTROL MEASURES AND NOTES:**

THE CONTRACTOR SHALL USE WEST VIRGINIA EROSION AND SEDIMENT CONTROL FIELD MANUAL.

BEST MANAGEMENT PRACTICES WILL BE USED DURING CONSTRUCTION TO HELP MINIMIZE SEDIMENTATION TO ANY STREAMS AND/OR WETLANDS AND TO KEEP MUD, DIRT, AND DEBRIS OFF THE PUBLIC ROADS THAT COULD BE DEPOSITED FROM THE EQUIPMENT USED FOR CONSTRUCTION OF THE PROJECT.

EROSION AND SEDIMENTATION CONTROL MEASURES TO BE USED FOR THIS PROJECT ARE COMPOST FILTER SOCKS, STABILIZED CONSTRUCTION ENTRANCE, AND TAMBER MAT BRIDGES FOR STREAM AND WETLAND CROSSINGS (WHEN APPLICABLE).

IF PROJECT LIMITS CHANGE FOR NEEDS OF CONSTRUCTION, AND ADDITIONAL WATERBODIES AND/OR WETLANDS ARE TO BE CROSSED OR IMPACTED, IT IS THE CONTRACTOR'S RESPONSIBILITY TO ACQUIRE THE NECESSARY PERMITS PRIOR TO IMPACTING THOSE FEATURES.

IF OTHER ACCESSES ARE NEEDED OR BETTER ROUTES ARE DETERMINED, OBTAIN THE NECESSARY PERMITS PRIOR TO INITIATING WORK FOR THE NEW ROUTES. PROVIDE RECORD MARKUPS ON THE ON-SITE SEP DRAWINGS TO INCLUDE THE LOCATION OF THE ACCESS ROADS AND THE CONTROL MEASURES, SUCH AS STABILIZED CONSTRUCTION ENTRANCES, TO BE USED.

**VEGETATIVE PRACTICES - TEMPORARY AND PERMANENT**

**PERMANENT VEGETATIVE STABILIZATION**  
DISTURBED AREAS WILL RECEIVE TOPSOIL AND PERMANENT VEGETATIVE STABILIZATION, DEFINED AS A UNIFORM 70% PERENNIAL VEGETATIVE COVER. TILL SOIL TO A DEPTH OF 2". REMOVE ALL OBJECTS 2" OR LARGER. THESE AREAS WILL BE PERMANENTLY STABILIZED IN ACCORDANCE WITH THE SEEDING SPECIFICATIONS OF THIS PLAN.

**TEMPORARY VEGETATIVE PRACTICES (INTERIM STABILIZATION):**  
SLOPE AREAS, SOIL STOCKPILES, OR EMBANKMENTS THAT WILL SIT IDLE DUE TO UNFORESEEN CIRCUMSTANCES DURING OPERATIONS OR THAT WILL REMAIN IN PLACE FOR MORE THAN TWO WEEKS SHALL RECEIVE TEMPORARY SEEDING. THESE AREAS WILL BE TEMPORARILY STABILIZED IN ACCORDANCE WITH THE SEEDING TABLES OF THIS PLAN.

THE PLANS AND SPECIFICATIONS FOR INSTALLING TOPSOIL SHALL BE IN KEEPING WITH THIS STANDARD AND SHALL DESCRIBE THE REQUIREMENTS FOR APPLYING THE PRACTICE TO ACHIEVE ITS INTENDED PURPOSE. AT A MINIMUM INCLUDE THE FOLLOWING ITEMS:

1. TOPSOIL SOURCE.
2. STOCKPILE LOCATION AND METHOD OF STABILIZATION PRIOR TO USE.
3. TOPSOIL/SUBSOIL BONDING PROCEDURES.
4. SITE PREPARATION PLANS AND METHODS OF APPLICATION, DISTRIBUTION AND COMPACTION.

**SITE PREPARATION-** BEFORE SPREADING TOPSOIL ASSURE THAT ALL NECESSARY SEDIMENT CONTROL PRACTICES, SUCH AS DIVERSIONS AND SEDIMENT BARRIERS ARE IN PLACE AND FUNCTIONING PROPERLY. THESE PRACTICES MUST BE MAINTAINED UNTIL THE SITE IS PERMANENTLY STABILIZED.

**GRADING-** MAINTAIN GRADES ON THE AREAS TO BE TOPSOILED ACCORDING TO THE APPROVED PLAN AND DO NOT ALTER THEM BY ADDING TOPSOIL.

**LIMING OF SUBSOIL-** WHERE THE PH OF THE EXISTING SUBSOIL IS 6.0 OR LESS, OR THE SOIL IS COMPOSED OF HEAVY CLAYS, INCORPORATE AGRICULTURAL LIMESTONE IN AMOUNTS RECOMMENDED BY SOIL TESTS OR SPECIFIED FOR THE SEEDING MIXTURE TO BE USED. INCORPORATE LIME TO A DEPTH OF AT LEAST 2 INCHES BY DISKING.

**ROUGHENING-** IMMEDIATELY PRIOR TO SPREADING THE TOPSOIL, LOOSEN THE SUBGRADE BY DISKING OR SCARIFYING TO A DEPTH OF AT LEAST 4 INCHES, TO ENSURE BONDING OF THE TOPSOIL AND SUBSOIL. IF NO AMENDMENTS HAVE BEEN INCORPORATED, LOOSEN THE SOIL TO A DEPTH OF AT LEAST 6 INCHES BEFORE SPREADING THE TOPSOIL.

**SPREADING TOPSOIL-** UNIFORMLY DISTRIBUTE TOPSOIL TO A MINIMUM COMPACTED DEPTH OF 2 INCHES ON 3:1 SLOPES AND 4 INCHES ON FLATTER SLOPES. TOPSOIL SHALL NOT BE SPREAD WHILE IT IS FROZEN OR SATURATED OR WHEN THE SUBSOIL IS FROZEN OR SATURATED. IRREGULARITIES IN THE SURFACE THAT RESULT FROM TOPSOILING OR OTHER OPERATIONS SHALL BE CORRECTED TO PREVENT THE FORMATION OF DEPRESSIONS OR PONDING OF WATER. COMPACT THE TOPSOIL ENOUGH TO ENSURE GOOD CONTACT WITH THE UNDERLYING SOIL, BUT AVOID EXCESSIVE COMPACTION, AS IT INCREASES RUNOFF AND REDUCES SEED GERMINATION AND SEEDLING GROWTH. LIGHT PACKING WITH A ROLLER IS RECOMMENDED WHERE HIGH-MAINTENANCE TURF IS TO BE ESTABLISHED. IN AREAS THAT ARE NOT GOING TO BE MOWED, THE SURFACE CAN BE LEFT ROUGH.

**MAINTENANCE:** AFTER TOPSOIL APPLICATION, FOLLOW PROCEDURES FOR SEEDBED PREPARATION. TAKE CARE TO AVOID EXCESSIVE MIXING OF TOPSOIL INTO THE SUBSOIL. PERMANENTLY STABILIZE THE SITE FOLLOWING APPROPRIATE PRACTICE STANDARDS AS QUICKLY AS PRACTICABLE. PERIODICALLY INSPECT THE SITE UNTIL PERMANENT STABILIZATION IS ACHIEVED. MAKE NECESSARY REPAIRS TO ERODED AREAS OR AREAS OF LIGHT VEGETATIVE COVER. ESTABLISH A VEGETATIVE

COVER IN THE AREAS THAT WILL ADEQUATELY PREVENT RILLING.

**SEEDBED PREPARATION-** TO CONTROL EROSION ON BARE SOIL SURFACES, PLANTS MUST BE ESSENTIAL. IF THE AREA HAS BEEN RECENTLY LOOSENED OR DISTURBED, NO FURTHER BOUNDRIES OR HARDENED, THE SOIL SURFACE MUST BE LOOSENED BY DISKING, RAKING, HARROWING, OR OTHER SECTION).

**SEEDING-** SEED SHALL BE EVENLY APPLIED WITH A BROADCAST SEEDER, DRILL, CUTPACKER SEE NO MORE THAN 1.5 INCHES DEEP. SMALL SEEDS, SUCH AS ANNUAL RYE, SHALL BE PLANTED NO DEEPER THAN 1/2 INCH. LEGUMES SHALL BE PLANTED NO MORE THAN A HALF INCH DEEP.

**MULCHING:** TEMPORARY SEEDING, CONDUCTED IN FALL FOR WINTER COVER AND DURING HOT AND DRY WEATHER, MAY ACCORDING TO THE STANDARD FOR MULCHING. HYDRONMULCHES (FIBER MULCH) MAY NOT BE USED.

**BASIC SEDIMENT CONTROL PLAN ELEMENTS:**

OBTAIN ALL PERMITS AND APPROVALS PRIOR TO CONSTRUCTION.

IF CONSTRUCTION LIMITS NEED TO BE EXPANDED BEYOND THE LIMITS OF DISTURBANCE AREA SHOWN ON THE SEEDING PLAN, EVALUATION WILL NEED TO BE CONDUCTED. CONTACT THE ENVIRONMENTAL BIOLOGIST TO CONDUCT EVALUATION.

INSTALL THE STABILIZED CONSTRUCTION ENTRANCES AT THE ACCESS ROAD STABILIZED CONSTRUCTION ENTRANCE PRIOR TO THE START OF THE PROJECT'S CONSTRUCTION.

MARK ALL CLEARING LIMITS AND SENSITIVE AREAS SUCH AS STREAMS, WETLANDS, ETC.

INSTALL ORANGE CONSTRUCTION FENCE NEAR STREAMS, WETLANDS AND STRUCTURES WITHIN THE DISTURBANCE BY CONSTRUCTION ACTIVITIES.

ADD GRAVEL TO ACCESS ROAD AS NEEDED, BUT NO GRADING OR IMPACTS TO EXISTING DRAINAGE. ON A DAILY BASIS, CLEAN THE ROADS THOROUGHLY BY REMOVING TRACKED SEDIMENT BY SHOVEL. STORM DRAIN SYSTEM IS NOT ALLOWED.

INSTALL COMPOST FILTER SOCK WHERE SHOWN, PARALLEL TO THE SLOPE AND ON THE DOWN-SLOPE TO PREVENT SEDIMENTATION FROM LEAVING THE PROJECT AREA.

CLEAR AND GRUB ALONG THE ROW. PRESERVE NATURAL VEGETATION AS MUCH AS POSSIBLE, WITH ACTIVITIES.

USE TAMBER MAT BRIDGES TO CROSS WATERBODIES AND WET AREAS, AS NEEDED.

RE-ESTABLISH THE GRADE TO THE PRE-CONSTRUCTION CONDITIONS.

RE-STABILIZE DISTURBED SOILS WITHIN 7 DAYS BY PLACING TEMPORARY SEEDING IF NOT FINAL OR FINAL GRADED.

MULCH AND FERTILIZE AS STATED IN THIS PLAN.

PLACE ROLLED EROSION CONTROL PRODUCTS (RECP), MATS AND BLANKETS ON TOP OF SEEDING. DISPLACED BY RUNOFF. TYPICALLY, SLOPES GREATER THAN 3H:1V NEED TO HAVE AN EROSION CONTROL PRODUCT AND PLACE RECP ON THE STEEP SLOPES ADJACENT TO ANY AND ALL STREAMS IMMEDIATELY.

MAINTAIN ALL BEST MANAGEMENT PRACTICES (BMPs) AS NEEDED TO ASSURE CONTINUED PERFORMANCE.

ALL BMPs SHALL BE INSPECTED AT LEAST ONCE EVERY SEVEN CALENDAR DAYS AND WITHIN 24 HOURS PER 24 HOUR PERIOD. ANY REQUIRED REPAIRS OR MAINTENANCE SHOULD BE MADE IMMEDIATELY. HALF THE HEIGHT OF THE COMPOST FILTER SOCK (1 DAY PER WEEK OR AS STORM EVENTS REQUIRE).

TEMPORARY BMPs SHOULD BE REMOVED WITHIN 30 DAYS AFTER FINAL SITE STABILIZATION IS ACHIEVED. TRAPPED SEDIMENT SHALL BE REMOVED OR STABILIZED ON SITE. DISTURBED SOILS SHALL BE PERMANENTLY STABILIZED. FINAL STABILIZATION MEANS THAT ALL SOIL-DISTURBING ACTIVITIES ARE COVERED BY THE TOTAL VEGETATED AREA WITH A DENSITY OF 70% OR GREATER HAS BEEN ESTABLISHED. COVER SUCH AS PAVEMENT OR BUILDINGS (WHEN APPLICABLE).

NO NEW PERMANENT CUT OR FILL SLOPES ARE TO REMAIN ON-SITE. GRADING SHOULD BE DONE CLOSELY WATCH APPROXIMATE ORIGINAL CONTOURS AFTER CONSTRUCTION IS COMPLETE. ALL AREAS THAT ARE TO BE VEGETATED AFTER CONSTRUCTION.

**REVISIONS**

NO.	DESCRIPTION	DATE	BY
1	-	-	-

**MANAGING THE PROJECT:**

THIS SEDIMENT CONTROL PLAN (SCP) IS TO REMAIN ON-SITE AT ALL TIMES DURING CONSTRUCTION. THE SCP SHALL BE MODIFIED WHENEVER THERE IS SIGNIFICANT CHANGE IN THE DESIGN, CONSTRUCTION, OPERATION OR MAINTENANCE OF ANY BMP.

CLEARING AND GRUBBING ACTIVITIES SHOULD TAKE INTO CONSIDERATION MINIMIZING REMOVAL OF TREES AND DISTURBANCE AND COMPACTION OF NATIVE SOILS. ANY AREAS THAT REQUIRE PRESERVATION OF CRITICAL OR SENSITIVE AREAS AND/OR REQUIRE BUFFERS SHALL BE DELINEATED ON BOTH THE PLANS AND THE SITE.

ALL BMPs SHALL BE INSPECTED, MAINTAINED AND REPAIRED AS NEEDED TO ASSURE CONTINUED PERFORMANCE OF THEIR INTENDED USE. IT IS THE CONTRACTOR'S RESPONSIBILITY TO ENSURE SEDIMENTATION AND EROSION IS BEING CONTROLLED ON-SITE, AND IS NOT IMPOSING ON ADJACENT PROPERTIES. BMPs, OTHER THAN STATED IN THIS PLAN, MAY NEED TO BE IMPLEMENTED.

SPILLS OR DISCHARGE OF POLLUTANTS ARE TO BE REPORTED WITHIN 24-HOURS TO THE APPROPRIATE AGENCIES.

**WASTE MATERIALS AND DISPOSAL:**

ALL POLLUTANTS, INCLUDING WASTE MATERIALS, SHOULD BE HANDLED AND DISPOSED OF IN A MANNER THAT DOES NOT CAUSE CONTAMINATION OF SURFACE WATER. WOODY DEBRIS MAY BE CHOPPED AND SPREAD ON-SITE AS APPROVED BY THE LANDOWNER.

COVER, CONTAINMENT, AND PROTECTION FROM VANDALISM SHALL BE PROVIDED FOR ALL CHEMICALS, LIQUID PRODUCTS AND NON-INERT WASTES PRESENT ON THE SITE.

MAINTENANCE AND REPAIR OF HEAVY EQUIPMENT AND VEHICLES INVOLVING OIL CHANGES, HYDRAULIC SYSTEM DRAIN DOWN, SOLVENT AND DE-GREASING CLEANING OPERATIONS, FUEL TANK DRAIN DOWN AND REMOVAL, AND OTHER ACTIVITIES WHICH MAY RESULT IN DISCHARGE OR SPILLAGE OF POLLUTANTS TO THE GROUND OR INTO THE SURFACE WATER RUNOFF MUST BE CONDUCTED USING SPILL PREVENTION MEASURES, SUCH AS DRIP PANS. CONTAMINATED SURFACES SHALL BE CLEANED IMMEDIATELY FOLLOWING ANY DISCHARGE OR SPILL INCIDENT. PLACE PLASTIC BENEATH THE EQUIPMENT WHEN EMERGENCY REPAIRS ARE TO BE PERFORMED ON-SITE. IF RAINING, PLACE PLASTIC OVER THE VEHICLE.

**GENERAL NOTES REGARDING RECLAMATION:**

THE GENERAL CONTRACTOR SHALL NOTIFY ALL UTILITY COMPANIES INVOLVED IN THE SITE NO MORE THAN TEN DAYS AND NO LESS THAN THREE DAYS IN ADVANCE OF EXCAVATION EXCLUDING SATURDAY, SUNDAY, AND FEDERAL OR STATE HOLIDAYS. CONTACT MISS UTILITY OF WEST VIRGINIA AT 1-800-245-4848.

TRAFFIC SHALL BE MAINTAINED ON ALL ADJOINING STREETS AND DRIVES AT ALL TIMES IN ACCORDANCE WITH WV DOT'S REQUIREMENTS.

DISTURBED AREAS CREATED DUE TO WELL PLUG REMOVAL, SHALL BE RECLAIMED, MULCHED AND SEEDED, TO REDUCE EROSION AND SEDIMENTATION.

API NUMBERS: API IDENTIFICATION NUMBERS SHALL BE DISPLAYED AT THE WELL, IN ACCORDANCE WITH STATE REQUIREMENTS.

LANDOWNERS SHALL BE GIVEN ADEQUATE NOTICE THAT CERTAIN SPECIFIED ACTIVITIES WILL BE OCCURRING ON THEIR PROPERTY.

**PERMANENT STABILIZATION:**

SPECIES: KENTUCKY BLUEGRASS / REDTOP / BIRDSFOOT TREFOL  
 % PURE LIVE SEED: 99%  
 APPLICATION RATE: 20 LBS/ACRE, 3 LBS/ACRE, AND 10 LBS/ACRE, RESPECTIVELY  
 FERTILIZER TYPE: COMMERCIAL FERTILIZER 10-20-20  
 FERTILIZER APPL. RATE: COMMERCIAL - 1000 LBS/ACRE  
 LIMING RATE: 3 TONS/ACRE  
 MULCH TYPE: HAY & STRAW  
 MULCHING RATE: 3 TONS/ACRE  
 ANCHOR MATERIAL: RECYCLED CELLULOSE FIBER/WOOD FIBER MIXTURE  
 ANCHORING METHOD: HYDRAULIC SEEDING EQUIPMENT  
 RATE OF ANCHOR: 310 LBS/1000 SQ. YD.  
 MATERIAL APPLICATION: YEAR ROUND  
 SEEDING SEASON DATES: YEAR ROUND

**TEMPORARY STABILIZATION:**

SPECIES: ANNUAL RYEGRASS  
 % PURE LIVE SEED: 95%  
 APPLICATION RATE: 40 LBS/ACRE  
 FERTILIZER TYPE: COMMERCIAL FERTILIZER 10-10-10  
 FERTILIZER APPL. RATE: COMMERCIAL - 1060 LBS/ACRE  
 LIMING RATE: 3 TONS/ACRE  
 MULCH TYPE: HAY & STRAW  
 MULCHING RATE: 3 TONS/ACRE

**ESTIMATED QUANTITIES**

	UNITS	ESTIM. QUANTITY	BID QUANTITY	UNIT PRICE	TOTAL COST
<b>EROSION &amp; SEDIMENT CONTROL</b>					
STONE CONSTRUCTION ENTRANCE	SF	356			
12" COMPOST FILTER SOCK	LF	251			
PERMANENT SEEDING	SY	3596			
TIMBER MAT BRIDGE	EA	6*			

\* SEE PLAN DRAWING FOR TIMBER MAT DIMENSIONS



PREPARED FOR:

**XTO ENERGY**

810 HOUSTON STREET  
FORT WORTH, TX 76102

**TRI-COUNTY ENGINEERING, LLC**  
 An ENERCON Company  
 319 Paintersville Road  
 Hanover, PA 17033  
 www.tricountyeng.com  
 Voice: (724) 635-0210 Fax: (724) 635-0676

**SEDIMENT CONTROL PLAN NARRATIVE**

**EVANS D0404 WELL PLUG**


WARREN DISTRICT, LIPSHUR COUNTY, WV

DATE: 5/29/2015 SHEET: 2 OF 3 FILE NO: 0651-14

SCALE: AS NOTED


Excellence-Every project. Every day.

**BAILEY OR TIMBER MAT BRIDGE FOR STREAM CROSSING**




- NOTE**
1. REMOVE DIRT FROM BRIDGE DECK AND PLACE IN SPILL CONTAINMENT AREA.
  2. ALLOWS FOR MINIMAL WETLAND IMPACT DURING CONSTRUCTION AND QUICK RESTORATION TO PRE-CONSTRUCTION CONDITIONS.
  3. USE WETLAND MATS FROM PALMERTON GROUP, MASEY INC., OR APPROVED EQUIVALENT.

**BAILEY OR TIMBER MAT BRIDGE FOR WETLAND CROSSING**



- NOTE**
1. REMOVE DIRT FROM BRIDGE DECK AND PLACE IN SPILL CONTAINMENT AREA.
  2. BRIDGES SHOULD BE SECURELY ANCHORED AT ONLY ONE END USING STEEL CABLE OR CHAIN. ANCHORING AT ONLY ONE END WILL PREVENT CHANNEL OBSTRUCTION IN THE EVENT THAT FLOODWATERS FLOOD THE BRIDGE. ACCEPTABLE ANCHORS ARE LARGE TREES, LARGE BOULDERS, OR DRYWELL STEEL ANCHORS. ANCHORS SHALL BE SUFFICIENT TO PREVENT THE BRIDGE FROM FLOATING DOWNSTREAM AND POSSIBLY CAUSING AN OBSTRUCTION TO THE FLOW.
  3. ALLOWS FOR MINIMAL WETLAND IMPACT DURING CONSTRUCTION AND QUICK RESTORATION TO PRE-CONSTRUCTION CONDITIONS.
  4. USE WETLAND MATS FROM PALMERTON GROUP, MASEY INC., OR APPROVED EQUIVALENT.

**STABILIZED CONSTRUCTION ENTRANCE**




- INSTALLATION**
1. USE 2-4 INCH STONE FOR LOW VOLUME ENTRANCES. LARGER STONE (4-8 INCH) FOR HEAVY USE OR MATERIAL DELIVERY ENTRANCES.
  2. LENGTH IS AS REQUIRED, BUT NOT LESS THAN 70 FEET (EXCEPT ON A SINGLE RESIDENCE LOT WHERE A 50-FOOT MINIMUM LENGTH WOULD APPLY).
  3. THICKNESS SHOULD BE NOT LESS THAN 6 INCHES.
  4. THE WIDTH SHALL BE A MINIMUM OF 10 FEET, BUT NOT LESS THAN THE FULL WIDTH AT POINTS WHERE OBSTRUCTION OCCURS.
  5. GEOTEXTILE FABRIC SHALL BE PLACED OVER THE ENTIRE AREA PRIOR TO THE PLACING OF STONE.
  6. ALL SURFACE WATER FLOWING OR DIRECTED TOWARD CONSTRUCTION ENTRANCES SHALL BE PIPED ACROSS THE ENTRANCE IF A CULVERT IS IMPRACTICAL. A MOUNTABLE BERM WITH 5% SLOPES SHALL BE SET.
  7. IF NECESSARY, TRAFFIC WATER RUNNING DOWN ACCESS ROADS TO A DITCH WITH A COMPOST FILTER SOCK SETBACK HAWKER LOCATED ON EITHER SIDE OF THE STABILIZED CONSTRUCTION ENTRANCE.

- MAINTENANCE**
1. THE ENTRANCE SHALL BE MAINTAINED IN A CONDITION THAT WILL PREVENT TRACKING OF FLODDING OR SEDIMENT ONTO PUBLIC RIGHTS-OF-WAY THAT MAY REQUIRE PERIODIC TOP DRESSING WITH ADDITIONAL STONE AS CONDITIONS DEMAND AND REPAIR AND/OR CLEARANCE OF ANY OBSTACLES USED TO TRAP SEDIMENT. ALL SEDIMENT SPILLED, SHIPPED, BASKED OR TRACKED ONTO PUBLIC RIGHTS-OF-WAY MUST BE REMOVED IMMEDIATELY.
  2. WHEELS ON ALL VEHICLES SHALL BE CLEANED TO REMOVE SEDIMENT PRIOR TO ENTRANCE ONTO PUBLIC RIGHTS-OF-WAY. WASHING IS REQUIRED. IT SHALL BE DONE ON AN AREA STABILIZED WITH STONE AND WHICH DRAINS INTO APPROVED SEDIMENT TRAPPING DEVICE. IF THE "STREET" IS BASKED PRECAUTIONS MUST BE TAKEN TO PREVENT MUDDY WATER FROM PULSING INTO WATERTREATS OR STORM DRENCHERS.
  3. INSPECTION AND NEEDED MAINTENANCE SHOULD BE PROVIDED DAILY BUT AT A MINIMUM EVERY SEVEN DAYS AND AFTER EVERY RAIN OF 0.5 INCH OR GREATER.

**REVISIONS**


NO.	DESCRIPTION	DATE	BY
1	-	-	-

### GRAVEL ROAD RESTORATION




- NOTES**
1. PRIOR TO STONE PLACEMENT, REGRADE EXISTING ROADWAY INTO "CROWNED" OR "SLOPE TO DITCH" CONFIGURATION TO MATCH EXISTING CONDITIONS. REMOVE, REFILL, AND COMPACT SOFT SPOTS PRIOR TO STONE PLACEMENT. ALL CUT/FILL SLOPES SHALL BE NO GREATER THAN 2:1 V.
  2. PLACE SAME SIZE STONE AS PRE-CONSTRUCTION CONDITIONS OR AS AGREED UPON WITH THE OWNER OF THE ROAD.

### ACCESS ROAD/LOW VOLUME DRIVEWAY



- INSTALLATION**
1. ROADWAY SURFACE MAY BE SLOPED TO EITHER SIDE AS TOPOGRAPHY AND CONDITIONS WARRANT.
  2. INSTALL WATER DEFLECTOR AS PER DETAIL ON THIS PLAN FOR POSITIVE DRAINAGE TO TURNOUT SUMP.
  3. CONSTRUCT SUMPS TO HAVE A BOTTOM DIMENSION OF 3"x4" WITH A 2 FOOT DEPTH.
  4. PLACE COARSE AGGREGATE IN SUMP OR VEGETATE.
- MAINTENANCE**
1. ACCUMULATED SEDIMENT SHALL BE REMOVED WHEN IT REACHES 1/2 THE HEIGHT OF THE SUMP.
  2. INSPECT AT A MINIMUM ONCE EVERY SEVEN CALENDAR DAYS AND WITHIN 24 HOURS AFTER ANY STORM EVENT GREATER THAN 0.5 INCHES OF RAIN PER 24 HOUR PERIOD.

### COMPOST FILTER SOCK (SEDIMENT BARRIER)



- INSTALLATION**
1. COMPOST FILTER SOCK SHALL BE PLACED AT EXISTING LEVEL GRADE. BOTH ENDS OF THE SOCK SHALL BE EXTENDED AT LEAST 8 FEET UP SLOPE AT 45 DEGREES TO THE MAIN SOCK ALIGNMENT.
  2. TRAFFIC SHALL NOT BE PERMITTED TO CROSS FILTER SOCKS.

- MAINTENANCE**
1. ACCUMULATED SEDIMENT SHALL BE REMOVED WHEN IT REACHES 1/2 THE ABOVE GROUND HEIGHT OF THE SOCK AND DISPOSED OF BY SPREADING ON SPLAND AREAS IN THE ROW OR IN A SPECIAL CONTAINMENT AREA.
  2. SOCKS SHALL BE INSPECTED WEEKLY AND AFTER EACH RUNOFF EVENT. DAMAGED SOCKS SHALL BE REPAIRED ACCORDING TO MANUFACTURER'S SPECIFICATIONS OR REPLACED WITHIN 24 HOURS OF INSPECTION.
  3. BIODEGRADABLE FILTER SOCK SHALL BE REPLACED AFTER 6 MONTHS, PHOTODEGRADABLE SOCKS AFTER 1 YEAR. POLYPROPYLENE SOCKS SHALL BE REPLACED ACCORDING TO MANUFACTURER'S RECOMMENDATIONS.
  4. UPON STABILIZATION OF THE AREA TRIBUTARY TO THE SOCK, STAKES SHALL BE REMOVED. THE SOCK MAY BE LEFT IN PLACE AND VEGETATED OR REMOVED. IN THE LATTER CASE, THE MESH SHALL BE CUT OPEN AND THE MULCH SPREAD AS A SOIL SUPPLEMENT.

- MATERIALS**
1. IN LIEU OF 30" REINFORCED SILT FENCE, USE A MINIMUM 18-INCH DIAMETER COMPOST FILTER SOCK.
  2. AT THE END OF ROW DIVERSIONS USE AN 18-INCH DIAMETER COMPOST FILTER SOCK (SEDIMENT BARRIER).
  3. IN LIEU OF SUPER SILT FENCE, USE A MINIMUM 24-INCH DIAMETER COMPOST FILTER SOCK.
  4. COMPOST SOCK FABRIC MINIMUM SPECIFICATIONS CAN BE EQUAL OR GREATER THAN STATED BELOW.

MATERIAL TYPE	3 mil HDPE	5 mil HDPE
MATERIAL CHARACTERISTICS	PHOTODEGRADABLE	PHOTODEGRADABLE
SOCK DIAMETERS	18"	24"
MESH OPENINGS	3/8"	3/8"
TENSILE STRENGTH	-----	25 ps
ULTRAVIOLET STABILITY % ORIGINAL STRENGTH (ASTM D-155)	± AT 1000 HR	25% AT 1000 HR
MINIMUM FUNCTIONAL LONGEVITY	6 MONTHS	9 MONTHS

5. COMPOST SHALL MEET THE FOLLOWING STANDARDS

ORGANIC MATTER CONTENT	80%-100% (DRY WEIGHT BASIS)
ORGANIC PORTION	FIBROUS AND ELONGATED
pH	5.5-8.0
MOISTURE CONTENT	35%-55%
PARTICLE SIZE	98% PASS THROUGH 1" SCREEN
SOLUBLE SALT CONCENTRATION	5.0 gS MAXIMUM



PREPARED FOR:

**XTO ENERGY**

810 HOUSTON STREET  
FORT WORTH, TX 76102

TRI-COUNTY ENGINEERING, LLC  
An ENERCON Company  
319 Paintersville Road  
Harrisburg, PA 17639  
www.tri-countyeng.com  
Voice: (724) 635-0210 Fax: (724) 635-0678



SEDIMENT CONTROL PLAN DETAILS	
EVANS D0404 WELL PLUG	
DRAWN BY: ZJC	WARREN DISTRICT, LIPSHUR COUNTY, WV
DATE: 5/29/2015	SHEET FILE NO.
SCALE: AS NOTED	3 OF 3 0061-14

6/15/2015