west virginia department of environmental protection

Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304
(304) 926-0450
(304) 926-0452 fax

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

August 31, 2015

FINAL INSPECTION REPORT

New Well Permit Cancelled

MAVERICK ENERGY GROUP, LTD,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-3305134, issued to MAVERICK ENERGY GROUP, LTD, and listed below has been received in this office. The permit has been cancelled as of 8/25/2015.

James Martin
Chief

Operator: MAVERICK ENERGY GROUP, LTD
Operator's Well No: MCCLAIN 1
Farm Name: MCCLAIN, LARRY E.
API Well Number: 47-3305134
Date Issued: 08/14/2008

Date Cancelled: 08/25/2015

Promoting a healthy environment.

-26 Rev 08 INSPECTORS PERMIT SUMMARY FORM

PAGE 1 GPS YES ◯ NO ⊗

TE STARTED/LOCATION:		API #:	47-33-5134	WELL NO.	McClain 1
LING COMMENCED:		OPERATOR:	Maverick Energy Group LLC		
ATE:		DEPTH:		FARM:	McClain, Larry E
TER DEPTHS		COAL DEPTHS			

ESTIONS FOR THIS REPORT ARE IN ACCORDANCE OF WV CODE 22-6-30
ND REGULATIONS 35CSR 4-12.1 AND 35CSR 4-16 AND THE GENERAL WATER POLLUTION CONTROL PERMIT

OINTS ARE TO BE GIVEN UP TO MAXIMUM AS SHOWN BASED ON PERFORMANCE.

DID OPERATOR GIVE PROPER NOTICE TO INSPECTOR BEFORE THE FOLLOWING:
CONSTRUCTION YES ◯ NO ◯ (2 PTS) B. DRILLING YES ◯ NO ◯ (2 PTS) **(4 PTS)**_____

WAS THE TIMBER CUT, STACKED, AND BRUSH USED FOR SEDIMENT BARRIERS BEFORE DIRT WORK STARTED? YES ◯ NO ◯ (4 PTS) **(4 PTS)** _____

ARE ALL LOCATION AND/OR ROAD BANKS BEING SLOPED? YES ◯ NO ◯ (4 PTS) **(4 PTS)** _____

ONSTRUCTION:
E THE FOLLOWING SEDIMENT CONTROL STRUCTURES PROPERLY INSTALLED/MAINTAINED?

D DITCHES 1☐ 2☐ 3☐ 4☐ (PTS) B. CROSS DRAINS 1☐ 2☐ 3☐ 4☐ 5☐ (PTS)
VERTS 1☐ 2☐ 3☐ 4☐ 5☐ (PTS) D. CREEK CROSSINGS 1☐ 2☐ 3☐ (PTS)
DIVERSION DITCHES 1☐ 2☐ 3☐ (PTS) F. BARRIERS 1☐ 2☐ 3☐ (PTS)
TEMPORARY SEEDING YES ◯ NO ◯ (10 PTS) **POINTS AVAILABLE FOR QUESTION 4:** **(33 PTS)**_____

HAS TOP SOIL (IF ANY) BEEN STOCKED PILED? YES ◯ NO ◯ (2 PTS) **(2 PTS)** _____

IS THE PIT PROPERLY INSTALLED AND MAINTAINED? YES ◯ NO ◯ (9 PTS) **(9 PTS)** _____

RECLAMATION:
ROADWAY 1☐ 2☐ 3☐ (PTS) B. LOCATION 1☐ 2☐ 3☐ (PTS)
PITS 1☐ 2☐ 3☐ (PTS) D. PIPELINES 1☐ 2☐ 3☐ (PTS)
ANK DIKES 1☐ 2☐ 3☐ (PTS) F. API INSTALLED YES ◯ NO ◯ (3 PTS)
EQUATE SEEDING MATERIALS 1☐ 2☐ 3☐ (PTS)
S SEED BED ADEQUATE 1☐ 2☐ 3☐ (PTS) **POINTS AVAILABLE FOR QUESTION 7:** **(24 PTS)**_____

AS RECLAMATION COMPLETED WITHIN:
6 MTHS OF TD ____6 PTS ONLY; 4 MTHS OF TD ____12 PTS ONLY; 2 MTHS OF TD ____19 PTS ONLY.
MAXIMUM POINTS AVAILABLE FOR QUESTION 8: **(19 PTS)**_____

TOTAL MAXIMUM POSSIBLE SCORE OF 99.

TOTAL RECLAMATION SCORE: _____

SPECTIONS: Cancel

Received
AUG 31 2015

/25/2015 [signature] D Warratt
E RELEASED INSPECTOR

Office of Oil and Gas
WV Dept. of Environmental Protection

west virginia department of environmental protection

Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304
(304) 926-0450
(304) 926-0452 fax

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

August 31, 2015

FINAL INSPECTION REPORT

New Well Permit Cancelled

HALL DRILLING, LLC,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-3305205, issued to HALL DRILLING, LLC, and listed below has been received in this office. The permit has been cancelled as of 8/25/2015.

James Martin
Chief

Operator: HALL DRILLING, LLC
Operator's Well No: MARY POST 1
Farm Name: POST, MARY
API Well Number: 47-3305205
Date Issued: 05/29/2009

Date Cancelled: 08/25/2015

Promoting a healthy environment.

IR-26 Rev 08

INSPECTORS PERMIT SUMMARY FORM

PAGE 1

GPS YES ( ) NO (X)

DATE STARTED/LOCATION: API #: 47-33-5205 WELL NO. Mary Post 1

DRILLING COMMENCED: OPERATOR: Hall Drilling, LLC

TD DATE: DEPTH: FARM: Post, Mary

WATER DEPTHS COAL DEPTHS

QUESTIONS FOR THIS REPORT ARE IN ACCORDANCE OF WV CODE 22-6-30 AND REGULATIONS 35CSR 4-12.1 AND 35CSR 4-16 AND THE GENERAL WATER POLLUTION CONTROL PERMIT

POINTS ARE TO BE GIVEN UP TO MAXIMUM AS SHOWN BASED ON PERFORMANCE.

1. DID OPERATOR GIVE PROPER NOTICE TO INSPECTOR BEFORE THE FOLLOWING:
A. CONSTRUCTION YES ( ) NO ( ) (2 PTS) B. DRILLING YES ( ) NO ( ) (2 PTS) **(4 PTS)**_____

2. WAS THE TIMBER CUT, STACKED, AND BRUSH USED FOR SEDIMENT BARRIERS BEFORE DIRT WORK STARTED? YES ( ) NO ( ) (4 PTS) **(4 PTS)** _____

3. ARE ALL LOCATION AND/OR ROAD BANKS BEING SLOPED? YES ( ) NO ( ) (4 PTS) **(4 PTS)** _____

4. CONSTRUCTION:
WERE THE FOLLOWING SEDIMENT CONTROL STRUCTURES PROPERLY INSTALLED/MAINTAINED?
A. ROAD DITCHES 1 2 3 4 (PTS) B. CROSS DRAINS 1 2 3 4 5 (PTS)
C. CULVERTS 1 2 3 4 5 (PTS) D. CREEK CROSSINGS 1 2 3 (PTS)
E. DIVERSION DITCHES 1 2 3 (PTS) F. BARRIERS 1 2 3 (PTS)
G. TEMPORARY SEEDING YES ( ) NO ( ) (10 PTS) **POINTS AVAILABLE FOR QUESTION 4:** **(33 PTS)**_____

5. HAS TOP SOIL (IF ANY) BEEN STOCKED PILED? YES ( ) NO ( ) (2 PTS) **(2 PTS)** _____

6. IS THE PIT PROPERLY INSTALLED AND MAINTAINED? YES ( ) NO ( ) (9 PTS) **(9 PTS)** _____

7. RECLAMATION:
A. ROADWAY 1 2 3 (PTS) B. LOCATION 1 2 3 (PTS)
C. PITS 1 2 3 (PTS) D. PIPELINES 1 2 3 (PTS)
E. TANK DIKES 1 2 3 (PTS) F. API INSTALLED YES ( ) NO ( ) (3 PTS)
G. ADEQUATE SEEDING MATERIALS 1 2 3 (PTS)
H. WAS SEED BED ADEQUATE 1 2 3 (PTS) **POINTS AVAILABLE FOR QUESTION 7:** **(24 PTS)**_____

8. WAS RECLAMATION COMPLETED WITHIN:
6 MTHS OF TD ____6 PTS ONLY; 4 MTHS OF TD ____12 PTS ONLY; 2 MTHS OF TD ____19 PTS ONLY.
MAXIMUM POINTS AVAILABLE FOR QUESTION 8: **(19 PTS)**_____

TOTAL MAXIMUM POSSIBLE SCORE OF 99.

TOTAL RECLAMATION SCORE: _____

INSPECTIONS: Cancel Not Drilled

Received
AUG 31 2015

2/25/2015
DATE RELEASED

INSPECTOR

Office of Oil and Gas
WV Dept. of Environmental Protection

west virginia department of environmental protection

Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304
(304) 926-0450
(304) 926-0452 fax

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

August 31, 2015

FINAL INSPECTION REPORT

New Well Permit Cancelled

MAVERICK ENERGY GROUP, LTD,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-3305246, issued to MAVERICK ENERGY GROUP, LTD, and listed below has been received in this office. The permit has been cancelled as of 8/25/2015.

James Martin
Chief

Operator: MAVERICK ENERGY GROUP, LTD
Operator's Well No: JOHNSON #1
Farm Name: ROSSCO, LLC
API Well Number: 47-3305246
Date Issued: 06/09/2009

Date Cancelled: 08/25/2015

Promoting a healthy environment.

Rev 08

INSPECTORS PERMIT SUMMARY FORM

PAGE 1

GPS YES ( ) NO (X)

ATE STARTED/LOCATION: API #: 47-33-5246 WELL NO. Johnson 1

RILLING COMMENCED: OPERATOR: Maverick Energy Group LLC

D DATE: DEPTH: FARM: ROSSCO, LLC

ATER DEPTHS COAL DEPTHS

UESTIONS FOR THIS REPORT ARE IN ACCORDANCE OF WV CODE 22-6-30
ND REGULATIONS 35CSR 4-12.1 AND 35CSR 4-16 AND THE GENERAL WATER POLLUTION CONTROL PERMIT

OINTS ARE TO BE GIVEN UP TO MAXIMUM AS SHOWN BASED ON PERFORMANCE.

D OPERATOR GIVE PROPER NOTICE TO INSPECTOR BEFORE THE FOLLOWING:
ONSTRUCTION YES ( ) NO ( ) (2 PTS) B. DRILLING YES ( ) NO ( ) (2 PTS) **(4 PTS)**_____

S THE TIMBER CUT, STACKED, AND BRUSH USED FOR SEDIMENT BARRIERS BEFORE
T WORK STARTED? YES ( ) NO ( ) (4 PTS) **(4 PTS)** _____

ARE ALL LOCATION AND/OR ROAD BANKS BEING SLOPED? YES ( ) NO ( ) (4 PTS) **(4 PTS)** _____

CONSTRUCTION:
ERE THE FOLLOWING SEDIMENT CONTROL STRUCTURES PROPERLY INSTALLED/MAINTAINED?

ROAD DITCHES 1 2 3 4 (PTS) B. CROSS DRAINS 1 2 3 4 5 (PTS)
CULVERTS 1 2 3 4 5 (PTS) D. CREEK CROSSINGS 1 2 3 (PTS)
DIVERSION DITCHES 1 2 3 (PTS) F. BARRIERS 1 2 3 (PTS)
TEMPORARY SEEDING YES ( ) NO ( ) (10 PTS) **POINTS AVAILABLE FOR QUESTION 4:** **(33 PTS)**_____

AS TOP SOIL (IF ANY) BEEN STOCKED PILED? YES ( ) NO ( ) (2 PTS) **(2 PTS)** _____

HE PIT PROPERLY INSTALLED AND MAINTAINED? YES ( ) NO ( ) (9 PTS) **(9 PTS)** _____

MATION:

DWAY 1 2 3 (PTS) B. LOCATION 1 2 3 (PTS)
PITS 1 2 3 (PTS) D. PIPELINES 1 2 3 (PTS)
TANK DIKES 1 2 3 (PTS) F. API INSTALLED YES ( ) NO ( ) (3 PTS)
ADEQUATE SEEDING MATERIALS 1 2 3 (PTS)
WAS SEED BED ADEQUATE 1 2 3 (PTS) **POINTS AVAILABLE FOR QUESTION 7:** **(24 PTS)**_____

WAS RECLAMATION COMPLETED WITHIN:
6 MTHS OF TD ____6 PTS ONLY; 4 MTHS OF TD ____12 PTS ONLY; 2 MTHS OF TD ____19 PTS ONLY.

MAXIMUM POINTS AVAILABLE FOR QUESTION 8: **(19 PTS)**_____

TOTAL MAXIMUM POSSIBLE SCORE OF 99.

TOTAL RECLAMATION SCORE: _____

CTIONS:

Cancel

Received

AUG 31 2015

8/25/2015
DATE RELEASED

INSPECTOR

Office of Oil and Gas
WV Dept. of Environmental Protection

west virginia department of environmental protection

Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304
(304) 926-0450
(304) 926-0452 fax

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

August 31, 2015

FINAL INSPECTION REPORT

Plugging Permit Cancelled

JAY-BEE OIL & GAS,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-8507621, issued to JAY-BEE OIL & GAS, and listed below has been received in this office. The permit has been cancelled as of 7/29/2015.

James Martin
Chief

Operator: JAY-BEE OIL & GAS
Operator's Well No: FLANAGAN 3
Farm Name: FLANAGAN, ZIMRI
API Well Number: 47-8507621
Date Issued: 02/27/2014

Date Cancelled: 07/29/2015

Promoting a healthy environment.

IR - 8
(REV 4 - 99)

API No. 47-8507621

WELL PLUGGING INSPECTION & RELEASE FORM

PLUGGING COMMENCED _____ OPERATOR: JAY-BEE OIL & GAS

PLUGGING COMPLETED _____ FARM: FLANAGAN, ZIMRI

VERBAL PERMISSION ON _____ WELL No: FLANAGAN 3

1. IS COAL BEING MINED IN THE AREA?
2. WERE CEMENT AND GEL MIXED AND USED IN ACCORDANCE WITH ACCEPTED INDUSTRY STANDARDS?

A.	BOTTOM HOLE PLUGGED	YES	NO	N/A
B.	100 ' PLUGS	YES	NO	N/A
C.	LATEX PLUGS USED FOR H2S GAS	YES	NO	N/A
D.	PROPER PLUGS THROUGH COAL SEAMS	YES	NO	N/A
E.	PROPER PLUGS SET TO PROTECT FRESHWATER	YES	NO	N/A
F.	PROPER AMOUNT OF GEL USED TO DISPLACE PLUGS	YES	NO	N/A

TYPE	FROM	TO	PIPE REMOVED

Active
CANCEL

3. WERE ALL CHANGES APPROVED BY INSPECTOR? YES NO
4. WAS THE EQUIPMENT USED FOR PULLING CASTING PROPERLY SIZED AND RIGGED TO PULL 150% OF THE HEAVIEST STRING OF PIPE EXPECTED TO BE PULLED? YES NO
5. DID THE OPERATOR GIVE THE INSPECTOR PROPER NOTICE? YES NO
6. WERE ACCURATE PLUGGING RECORDS KEPT BY THE OPERATOR? YES NO
7. WAS A PROPER MONUMENT SET WITH API NUMBER ATTACHED? YES NO
8. DID WELL SITE AND ACCESS ROAD MEET THE FOLLOWING RECLAMATION REQUIREMENTS?

A. RECLAIMED	YES	NO	B. FENCES REPLACED	YES	NO
C. MULCHED	YES	NO	D. PROPER DRAINAGE	YES	NO
E. SEEDED	YES	NO	F. ALL EQUIPMENT REMOVED	YES	NO
G. PIT BACKFILLED	YES	NO			

11-29-15
DATE RELEASED

INSPECTOR'S SIGNATURE

RECORD ALL VISITS TO THIS WELL ON PAGE 2

IR - 8
PAGE 2

API No. 47- 8507621

DATE	VISITS

west virginia department of environmental protection

Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304
(304) 926-0450
(304) 926-0452 fax

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

August 31, 2015

FINAL INSPECTION REPORT

Plugging Permit Cancelled

JAY-BEE OIL & GAS,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-8507624, issued to JAY-BEE OIL & GAS, and listed below has been received in this office. The permit has been cancelled as of 7/29/2015.

James Martin
Chief

Operator: JAY-BEE OIL & GAS
Operator's Well No: FLANAGAN 10
Farm Name: WHITE, JAMES JR. & BROWN, N
API Well Number: 47-8507624
Date Issued: 04/08/2014

Date Cancelled: 07/29/2015

Promoting a healthy environment.

IR - 8
(REV 4 - 99)

API No. 47-8507624

WELL PLUGGING INSPECTION & RELEASE FORM

PLUGGING COMMENCED _____ OPERATOR: JAY-BEE OIL & GAS

PLUGGING COMPLETED _____ FARM: WHITE, JAMES JR. & BROWN, NEIL

VERBAL PERMISSION ON _____ WELL No: FLANAGAN 10

1. IS COAL BEING MINED IN THE AREA?
2. WERE CEMENT AND GEL MIXED AND USED IN ACCORDANCE WITH ACCEPTED INDUSTRY STANDARDS?

A.	BOTTOM HOLE PLUGGED	YES	NO	N/A
B.	100 ' PLUGS	YES	NO	N/A
C.	LATEX PLUGS USED FOR H2S GAS	YES	NO	N/A
D.	PROPER PLUGS THROUGH COAL SEAMS	YES	NO	N/A
E.	PROPER PLUGS SET TO PROTECT FRESHWATER	YES	NO	N/A
F.	PROPER AMOUNT OF GEL USED TO DISPLACE PLUGS	YES	NO	N/A

TYPE	FROM	TO	PIPE REMOVED
	~~Active~~		
	CANCEL		

3. WERE ALL CHANGES APPROVED BY INSPECTOR? YES NO
4. WAS THE EQUIPMENT USED FOR PULLING CASTING PROPERLY SIZED AND RIGGED TO PULL 150% OF THE HEAVIEST STRING OF PIPE EXPECTED TO BE PULLED? YES NO
5. DID THE OPERATOR GIVE THE INSPECTOR PROPER NOTICE? YES NO
6. WERE ACCURATE PLUGGING RECORDS KEPT BY THE OPERATOR? YES NO
7. WAS A PROPER MONUMENT SET WITH API NUMBER ATTACHED? YES NO
8. DID WELL SITE AND ACCESS ROAD MEET THE FOLLOWING RECLAMATION REQUIREMENTS?

A. RECLAIMED	YES	NO	B. FENCES REPLACED	YES	NO
C. MULCHED	YES	NO	D. PROPER DRAINAGE	YES	NO
E. SEEDED	YES	NO	F. ALL EQUIPMENT REMOVED	YES	NO
G. PIT BACKFILLED	YES	NO			

7-29-10
DATE RELEASED

INSPECTOR'S SIGNATURE

RECORD ALL VISITS TO THIS WELL ON PAGE 2

API No. 47- 8507624

DATE	VISITS

west virginia department of environmental protection

Office of Oil and Gas
601 57th Street SE
Charleston, WV 25304
(304) 926-0450
(304) 926-0452 fax

Earl Ray Tomblin, Governor
Randy C. Huffman, Cabinet Secretary
www.dep.wv.gov

August 31, 2015

FINAL INSPECTION REPORT

Plugging Permit Cancelled

JAY-BEE OIL & GAS,

The FINAL INSPECTION REPORT for the CANCELLED permit, API Well Number: 47-8507625, issued to JAY-BEE OIL & GAS, and listed below has been received in this office. The permit has been cancelled as of 7/29/2015.

James Martin
Chief

Operator: JAY-BEE OIL & GAS
Operator's Well No: FLANAGAN 18
Farm Name: WHITE, JAMES JR. & BROWN, N
API Well Number: 47-8507625
Date Issued: 02/27/2014

Date Cancelled: 07/29/2015

IR - 8
(REV 4 - 99)

API No. 47-8507625

WELL PLUGGING INSPECTION & RELEASE FORM

PLUGGING COMMENCED _____ OPERATOR: JAY-BEE OIL & GAS

PLUGGING COMPLETED _____ FARM: WHITE, JAMES JR. & BROWN, NEIL

VERBAL PERMISSION ON _____ WELL No: FLANAGAN 18

1. IS COAL BEING MINED IN THE AREA?
2. WERE CEMENT AND GEL MIXED AND USED IN ACCORDANCE WITH ACCEPTED INDUSTRY STANDARDS?

A. BOTTOM HOLE PLUGGED	YES	NO	N/A
B. 100 ' PLUGS	YES	NO	N/A
C. LATEX PLUGS USED FOR H2S GAS	YES	NO	N/A
D. PROPER PLUGS THROUGH COAL SEAMS	YES	NO	N/A
E. PROPER PLUGS SET TO PROTECT FRESHWATER	YES	NO	N/A
F. PROPER AMOUNT OF GEL USED TO DISPLACE PLUGS	YES	NO	N/A

TYPE	FROM	TO	PIPE REMOVED

ACTIVE
CANCEL

3. WERE ALL CHANGES APPROVED BY INSPECTOR? YES NO
4. WAS THE EQUIPMENT USED FOR PULLING CASTING PROPERLY SIZED AND RIGGED TO PULL 150% OF THE HEAVIEST STRING OF PIPE EXPECTED TO BE PULLED? YES NO
5. DID THE OPERATOR GIVE THE INSPECTOR PROPER NOTICE? YES NO
6. WERE ACCURATE PLUGGING RECORDS KEPT BY THE OPERATOR? YES NO
7. WAS A PROPER MONUMENT SET WITH API NUMBER ATTACHED? YES NO
8. DID WELL SITE AND ACCESS ROAD MEET THE FOLLOWING RECLAMATION REQUIREMENTS?

A. RECLAIMED	YES	NO	B. FENCES REPLACED	YES	NO
C. MULCHED	YES	NO	D. PROPER DRAINAGE	YES	NO
E. SEEDED	YES	NO	F. ALL EQUIPMENT REMOVED	YES	NO
G. PIT BACKFILLED	YES	NO			

7-29-15
DATE RELEASED

INSPECTOR'S SIGNATURE

RECORD ALL VISITS TO THIS WELL ON PAGE 2

IR - 8
PAGE 2

API No. 47- 8507625

DATE	VISITS