

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: POCAHONTAS LAND CORP. Operator Well No.: POCA LAND M-127

LOCATION: Elevation: 1963.03' Quadrangle: WELCH
District: BROWNS CREEK County: MCDOWELL
Latitude: 11,393 Feet South of 37 Deg. 27 Min. 30 Sec.
Longitude: 11,439 Feet West of 81 Deg. 30 Min. 00 Sec.

Well Type: OIL _____ GAS X

Company CABOT OIL & GAS CORPORATION Coal Operator POCAHONTAS LAND CORPORATION
FIVE PENN CENTER WEST, SUITE 401 or Owner P. O. BOX 1517
PITTSBURGH, PA 15276 BLUEFIELD, WV 24701
Agent BRIAN D. HALL Coal Operator WPP, LLC C/O NRP (OPERATING) LLC
or Owner P. O. BOX 2827
Permit Issued Date 10/18/2010 HUNTINGTON, WV 25727

RECEIVED
Office of Oil & Gas

AFFIDAVIT

OCT 7 2011

STATE OF WEST VIRGINIA,
County of MCDOWELL ss:

BUTCH GREEN and SHREVES WELL SERVICE being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22nd day of February, 2011, and the well was plugged and filled in the following manner:

WV Department of Environmental Protection


TYPE	FROM	TO	PIPE REMOVED	LEFT
13-3/8"	GL	363'	0	363'
9"	GL	883'	0	883'
7"	GL	1149'	0	1149'
4-1/2"	GL	4346'	0	4346'
Retrievable Bridge Plug	2545'	2545'		
4-1/2"			Shifted @ 820' - 825'	+- 20' OF 4" RISER ON WELL WITH VENT SLOTS IN TOP OF PIPE
	*** SEE	ATTACHED ***		

Vented/unable to plug
GCS

Description of monument: MONUMENT WITH WELL NAME, API NUMBER AND DATE OF PLUGGING
said well was completed on the 28th day of February, 2011.

And further deponents saith not.

Butch Green
BUTCH GREEN, CABOT OIL & GAS CORPORATION



Sworn and subscribe before me this 28th day of February, 2011

My commission expires: April 15, 2012

Kara Bragg
Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Steve Smith Title: Manager

STATE OF WEST VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: BRUCE B. CAMERON Operator Well No.: 809212 P-A

LOCATION: Elevation: 1,365' Quadrangle: CLENDENIN, WV 7.5
 District: BIG SANDY County: KANAWHA
 Latitude: GPS UTM N 522,957.05
 Longitude: GPS UTM E 1,908,709.79

Well Type: OIL _____ GAS

Company: CHESAPEAKE APPALACHIA, LLC Coal Operator BRUCE B. CAMERON
PO Box 18496 or Owner PO Box 3649
OKLAHOMA CITY, OK 73154-0496 WILMINGTON, NC 28406
 Agent: ERIC B. GILLESPIE Coal Operator _____
 or Owner _____

Permit Issued Date: 7-5-2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
 County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and TERRY URRAN Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 4TH day of AUGUST, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	2240'	2040'	1995' - 4 1/2" CASING	472' - 4 1/2" CASING
CEMENT	1985'	1785'		
CEMENT	1350'	1250'		
CEMENT	875'	775'	Bottom 8 3/8" @ 825'	
CEMENT	650'	550'	630' - 8 5/8" CASING	195' - 8 5/8" CASING
CEMENT	380'	280'		
CEMENT	150'	0'		
* 6% GEL BETWEEN ALL CEMENT PLUGS				


Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 17TH day of AUGUST, 2011.

And further deponents saith not. Richard Moore

Grover Butler

Sworn and subscribe before me this 13th day of September
 My commission expires: Feb 16, 2019

Notary Public [Signature]
 Oil and Gas Inspector: [Signature]
9/20/11



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: YOST, STEPHANIE F. + DEBORAH Operator Well No.: 800510 P+A

LOCATION: Elevation: 628' Quadrangle: CLENDENIN, WV 7.5'
District: BIG SANDY County: KANAWHA
Latitude: GPS UTM N 535,026.46
Longitude: GPS UTM E 1,895,134.40

Well Type: OIL _____ GAS

Company: CHESAPEAKE APPALACHIA, LLC Coal Operator or Owner: SEE ATTACHED
PO Box 18496
OKLAHOMA CITY, OK 73154-0496
Agent: ERIC B. GILLESPIE Coal Operator or Owner: _____

Permit Issued Date: 7-6-2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of HOANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 14TH day of JULY, 2011 and the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1660'	1450'	1736' of 2 3/8" + PACKER	0'
CEMENT	1450'	1260'	1373' OF 5 7/16" CASING	0'
CEMENT	700'	600'	400' OF 6 5/8" CASING	931'
CEMENT	520'	350'		
CEMENT	250'	0'		
* 6% GEL	BETWEEN	ALL CEMENT	PLUGS	

Description of monument: 6 5/8" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 25TH day of JULY, 2011.

And further deponents saith not. Richard Moore
Grover Butler

Sworn and subscribe before me this 13th day of September, 2011

My commission expires: Feb 16, 2019
Notary Public [Signature]



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Erica J. Moore
PO Box 252
Spencer, WV 25276
My Commission Expires Feb. 16, 2019

Affidavit reviewed by the Office of Oil and Gas: [Signature]

COPY

RECEIVED
Office of Oil & Gas
OCT 5 2011
WV Department of Environmental Protection

STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: AMHERST INDUSTRIES, INC. Operator Well No.: 809252 P-4

LOCATION: Elevation: 1069' Quadrangle: QUICK, WV 7.5'
District: MALDEN County: KANAWHA
Latitude: GPS UTM N 474,396.51
Longitude: GPS UTM E 1,864,102.24

COPY

Well Type: OIL _____ GAS

Company: CHESAPEAKE APPALACHIA, L.L.C. Coal Operator COYOTE COAL, LLC
PO Box 18496 or Owner PO Box 1060
OKLAHOMA, CITY, OK 73154-0496 DANVILLE, WV 25053

Agent: ERICK B. GILLESPIE Coal Operator AMHERST INDUSTRIES, INC.
or Owner 2 PORT AMHERST DR.
CHARLESTON, WV 25306

Permit Issued Date: 6-15-2011

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn, according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 29th day of JUNE, 2011, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1666'	1366'	990' - 3 1/2" CASING	709' - 3/4"
CEMENT	1000'	850'		
CEMENT	675'	575'		
CEMENT	515'	315'		
CEMENT	200'	0'	160' - 8 5/8" CASING	191' - 8 5/8"
* 6% GEL BETWEEN ALL CEMENT PLUGS				

Description of monument: 8 5/8" CASING 36" ABOVE GROUND w/ API TAG
plugging and filling said well was completed on the 13th day of JULY, 2011

and that the work of

And further deponents saith not.

Grover Butler
Richard P Moore

Sworn and subscribe before me this 13th day of September, 2011
My commission expires: Feb 16, 2019

Notary Public



OFFICIAL SEAL
STATE OF WEST VIRGINIA
NOTARY PUBLIC
Erica J. Moore
PO Box 252
Spencer, WV 25276
My Commission Expires Feb. 16, 2019



OFFICE
STATE OF
NOTARY
Erica J. Moore
PO Box 252
Spencer, WV 25276
My Commission Expires Feb. 16, 2019

Affidavit reviewed by the Office of Oil and Gas:

[Signature]
11. 14. 2011

STATE OF WEST VIRGINIA
 DEPARTMENT OF ENVIRONMENTAL PROTECTION
 OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: CAMERON, BRUCE B. Operator Well No.: 805855 P+A

LOCATION: Elevation: 1,036' Quadrangle: CLENDENIN, WV 7.5'
 District: BIG SANDY County: KANAWHA
 Latitude: GPS UTM N 535,764.72
 Longitude: GPS UTM E 1,907,802.79


Well Type: OIL _____ GAS

Company: CHESAPEAKE APPALACHIA, LLC Coal Operator or Owner: BRUCE B. CAMERON
PO BOX 18496 P.O. Box 3649
OKLAHOMA CITY, OK 73154-0496 WILMINGTON, NC 28406

Agent: ERIC B. GILLESPIE Coal Operator or Owner _____

Permit Issued Date: 7-5-2011

AFFIDAVIT



STATE OF WEST VIRGINIA,
 County of ROANE ss:

RICHARD MOORE and GROVER BUTLER being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and TERRY URBAN Oil and Gas Inspector representing the Secretary, say that said work was commenced on the 26th day of JULY, 2011, and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
CEMENT	1800'	1680'	1883' - 2 3/8" TUBING + PACKER	0'
CEMENT	1650'	1550'		
CEMENT	1030'	930'	980' - 7" CASING	655' - 7" CASING
CEMENT	650'	550'		
CEMENT	450'	350'	380' - 8 5/8" CASING	25' - 8 5/8" CASING
CEMENT	250	0'		
<u>* 6% GEL BETWEEN ALL CEMENT PLUGS.</u>				

Description of monument: 7" CASING 36" ABOVE GROUND w/ API TAG and that the work of plugging and filling said well was completed on the 2nd day of AUGUST, 2011.


And further deponents saith not. Richard W. Moore

Grover Butler

Sworn and subscribe before me this 13 day of September
 My commission expires: Feb 16, 2019

Erica J. Moore
 Notary Public

Oil and Gas Inspector: Terry Urban
9-2011



STATE OF WEST VIRGINIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Ark Land KH Operator Well No.: BCC 9754

LOCATION: Elevation: 1009.00' Quadrangle: Amherstdale

District: Logan County: Logan

Latitude: _____ Feet South of _____ Deg. _____ Min. _____ Sec.

Longitude: _____ Feet West of _____ Deg. _____ Min. _____ Sec.

Well Type: OIL _____ GAS X

Company Jackson Resources Co. Coal Operator
24 Second St or Owner
Hamlin WV 25523

Agent Dale Coleman
Permit Issued Date 05/24/11

RECEIVED
Office of Oil & Gas
OCT 14 2011
WV Department of
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,
County of Lincoln ss:

Paul Stevens and Ben Parsons being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 20th day of Sept, 2011 and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Gel Hole	Surface	3049'		
Cement	2460'	2360'		
Cement	2305'	2205'		7" - 2265'
Cement	1800'	1700'	Perf 7" 1753'-1750'	8-5/8" - 1735'
Cement	511'	411'	Perf 7" & 8" 450'-447'	10-3/4" - 460'
Cement	250'	Surface	411'-408', 250'-247'	
No 3-1/2" pipe found in well. 7" stuck tight, perf pipe at plugs.				


Description of monument: Erect monument with API# 47-045-00311-P and that the work of plugging and filling said well was completed on the 22 day of Sept, 2011.

And further deponents saith not.

Paul Stevens
Ben Parsons

Sworn and subscribe before me this 26th day of September, 2011

My commission expires: 10-7-2012



Notary Public

Affidavit reviewed by the Office of Oil and Gas:

Paul D. Trapp

Title:

District Inspector