

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: ACIN LLC Operator Well No.: Allen & Pryor # 51

LOCATION: Elevation: 1410' MSL Quadrangle: Julian  
District: Scott County: Boone  
Latitude: 10540 Feet South of 38 Deg. 10 Min. 00 Sec.  
Longitude: 2500 Feet West of 81 Deg. 47 Min. 30 Sec.

Well Type: OIL \_\_\_\_\_ GAS X

Company Robin Land Company, LLC  
500 Lee Street, East, Ste 900  
Charleston, WV 25301

Coal Operator Hobet Mining LLC  
or Owner P. O. Box 1060  
Danville, WV 25053

**RECEIVED**  
**Office of Oil & Gas**

Agent John Eagan  
Permit Issued Date March 7, 2011

Coal Operator ACIN LLC  
or Owner 5260 Irwin Road  
Huntington, WV 25705

NOV 03 2011

WV Department of  
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Kanawha ss:

Jackie Lester and \_\_\_\_\_ being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 8th day of March, 2011, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Class A Cement	4190'	3980'		
6% Gel	3980'	3650'		
Class A Cement	3650'	3450'		
6% Gel	3450'	2540'		
Class A Cement	2540'	2340'		
6% Gel	2340'	1850'		Tried to pull 7" at 1500' - no free point
Class A Cement	1850'	0'		

Description of monument: 7" casing, 36" above ground with API tag and that the work of plugging and filling said well was completed on the 15th day of March, 2011.

And further deponents saith not.

*[Signature]*

Sworn and subscribe before me this 27th day of June, 2011

My commission expires: 6-8-2014

*[Signature]*  
Notary Public

Affidavit reviewed by the Office of Oil and Gas:

*[Signature]* Title: Manager



STATE OF WEST VIRGINIA  
DIVISION OF ENVIRONMENTAL PROTECTION  
SECTION OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Given, John Edward Operator Well No.: 607680  
LOCATION: Elevation: 1332' Quadrangle: Rosedale  
District: Birch County: Braxton  
Latitude: Feet South of 00 Deg. 00 Min. 00 Sec.  
Longitude: Feet West of 00 Deg. 00 Min. 00 Sec.

Well Type: OIL \_\_\_\_\_ GAS XXXX

Company: John Edward Given Coal Operator E.S. Cook c/o Ester McLaughlin  
Route #1 Box 22 or owner 600 Chaple Road  
Wilsie, WV 26623 Gassaway, WV 26624  
Coastal Lumber Company

Agent: Joe McCourt Coal Lessee: None  
PO Box 2657  
Buckhannon, WV 26201

Permit Issued Date:

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Braxton ss: Jacob Snider and Jackie Carpenter being first duly sworn


according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well, and Joe McCourt Oil and Gas Inspector representing the Director, say that said work was commenced on the 2nd day of September 2011 and that the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	1650'	1145'	3" 1006'	521'
Cement	1006'	720'		
Cement	244'	100'	8" 190'	580'
Cement	106'	0'		
Cement			10" tried to back off could not	back off
Cement			0'	149'
Cement				
6% Gel between each plug				
Shot 3" @ 1530'; 2 times; 1463'; 2 times; 1397'; 2 times; 1330'; 2 times; 1263'; 2 times; 1198'; 2 times; 1006'; 1 time; Free. Shot 8" @ 190'; Free; Shot 10" @ 125'; 2 times; 83'; 2 times; Free; Tagged plug @ 1150'; 702'; 106';				

Description of monument: 7 inch casing - 8 feet long with API # welded on it and that the work of plugging and filling said well was completed on the 14th day of September, 2011.

And further deponents saith not. Jacob Meador  
Sworn and subscribe before me this 19 day of September, 2011  
My commission expires: May 24, 2016

Suzanne Bryant  
Notary Public  
Joseph A McCourt



Oil and Gas Inspector

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Appalachian Power Company and Ohio Power Company Operator Well No.: AEP BA-02

LOCATION: Elevation: 804 ft. Quadrangle: New Haven  
District: Graham County: Mason  
Latitude: 0 Feet South of 38 Deg. 56 Min. 32.413 Sec.  
Longitude: 0 Feet West of 81 Deg. 57 Min. 02.219 Sec.

Well Type: OIL \_\_\_\_\_ GAS \_\_\_\_\_ OTHER X Deep Stratigraphic Test

Company Appalachian Power Company and Ohio Power Company dba American Electric Power Coal Operator No coal interests with declaration  
700 Morrison Rd., Gahanna, OH 43230 or Owner \_\_\_\_\_

Agent Richard D. Thompson Coal Operator No coal interests with declaration  
Permit Issued Date 8/11/2011 or Owner \_\_\_\_\_

RECEIVED  
Office of Oil & Gas  
SEP 07 2011

AFFIDAVIT

WV Department of Environmental Protection

STATE OF ~~WEST VIRGINIA~~ Ohio  
County of ~~Mason~~ Franklin ss:

Nick Berelsman and Mark Moody being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 12 day of August, 2011, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	8260 ft.	8466 ft.	N/A	N/A
Cement	6603 ft.	6803 ft.	N/A	N/A
Cement	4584 ft.	4794 ft.	4796 ft.	1896 ft.
Cement	3750 ft.	3952 ft.	N/A	N/A
Cement	0 ft.	200 ft.	N/A	N/A

Description of monument: Metal plate w/ API # welded on it. and that the work of plugging and filling said well was completed on the 23 day of August, 2011.

And further deponents saith not. Nick Berelsman  
Mark Moody



Johnathan E Brown  
Notary Public, State of Ohio  
My Commission Expires October 23, 2013

Sworn and subscribe before me this 30th day of August, 2011

My commission expires Oct. 23, 2013  
Johnathan E. Brown  
Notary Public

Affidavit reviewed by the Office of Oil and Gas: James Peter Title: ERS III

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: Mingo/Wyoming Coal Land Operator Well No.: 825382

LOCATION: Elevation: 1718' Quadrangle: Man  
District: Stafford County: Mingo  
Latitude: 4,445' Feet South of 82 Deg. 00 Min. 00 Sec.  
Longitude: 10'326' Feet West of 38 Deg. 00 Min. 00 Sec.

Well Type: OIL \_\_\_\_\_ GAS X

Company Chesapeake Appalachia Coal Operator Hampden Coal Company  
PO Box 18496 or Owner P.O Box 1389  
Oklahoma City, OK 73154-0496 Gilbert, WV 25621

**RECEIVED**  
Office of Oil & Gas

Agent Tal Oden Coal Operator Mingo Wyoming Coal Land Co.  
Permit Issued Date August 17, 2011 or Owner P.O. Box 58  
Huntington, WV 25706

SEP 09 2011

AFFIDAVIT

WV Department of  
Environmental Protection

STATE OF WEST VIRGINIA,  
County of Mingo ss:

Stephen Cornett and \_\_\_\_\_ being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 22 day of August, 2011, and the well was plugged and filled in the following manner:

TYPE	FROM	TO	PIPE REMOVED	LEFT
Solid Bridge Plug	4460'	4461'	5259' of 2 3/8 tubing	
Cement 4 sacks	4461'	4430'	2245' of 4 1/2 casing	3245' of 4 1/2 casing
cement 8 sacks	4284'	3950'	#8. Cement 33 sacks- 2327' to 2052'	2119' of 7" casing
Cement 8 sacks	3900'	3800'	#9. Cement 25 sacks- 1395' to 1295'	630' of 9 5/8 casing
Cement 38 sacks	3515'	3380'	#10. Cement 25 sacks- 587' to 487'	
Solid Bridge Plug	3081'	3080'	#11. Cement 52 sacks- 229' to 0'	
Cement 8 scks	3080'	2980'	6% Gel between all Plugs	

Description of monument: 8" marker 36" above ground with Well API No. & Well No. and that the work of plugging and filling said well was completed on the 25 day of August, 2011.

And further deponents saith not. Stephen Cornett

Sworn and subscribe before me this 7<sup>th</sup> day of September, 2011

My commission expires: 5/24/2013  
Sherrie L Moore  
Notary Public

Affidavit reviewed by the Office of Oil and Gas: [Signature] Title: Manager

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE IN TRIPLICATE, one copy mailed to the Department, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

Farm name: JL Mclean Operator Well No.: A-58

LOCATION: Elevation: 1053.03 Quadrangle: Elmwood  
District: Union County: Putnam  
Latitude: 9640 Feet South of 38 Deg. 42 Min. 30 Sec.  
Longitude: 2970 Feet West of 81 Deg. 45 Min. 00 Sec.

Well Type: OIL      GAS X

Company Cabot Oil & Gas Coal Operator NO COAL  
Fire Penn Center W Ste 40 or Owner  
Pittsburgh, PA 15276

Agent Brian Hall Coal Operator       
Permit Issued Date 8-30-2011 or Owner     

RECEIVED  
Office of Oil & Gas  
OCT 31 2011  
WV Department of  
Environmental Protection

AFFIDAVIT

STATE OF WEST VIRGINIA,  
County of Roane ss:

Bill Shreve and Fred Goff being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by the above named well operator, and participated in the work of plugging and filling the above well say that said work was commenced on the 6<sup>th</sup> day of Sept, 2011 and the well was plugged and filled in the following manner:


TYPE	FROM	TO	PIPE REMOVED	LEFT
Cement	4440'	3510'	3410' - 4 1/2"	1119' - 4 1/2" (Cemented)
6% Gel	3510'	3460'		2832' - 7" (Cemented)
Cement	3460'	3300'		850' - 9 5/8" (Cemented)
6% Gel	3300'	2850'		
Cement	2850'	2550'		
6% Gel	2550'	2100'		
Cement	2100'	1800'		

(on back)  
Description of monument: 12' of 4 1/2" casing with API # and that the work of plugging and filling said well was completed on the 10<sup>th</sup> day of Sept, 2011.

And further deponents saith not. Bill Shreve  
Fred Goff

Sworn and subscribe before me this 20 day of Oct, 2011

My commission expires: 7/22/2020 Sandra G. Wilson  
Notary Public



[Signature] Title: Manager

Type :	From :	To :
6% Gel	1800'	900'
Cement	900'	700'
6% Gel	700'	200'
Cement	200'	Surface